

LAND USE COMMISSION

Wednesday, August 10, 2022
7:00 P.M.

Lorraine H. Morton Civic Center, 2100 Ridge Avenue, James C. Lytle City Council Chambers

AGENDA

Those wishing to make public comments at the Land Use Commission meeting may submit written comments in advance or sign up to provide public comment in-person during the meeting by calling/texting 847-448-4311 or completing the Land Use Commission meeting online comment form available by clicking [here](#), or visiting the Land Use Commission webpage, <https://www.cityofevanston.org/government/land-use-commission>, clicking on How You Can Participate, then clicking on Public Comment Form. Community members may watch the Plan Commission meeting online at www.cityofevanston.org/channel16 or on Cable Channel 16.

I. CALL TO ORDER/DECLARATION OF A QUORUM

II. APPROVAL OF MEETING MINUTES: July 13, 2022

III. OLD BUSINESS (continued from June 22, 2022)

A. Public Hearing:Planned Development | 3434 Central Street | 22PLND-0012

Charles Marlas, applicant, applies for a Special Use for a Planned Development and a Special Use to demolish the existing church and other site improvements and to construct a new 2-story, 22,416 square foot building for a Daycare Center-Child, Kensington School. The following site development allowances are needed:1) Off-street parking located within the front yard where parking is not permitted, 2) Off-street parking located within the south interior side yard where parking is not permitted, 3) Detached accessory use, refuse enclosure, located within the south interior side yard where a detached accessory use is not permitted, 4) Reduce the required transition landscape strip along the south property from 10' to 6', 5) Eliminate the required 10-foot wide transition landscape strip along the west property line, and 6) Reduce the two-way driveway aisle width from 24' to 16', in the R2 Single-Family Residential District. The applicant may seek and the Land Use Commission may consider additional Site Development Allowances as may be necessary or desirable for the proposed development. The Land Use Commission makes a recommendation to the City Council, the determining body for this case in accordance with Section 6-3-5-8 of the Evanston Zoning Ordinance and Ordinance 92-O-21. **This item will not be heard at this meeting and will be renoticed for a future meeting date.**

IV. NEW BUSINESS

A. Public Hearing: Amendment to Special Use | 619 Howard Street | 22ZMJV-0043

India Mussell-McKay of Palmhouse Productions, LLC., applicant, requests an amendment to Ordinance 45-O-19, which granted approval of a Special Use for a Banquet Hall Facility in the B3 Business District (Zoning Code Section 6-9-4-3). The applicant specifically requests the condition of approval requiring the Design and Project Review Committee to review all outdoor special events on the parking lot of the premises to be removed. The Land Use Commission makes a recommendation to the City Council, the determining body for this case in accordance with Section 6-3-5-8 of the Evanston Zoning Code and Ordinance 92-O-21.

B. Public Hearing: Planned Development | 1621-31 Chicago Avenue | 22PLND-0020

Jeffrey Michael, applicant, Horizon Realty Group, submits a Special Use for a Planned Development to construct a new 18-story mixed-use building with approximately 7,195 square feet of ground floor retail space, 180 dwelling units (including 52 bonus dwelling units per IHO), and 57 parking spaces within a 2-level parking garage in the D4 Downtown Transition District. The applicant seeks the following site development allowances: 1.) To increase the maximum permitted number of dwelling units from 106 to 180; 2.) To increase the maximum permitted Floor Area Ratio (FAR) from 5.4 to 7.8; 3.) To increase the maximum permitted building height from 105' to 174'-8"; 4.) To reduce the number of required parking spaces from 130 to 57; and 5.) To reduce the number of required loading berths from 3 to 2. The applicant may seek and the Land Use Commission may consider additional Site Development Allowances as may be necessary or desirable for the proposed development. The Land Use Commission makes a recommendation to the City Council, the determining body for this case in accordance with Section 6-3-5-8 of the Evanston Zoning Ordinance and Ordinance 92-O-21.

V. COMMUNICATION

VI. PUBLIC COMMENT

VII. ADJOURNMENT

The next meeting of the Evanston Land Use Commission will be held on **Wednesday, August 24, 2022, at 7:00 pm, in the James C. Lytle Council Chambers in the Lorraine H. Morton Civic Center.**

Order & Agenda Items are subject to change. Information about the Land Use Commission is available at: <https://www.cityofevanston.org/government/land-use-commission>. Questions can be directed to Meagan Jones at mmjones@cityofevanston.org or 847-448-4311. The City of Evanston is committed to making all public meetings accessible to persons with disabilities. Any citizen needing mobility or communications access assistance should contact 847-448-4311 or 847-866-5095 (TTY) at least 48 hours in advance of the scheduled meeting so that accommodations can be made.

La ciudad de Evanston está obligada a hacer accesibles todas las reuniones públicas a las personas minusválidas o las quines no hablan inglés. Si usted necesita ayuda, favor de ponerse en contacto con la Oficina de Administración del Centro a 847/866-2916 (voz) o 847/448-8052 (TDD).



MEETING MINUTES
LAND USE COMMISSION

Wednesday, July 13, 2022
7:00 PM

Lorraine H. Morton Civic Center, 2100 Ridge Avenue, James C. Lytle City Council
Chambers

Members Present: George Halik, Brian Johnson, Jeanne Lindwall, Kiril Mirintchev,
Matt Rodgers, Kristine Westerberg

Members Absent: Myrna Arevalo, Violetta Cullen, John Hewko, Max Puchtel

Staff Present: Elizabeth Williams, Brian George, Melissa Klotz, Meagan Jones

Presiding Member: Matt Rodgers

Call to Order

Chair Rodgers opened the meeting at 7:10pm. A roll call was then done and a quorum was determined to be present.

Planning Manager Elizabeth Williams was introduced and she shared some information about herself.

Chair Rodgers then announced that new business item 22PLND-0010 would not be heard at this meeting as the applicant requested a continuance to a future meeting date. Staff confirmed that the continued date is intended to be September 28, 2022 and that plans, which will be updated, are available on the Large-Scale Developments page on the City's website.

Approval of June 22, 2022 Meeting Minutes

Commissioner Halik suggested several edits to the meeting minutes. Commissioner Lindwall then made a motion to approve the Land Use Commission meeting minutes from June 22, 2022 as amended. Seconded by Commissioner Westerberg. A roll call vote was taken and the motion passed, 6-0.

Old Business

A. Public Hearing: Map Amendment | 22PLND-0038

City initiated Map Amendment to the Zoning Ordinance, Title 6 of the City Code, to rezone properties known as: 2600 Gross Point Rd., PIN 05-33-318-032-0000; 2608-2620 Gross Point Rd./2620 Crawford Ave., PINs 05-33-318-033-0000, 05-33-318-034-0000; 2628-2636 Gross Point Rd., PINs 05-33-311-054-0000, 05-33-311-040-0000, 05-33-311-053-0000; 2600 Crawford Ave., PIN 05-33-319-001-0000

The properties are proposed to be removed from the existing oCSC Central Street Corridor Overlay District, and will remain within the existing underlying B1a Business District. The Land Use Commission makes a recommendation to the City Council, the determining body for this case in accordance with Section 6-3-5-8 of the Evanston Zoning Ordinance and Ordinance 92-O-21. June 22, 2022 Land Use Commission Meeting

Megan Lutz, who requested the continuance for this case at the June 22, 2022 meeting, provided a statement thanking the Commission for granting the continuance to make neighbors aware of the proposed change. She explained that 171 signatures were obtained for the submitted petition and stated that Councilmember Suffredin sent a letter to staff requesting that this case be withdrawn but staff was unable to do so. Ms. Lutz then referenced the information that resident Jeff Smith provided at the previous Commission meeting relating the intention of including these properties in the Central Street overlay with the overall vision for the district. Mr. Smith had also explained that a traffic and market study should be done before any proposed changes occur and deviates from standard map amendment procedures. Ms. Lutz then explained that comments regarding drive-throughs are due to an existing drive-through causing accidents and traffic. Several other drive-throughs have been proposed and have been recommended by staff, including those proposed by Nic's Organics. She expressed that the threshold for Special Uses is much lower without the overlay and the protection against such uses goes away if the proposed zoning change occurs. She then explained that although the intersection has been referenced as not being pedestrian oriented it is heavily used by residents and pantry customers. She finished by stating that to jettison the process would be counter to Evanston's plans and zoning and encouraged the Commission to not recommend approval.

Chair Rodgers explained that though the Commission did not receive the Councilmember's letter, he had been in contact with staff regarding it and that it was determined that the Land Use Commission's hearing would continue in order to complete this portion of the process. The item would proceed to the Planning & Development Committee where Councilmember Suffredin would then explain his position.

No additional staff comment was provided. Chair Rodgers then closed the record.

Deliberations

Commissioner Lindwall expressed that this is one of the City's most difficult and complicated intersections, with the worst being the Ridge/Green Bay/Emerson intersection. She explained that she has looked at the intersection and area to the north and noted no sidewalks on Crawford in addition to noting where property lines seem to be. Commissioner Lindwall then suggested that residents and businesses should consider working with the Councilmember Suffredin to install more sidewalks. She then explained that the Central Street Plan is 15 years old and should be revisited. Since the adoption of the plan there has been a worldwide financial crisis that impacted what type of development would likely occur. Until recently, the only kinds of development that

would be able to obtain financing were rental apartment buildings. She explained that some uses called for at that intersection were small office buildings and strip centers which, given the rise of the internet, is not the best use. Removal of properties from the overlay was to see what different development could be done. Setting up the overlay created a process but without it, B2 is less stringent. Commissioner Lindwall concluded by asking what extra investment is needed if a property is within the overlay vs without it.

Ms. Klotz stated that the process starts with a Zoning Analysis. An applicant can expect to go back and forth with staff 3 to 5 times to get a plan to an appropriate level, likely in a minimum of 60 days. They would then apply for Major Variations, the cost for which for commercial properties is per variation. Would likely yield a larger number due to the shape of the lot in the overlay. In the overlay, the number of variations jumps and make the application more expensive, into the thousands of dollars, and the process itself would take 60 to 90 days, assuming no continuance requests or other process delays. At that point, it would be getting close to 6 months before an applicant would know if they are approved, after which they would go through the permit and construction process.

Commissioner Halik asked for clarification on what the difference between processes would be if the properties were removed from the overlay to which Ms. Klotz responded that the back and forth in the beginning for revising plans is reduced, likely half of the typical time overall. She then explained that her bigger concern from a land use perspective is that if properties are applying for 15 variations, something is wrong and in this case her belief is that the overlay is wrong but could be the development.

Commissioner Westerberg asked if the overlay seems to not work for just the transitional properties or if it presents difficulties for other properties as well. Ms. Klotz replied that the most significant issues are for the properties that are at this intersection as they have multiple busy roads surrounding them which is not typical for other properties within the overlay. The plan is not perfect but most properties can comply with everything or come very close.

Commissioner Westerberg then asked staff's thoughts on other ways to look at these properties for relief. Ms. Klotz responded that it is good to review plans at the 10 to 15 year mark and sees no harm in reviewing it. She stated that she thinks overlay is a good thing and operates as it should and wouldn't anticipate major changes. If the Commission thinks that is a better plan, that is something staff can look at.

Commissioner Mirintchev explained that he looked at aerial views and pedestrian flow. The most important thing is how people use the intersection and get to points of interest. Here, it continues to be bad for pedestrians and bicyclists. He stated his preference to keep the overlay to have free movement and that reducing the front building setback concerns him, giving the west wall of CVS as an example. Believes removing the properties from the overlay is not the solution, it should stay and/or improvements should be made to the overlay.

Commissioner Halik explained that a lot of information has been submitted that has been helpful to read and he does not see a good reason to change what is there now. He expressed that he believes the Commission should listen to neighbors.

Commissioner Johnson agreed, stating he uses the intersection and reviewed the petition. There does not seem to be a great impetus to recommend approval.

Chair Rodgers expressed that he is not a fan of overlays and thinks there are things that should be changed at the intersection. He then stated that he hopes to have a Comprehensive Plan that points in the direction of more straightforward and clear zoning.

Commissioner Lindwall stated that zoning changes will not change the traffic situation; they existed prior to the plan and will exist after a decision is made for this case as the uses will remain. It is important to help the existing businesses. The question remains what happens when someone comes and proposes new development and if we are looking at making things easier for existing businesses or looking more long term for the intersection.

The Commissioners then reviewed the Standards for Approval of the Map Amendment:

- A. There was some disagreement in whether the change is consistent with the adopted plan and belief that a more thoughtful process should occur.
- B. Standard met. Discussion on this being a transitional area and needing to have zoning that addresses that.
- C. Discussion occurred on allowing business to make improvements which would help the value of commercial properties. Concern over long term effects if a different use comes in that changes the nature of the area and property values.
- D. Standard met.

Chair Rodgers made a motion to recommend approval of the map amendment with the condition that the City begin a study looking at evaluation of increasing sidewalks in the area to improve pedestrian travel through that intersection and that the amendment be in compliance with the discussion held at this meeting and the previous Commission meeting. Seconded by Commissioner Lindwall. A roll call vote was taken and the motion failed, 1-5. Therefore, the motion failed and the amendment will move forward with a recommendation for denial.

New Business

A. Public Hearing: Text Amendment | Billboards | 22PLND-0042

City initiated Text Amendment to the Zoning Ordinance, Title 6 of the City Code, to establish regulations to allow Billboards in all zoning districts. The Land Use Commission makes a recommendation to the City Council, the determining body for this case in accordance with Section 6-3-4 of the Evanston Zoning Ordinance and Ordinance 92-O-21.

Ms. Klotz read the case into the record. Chair Rodgers gave background on the amendment and the process that occurred up to this point. He then read a statement exercising the powers and authority granted under Article X of the Rules and Procedures of Evanston's Land Use Commission, the Chair determined that this case presents no new evidence nor has testimony been provided that was not available at the previous hearings. The initial hearing determined that allowing billboards anywhere in the City was contrary to the character of the City and its adopted Comprehensive Plan. The City Council has not presented any new issues for the Commission to discuss, therefore, without objection, the Commission returns this item to the Planning and Development Committee and the unanimous decision to prohibit billboards throughout the City of Evanston stands.

Commissioner Halik expressed some disagreement with one item in the Chair's statement relating to new information as there was some discussion about the option to put billboards along the railroad tracks and face them towards the tracks. Chair Rodgers responded that there was no one present to present that new information and reiterated the ability of the Chair to determine whether there is significant change to the application that was reviewed before but that there is the ability to object to that determination and hold a vote on whether to hold a hearing.

Ms. Klotz clarified that there was a very brief point discussed on possible alternate locations when this item was previously discussed, including along train lines. She added that if the Commission wishes to continue discussion to please do so, but the possible alternate location was discussed briefly.

Commissioner Halik clarified that he wants to be sure that the Commission's recommendation is clear that it does not think it is a good idea to line the railroad tracks with billboards. Chair Rodgers clarified that the Commission's recommendation stated that billboards should not be allowed anywhere in the City, including along CTA and Metra lines.

Commissioner Westerberg supported the Chair's statement. Commissioner Lindwall also agreed and stated that she watched Committee meeting and noted discussion of the proposal and one thing that Councilmember Suffredin also mentioned was having the ability to have off-premises advertising on public buildings. Commissioner Westerberg pointed out that while the media may change, the issue is still advertising which was deemed to not be in character with Evanston in previous discussion.

Commissioner Halik inquired if existing billboards would be part of the consideration retroactively to which Ms. Klotz responded no, they are considered to be legally nonconforming and may continue to exist.

Chair Rodgers stated that there is no one present to argue for this case so it does not make sense for the Commission to hold a new hearing. Hence why he wanted to refer it back to the Commission with the same unanimous decision to recommend denial.

B. Public Hearing: Map Amendment & Planned Development | 2044 Wesley Avenue | 22PLND-0010

John Cleary, applicant, submits for a Zoning Map Amendment to the Zoning Ordinance, Title 6 of the City Code, to remove properties known as 2024 Green Bay Road, 2026 Green Bay Road, and 2026 Wesley Avenue, PINs 10-13-205-003-0000, 10-13-205-002-0000, and 10-13-205-010-0000, from the oWE Evanston Overlay District and to rezone properties known as 2017 Jackson Avenue and 2021 Jackson Avenue, PINs 10-13-204-023-0000 and 10-13-204-022-0000, from the R5 General Residential District to the R4 Residential District. The proposed Map Amendment is in conjunction with a Planned Development application.

John Cleary also submits for a Special Use for a Planned Development to construct 19 townhomes and a 12-unit multiple-family dwelling, 55 off-street parking spaces, and a new street connecting Jackson Avenue with Wesley Avenue on properties known as 2017 Jackson Avenue, 2021 Jackson Avenue, 2032 Jackson Avenue, 2026 Wesley Avenue, 2044 Wesley Avenue, 2024 Green Bay Road, 2026 Green Bay Road, and vacated Jackson Avenue north of Foster Street, PINs 10-13-203-024-0000, 10-13-204-021-0000, 10-13-204-022-0000, 10-13-204-023-0000, 10-13-204-030-0000, 10-13-205-002-0000, 10-13-205-003-0000, 10-13-205-010-0000. The applicant seeks site development allowances for impervious surface coverage, building height, single-family attached dwellings not having frontage onto a public street, elimination of required transition landscape strips, setback from street and development boundary line to a dwelling, yard obstructions into required setbacks, and separation between residential buildings. The applicant may seek and the Land Use Commission may consider additional Site Development Allowances as may be necessary or desirable for the proposed development. The Land Use Commission makes a recommendation to the City Council, the determining body for these cases in accordance with Section 6-3-5-8 of the Evanston Zoning Ordinance and Ordinance 92-O-21.

Commissioner Lindwall made a motion to continue this item to the September 28, 2022 Commission meeting. Seconded by Commissioner Westerberg. A roll call vote was taken and the motion was approved, 6-0.

Communications

No Communications.

Public Comment

Betty Bog, Executive Director of Connections for the Homeless, stated that at the May 25th meeting, Connections' legal representation stated that an application would be submitted in two weeks. This has not occurred due to the need to get the property owner's signature, which he has declined to sign without a finalized letter of intent or purchase agreement. She stated that they are making good progress and are close to finalizing an agreement. Once signed, a complete application will be submitted in accordance with the guidance provided by City staff. Connections is eager to have the process move forward. Chair Rodgers stated he has been made aware of the delay and thanked Ms. Bogg for her update.

Adjournment

Commissioner Westerberg motioned to adjourn, Commissioner Lindwall seconded, and the motion carried, 6-0.

Adjourned 8:06 pm

Respectfully submitted,

Meagan Jones, Neighborhood & Land Use Planner

619 Howard Street
Amendment to Special Use
22ZMJV-0043

LUC Recommending Body



Memorandum

To: Members of the Land Use Commission

From: Katie Ashbaugh, Planner

CC: Johanna Nyden, Director of Community Development
Elizabeth Williams, Planning Manager

Subject: 619 Howard Street | 22ZMJV-0043
LUC Recommending Body
City Council Determining Body

Date: August 5, 2022

Notice – Published in the July 21, 2022 Edition of the *Evanston Review*:

India Mussell-McKay of Palmhouse Productions, LLC., applicant, requests an amendment to Ordinance 45-O-19, which granted approval of a Special Use for a Banquet Hall Facility at 619 Howard Street in the B3 Business District (Zoning Code Section 6-9-4-3). The applicant specifically requests the condition of approval requiring the Design and Project Review Committee to review all outdoor special events on the parking lot of the premises to be removed. The Land Use Commission makes a recommendation to the City Council, the determining body for this case in accordance with Section 6-3-5-8 of the Evanston Zoning Code and Ordinance 92-O-21.

Recommendation:

The applicant has complied with all zoning requirements and meets all of the standards for special uses in the B3 Business District.

Background:

The site, an approximately 17,135 square-foot property at 619 Howard Street, is located on the north side of Howard Street, mid-block between Callan and Clyde Avenues in the B3 Business District. The site consists of one approximately 9,929 square-foot one-story building holding the Callan/Howard corner with a 21-stall surface parking lot to the east.

Surrounding Zoning and Land Uses	Zoning	Land Use
North (across alley)	R5 General Residential District	Multi-family, mixed-use

South (across Howard)	City of Chicago	Mixed-use
East	B3 Business District	Commercial (bakery)
West (across Callan)	B3 Business District	Type 1 restaurant, commercial

On May 13, 2019, the City Council adopted Ordinance 45-O-19 (linked below) for a Special Use Permit allowing Palmhouse Productions to operate a Banquet Hall Facility at 619 Howard Street. As of the publication of this staff report, the City is not aware of any issues or complaints with regard to the current operations. The staff report prepared for the April 16, 2019 Zoning Board of Appeals public hearing is directly attached for more specific details about current operations. The business operates in a manner consistent with the description provided in said report.

Proposal:

The applicant is not proposing any changes to the operations of the existing Banquet Hall Facility as part of this request. The applicant has complied with conditions of approval stipulated in Ordinance 45-O-19 since its opening. The conditions for direct reference are below, with the condition requested to be removed in italics:

- A. Compliance with Applicable Requirements: The Applicant shall develop and use the Subject Property in substantial compliance with: all applicable legislation; the Applicant’s testimony and representations to the ZBA, the P&D Committee, and the City Council; and the approved plans and documents on file in this case.
- B. *Parking Lot Events: In addition to all other city requirements to host outdoor events in Evanston, all events held in the Banquet Hall facility parking lot must also receive approval from the Design and Project Review Committee.*
- C. Hours of Operation: The Applicants shall operate the Banquet Hall Facility, only between the hours of 8:00 a.m. to 11:00 p.m. on any given Sunday through Thursday, and 9:00 a.m. to 12:00 a.m. on any given Friday or Saturday.
- D. Customer Parking: The Banquet Hall Facility must utilize off-site parking and a valet service for events where the expected attendance is between forty-one (41) and one hundred (100) patrons. A shuttle service to off-site parking is required for events where the expected attendance is over one hundred (100) patrons.
- E. Employee Parking: The Applicant or its Employees shall not park on the streets near the Subject Property.
- F. Recordation: Before it may operate the Special Use authorized by the terms of this ordinance, the Applicant shall record, at its cost, a certified copy of this ordinance with the Cook County Recorder of Deeds.

Ordinances Identified for Requested Relief

6-9-4-3 Special Uses: The following uses may be allowed in the B3 Business District, subject to the provisions set forth in Section 6-3-5, “Special Uses,” of this Title:

Banquet Hall (among other listed uses)

The Zoning Ordinance defines a Banquet Hall as:

A principal use consisting of a large room or hall that is available for rent for use for specific banquets, exhibitions, and/or meetings that may include the provision of food, drink, and/or entertainment.

Comprehensive Plan:

The Evanston Comprehensive Plan encourages the utilization of vacant storefronts along existing commercial corridors to provide needed services to the community and encourage economic vitality. The Comprehensive Plan specifically includes:

Objective: Promote the growth and redevelopment of business, commercial, and industrial areas.

Objective: Retain and attract businesses in order to strengthen Evanston's economic base.

Since the adoption of Ordinance 45-O-19 and the issuance of a certificate of occupancy, the applicant has been operating the Banquet Hall, Palmhouse, at 619 Howard Street in a manner consistent with the said ordinance and the Comprehensive Plan. As such, the use has not negatively affected the proximate residential neighborhood.

Design and Project Review (DAPR) Discussion:

On July 26, 2022, the Design and Project Review Committee reviewed the request and confirmed the current operations of the Banquet Hall have been sensitive to the residential properties to the north and not caused any issues related to noise, crowds, or parking and traffic congestion. Staff found that the removal of the condition requiring the applicant to request DAPR approval for each outdoor special event was appropriate since they have demonstrated responsible event management thus far. Staff also found that removing the condition would allow the business ongoing flexibility with event scheduling, considering the increased demand for outdoor events since the emergence of COVID-19.

Special Use Standards:

For the LUC to recommend that the City Council grant a special use, the LUC must find that the proposed special use:


1. **Is one of the listed special uses for the zoning district in which the property lies; Standard met.** Banquet Halls are listed as a special use in the B3 Business District.
2. **Complies with the purposes and the policies of the Comprehensive General Plan and the Zoning ordinance; Standard met.** The use is compliant with the Zoning Ordinance and the Comprehensive Plan because the project promotes the adaptive reuse of existing commercial structures.

3. **Does not cause a negative cumulative effect in combination with existing special uses or as a category of land use:** Standard met. No other special uses are in the immediate area, and the proposed Banquet Hall is complementary to nearby daytime commercial uses. Nuisance mitigating measures for noise and parking have been proposed to ensure the use is not detrimental to the adjacent residential area.
4. **Does not interfere with or diminish the value of property in the neighborhood:** Standard met. The business is compliant with the previously adopted ordinance granting the special use and the applicant has shown responsible management of outdoor events such that adjacent properties are not interfered with.
5. **Is adequately served by public facilities and services:** Standard met. The building is served by adequate sidewalks, streets, and close proximity to public transportation.
6. **Does not cause undue traffic congestion:** Standard met. The Banquet Hall is located approximately ¼ mile away from a large parking garage and the Howard Street CTA train and bus station, and other bus stops are located throughout Howard Street. The applicant agrees to use off-site parking at 525 Howard Street and valet/shuttle service to the Gateway parking garage for larger events.
7. **Preserves significant historical and architectural resources:** N/A
8. **Preserves significant natural and environmental resources:** N/A
9. **Complies with all other applicable regulations:** Standard met. The project complies with all other applicable regulations.

Attachments:


1. Aerial Photo
2. Zoning Map
3. Plat of Survey
4. Application
5. April 16, 2019 Zoning Board of Appeals Meeting Packet
6. [Ordinance 45-O-19](#)
7. Public Comment

619 Howard St - Aerial




8/3/2022, 4:34:16 PM

-  City Boundary
-  Tax Parcels





619 Howard St - Zoning



8/3/2022, 4:38:48 PM

- | | | | |
|----------------------------|-----------------|----------------------------|--------------------------------|
| Zoning Boundaries & Labels | B2 - Business | C1a - Commercial Mixed-Use | D2 - Downtown Retail Core |
| B1 - Business | B3 - Business | C2 - Commercial | D3 - Downtown Core Development |
| B1a - Business | C1 - Commercial | D1 - Downtown Fringe | D4 - Downtown Transition |





LOCATION MAP



UNITED SURVEY SERVICE, LLC
 CONSTRUCTION AND LAND SURVEYORS
 7710 CENTRAL AVENUE, RIVER FOREST, IL 60305
 TEL.: (847) 288-1010 FAX: (847) 288-5887
 E-MAIL: USURVEY@USANDCS.COM

PLAT OF SURVEY
 OF

LOTS 1, 2, 3, 4 AND 5 IN BLOCK 2 IN NILES HOWARD TERMINAL ADDITION, BEING SUBDIVISION OF THE SOUTH 6.25 CHAINS (412 1/2 FEET) OF THAT PART OF THE NORTH EAST QUARTER OF SECTION 30, TOWNSHIP 41 NORTH, RANGE 14 EAST OF THE THIRD PRINCIPAL MERIDIAN, LYING WEST OF THE RIGHT OF WAY OF THE CHICAGO AND NORTH-WESTERN RAILROAD, IN COOK COUNTY, ILLINOIS.


KNOWN AS : **819 HOWARD STREET, EVANSTON, ILLINOIS**

PERMANENT INDEX NUMBERS:
 11 - 30 - 210 - 016 - 0000
 11 - 30 - 210 - 017 - 0000
 11 - 30 - 210 - 018 - 0000
 11 - 30 - 210 - 019 - 0000
 11 - 30 - 210 - 020 - 0000

TOTAL AREA= 17,135 SQ. FT. OR 0.393 ACRES

NOTE:
 THE LEGAL DESCRIPTION DESCRIBES THE SAME PROPERTY AS INSURED IN THE TITLE COMMITMENT OR ANY EXCEPTIONS HAVE BEEN NOTED HEREIN.

PARKING SPACE TABLE	
TYPE OF SPACE	TOTAL EXISTING
REGULAR	21
HANDICAP	1
TOTAL	22



- NOTES:
- THE SUBJECT PROPERTY HAS ACCESS TO AND FROM A DEDICATED AND ACCEPTED PUBLIC STREET'S KNOWN AS HOWARD STREET, CALLAN AVENUE AND 16' PUBLIC ALLEY.
 - THE SURVEY AND THE INFORMATION, COURSES AND DISTANCES SHOWN THEREON ARE CORRECT.
 - THE TITLE LINES AND LINES OF ACTUAL POSSESSION ARE THE SAME.
 - THE SUBJECT PROPERTY DOES NOT SERVE ANY ADJOINING PROPERTY FOR DRAINAGE, UTILITIES, OR INGRESS OR EGRESS.
 - ELECTRIC, GAS, TELEPHONE AND WATER UTILITY AND STORM AND SANITARY SEWER SYSTEMS ACCESS THE PROPERTY IN LEGALLY DEDICATED RIGHTS OF WAY THAT BENEFIT THE PROPERTY.
 - THERE ARE NO VISIBLE EVIDENCE OF CEMETERIES, GRAVE SITES OR BURIAL GROUNDS LOCATED ON THE PROPERTY.
 - ITEM # 8 FROM TABLE A ALL SUBSTANTIAL FEATURES OBSERVED ON THE PROPERTY HAVE BEEN PLOTTED.
 - ITEM # 9 FROM TABLE A THERE ARE 22 STRIPED PARKING SPACES ON THE PROPERTY.
 - ITEM # 10 FROM TABLE A THERE ARE NO PARTY WALLS (ALL WALLS ARE INDEPENDENT).
 - ITEM # 11 FROM TABLE A ALL VISIBLE UTILITIES ARE PLOTTED.
 - ITEM # 16 FROM TABLE A AT THE TIME OF THIS SURVEY, NO VISIBLE RECENT EARTH MOVING WORK, BUILDING CONSTRUCTION OR BUILDING ADDITIONS WITHIN RECENT MONTHS WERE NOTED.
 - ITEM # 17 FROM TABLE A AT THE TIME OF THIS SURVEY, THERE IS NO EVIDENCE OF CHANGES IN RIGHT OF WAY EITHER COMPLETED OR PROPOSED AND RECENT STREET OR SIDEWALK CONSTRUCTION OR REPAIRS.
 - ITEM # 18 OF TABLE A THERE ARE NO WETLANDS LOCATED ON THE PROPERTY.
 - ITEM # 20 FROM TABLE A RELATIVE TO PROFESSIONAL LIABILITY INSURANCE POLICY OBTAINED BY THE SURVEYOR IN THE MINIMAL AMOUNT OF \$ 1,000,000 TO BE IN EFFECT THROUGHOUT THE CONTRACT TERM, CERTIFICATE OF INSURANCE TO BE FURNISHED UPON REQUEST.

CITY OF EVANSTON, IL
 3705 RICE AVENUE
 EVANSTON, IL 60201
 PHONE: 847-468-4311

ZONING REQUIREMENTS:
 B3-BUSINESS DISTRICT

6-4-4.7 - YARD REQUIREMENTS:
 FRONT YARD: BUILD TO FRONT PROPERTY LINE REQUIRED, MEANING NO LESS THAN 75% OF BUILDING AT GRADE IS WITHIN 5' OF FRONT PROPERTY LINE.
 SIDE YARD: WHEN ABUTTING STREET-BUILD TO SIDE PROPERTY LINE REQUIRED, MEANING NO LESS THAN 75% OF BUILDING AT GRADE IS WITHIN 5' OF SIDE PROPERTY LINE.
 REAR YARD: WHEN ABUTTING RESIDENTIAL DISTRICT: BUILDING, 15' PARKING, 10'.

6-4-4.8 - FLOOR AREA RATIO:
 THE MAXIMUM PERMITTED FLOOR AREA RATIO IN THE B3 DISTRICT IS 3.0.

6-4-3.8 - BUILDING HEIGHT:
 THE MAXIMUM BUILDING HEIGHT IN THE B3 DISTRICT IS 65 FEET.

PARKING REQUIREMENTS
 1 SPACE PER 350 SQ. FT. OF GROSS FLOOR AREA

STEWART TITLE GUARANTY COMPANY
 COMMITMENT NO.: 1708080838
 EFFECTIVE DATE: DECEMBER 6, 2017

ITEMS CORRESPONDING TO SCHEDULE B:
 ITEMS 1 - 8.
 THERE IS NO ITEM SURVEY RELATED

STATE OF ILLINOIS)
) SS
 COUNTY OF COOK)

I, **ROY G. LAWNICZAK**, A REGISTERED LAND SURVEYOR, LICENSE NO. 35-2290, IN AND FOR THE STATE OF ILLINOIS AND LEGALLY DOING BUSINESS IN COOK COUNTY, DO HEREBY CERTIFY TO:

- **GW PROPERTY GROUP, LLC**
- **SHERWIN - WILLIAMS REALTY HOLDINGS, INC., AN ILLINOIS CORPORATION**
- **STEWART TITLE GUARANTY COMPANY**

AND TO THEIR SUCCESSORS AND ASSIGNS, THAT:
 THIS IS TO CERTIFY THAT THIS MAP OR PLAT AND THE SURVEY ON WHICH IT IS BASED WERE MADE IN ACCORDANCE WITH 2016 MINIMUM STANDARD DETAIL REQUIREMENTS FOR ALTA / NSPS LAND TITLE SURVEYS JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND NSPS, AND INCLUDES ITEMS 1, 2, 3, 4, 6(b), 7(a), 7(b)(1), 7(c), 8, 9, 10, 11, 16, 17, 18 AND 20 OF TABLE A THEREOF.

THE FIELD WORK WAS COMPLETED ON APRIL 13, 2018.

DATE OF PLAT: **APRIL 27, 2018**

BY:
 ROY G. LAWNICZAK, REGISTERED ILLINOIS LAND SURVEYOR NO. 35-2290
 LICENSE EXPIRES: NOVEMBER 30, 2018
 PROFESSIONAL DESIGN FIRM LICENSE NO.: 184-004576
 LICENSE EXPIRES: APRIL 30, 2019



LEGEND ABBREVIATIONS

COMB-MH	COMBINATION MANHOLE
CB	CATCH BASIN
WV	WATER VALVE VAULT
FH	FIRE HYDRANT
LP	LIGHT POLE
WUP	WOOD UTILITY POLE
TR	TREE
MH	MANHOLE
SIGN	SIGN
POST	METAL GUARD POST
Handicapped symbol	HANDICAPPED PARKING SPACE

ORDERED BY:
TROUTMAN - DAMS

SCALE: 1" = 16'

DATE: APRIL 13, 2018

FILE No.:
2018 - 25887

DATE	REVISION

FLOOD STATEMENT:
 SAID DESCRIBED PROPERTY IS LOCATED WITHIN AN AREA HAVING A ZONE DESIGNATION "X" - AREAS DETERMINED TO BE OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN BY THE SECRETARY OF HOUSING AND URBAN DEVELOPMENT, ON FLOOD INSURANCE RATE MAP 17031 C 0270 J, WITH A DATE OF IDENTIFICATION OF AUGUST 19, 2008, FOR COMMUNITY NUMBER 170899 0270 J, IN COOK COUNTY, STATE OF ILLINOIS, WHICH IS THE CURRENT FLOOD INSURANCE RATE MAP FOR THE COMMUNITY IN WHICH SAID PROPERTY IS SITUATED.



SPECIAL USE APPLICATION

CASE #: _____

zoning office use only

1. PROPERTY

Address 619 Howard St. Evanston IL 60202

Permanent Identification Number(s):

PIN 1: PIN 2:

(Note: An accurate plat of survey for all properties that are subject to this application **must** be submitted with the application.)

2. APPLICANT

Name: India Mussell-McKay

Organization: PALMHOUSE PRODUCTIONS LLC

Address: 619 Howard St.

City, State, Zip: Evanston IL 60202

Phone: Work: 847-912-4431 Home: _____ Cell/Other: _____

Fax: Work: _____ Home: _____

E-mail: india@palmhouse619.com

Please circle the primary means of contact.

What is the relationship of the applicant to the property owner?

- same
- architect
- officer of board of directors
- builder/contractor
- attorney
- other: _____
- potential purchaser
- lessee
- potential lessee
- real estate agent

3. PROPERTY OWNER (Required if different than applicant. All property owners must be listed and must sign below.)

Name(s) or Organization: 619 H LLC

Address: 2819 Girard, Evanston IL 60201

City, State, Zip: _____

Phone: Work: 224-420-6195 Home: _____ Cell/Other: _____

Fax: Work: _____ Home: _____

E-mail: _____

Please circle the primary means of contact.

"By signing below, I give my permission for the Applicant named above to act as my agent in all matters concerning this application. I understand that the Applicant will be the primary contact for information and decisions during the processing of this application, and I may not be contacted directly by the City of Evanston. I understand as well that I may change the Applicant for this application at any time by contacting the Zoning Office in writing."

DocuSigned by: Meldibony 7/13/2022
Property Owner(s) Signature(s) - **REQUIRED** Date

4. SIGNATURE

"I certify that all of the above information and all statements, information and exhibits that I am submitting in conjunction with this application are true and accurate to the best of my knowledge."

India Mussell-McKay 07/12/2022
Applicant Signature - **REQUIRED** Date

5. REQUIRED DOCUMENTS AND MATERIALS

The following are required to be submitted with this application:

- (This) Completed and Signed Application Form**
- Plat of Survey** Date of Survey: _____
- Project Site Plan** Date of Drawings: _____
- Plan or Graphic Drawings of Proposal** (If needed, see notes)
- Non-Compliant Zoning Analysis**
- Proof of Ownership** Document Submitted: _____
- Application Fee** Amount \$ _____

Notes: Incomplete applications will not be accepted. Although some of these materials may be on file with another City application, individual City applications must be complete with their own required documents.

Plat of Survey

(1) One copy of plat of survey, drawn to scale, that accurately reflects current conditions.

Site Plan

(1) One copy of site plan or floor plans, drawn to scale, showing all dimensions.

Plan or Graphic Drawings of Proposal

A Special Use application requires graphic representations for any elevated proposal-- garages, home additions, roofed porches, etc. Applications for a/c units, driveways, concrete walks do not need graphic drawings; their proposed locations on the submitted site plan will suffice.

Proof of Ownership

Accepted documents for Proof of Ownership include: a deed, mortgage, contract to purchase, closing documents (price may be blacked out on submitted documents).

- **Tax bill will not be accepted as Proof of Ownership.**

Non-Compliant Zoning Analysis

This document informed you that the proposed change of use is non-compliant with the Zoning Code and requires a variance.

Application Fee

The application fee depends on your zoning district (see zoning fees). Acceptable forms of payment are: Cash, Check, or Credit Card.

6. PROPOSED PROJECT

A. Briefly describe the proposed Special Use:

continue operating the SUP as granted in Ordinance but eliminate condition (B)

requiring DAPR review of outdoor events; from ordinance 45-0-19.

Successful events we hosted without incident or complaints, Evanston Mashup Hosted by the Chamber of

Commerce on 9/29/2021, 400 people tented outdoors, garage doors open, with live music. Additionally

October 2nd, 2021 we hosted an indoor/outdoor wedding reception for 150 guests as well.

APPLICANT QUESTIONS

- a) Is the requested special use one of the special uses specifically listed in the Zoning Ordinance? What section of the Zoning Ordinance lists your proposed use as an allowed special use in the zoning district in which the subject property lies? (See Zoning Analysis Review Sheet)

- b) Will the requested special use interfere with or diminish the value of property in the neighborhood? Will it cause a negative cumulative effect on the neighborhood?

We do not believe this special use will interfere or diminish the value of the property or neighborhood. We are working to beautify the outside space with art and landscaping as well as manage use of the lot for outdoor events with two supplemental lots at 101 Chicago Ave (Behind Vision 20/20 - we rent this lot), as well as spaces for valet or shuttle to drop guests off to ensure that traffic is not blocked for the neighborhood. For any outdoor sound we will abide by all Evanston noise restrictions and time limits to ensure there is no adverse effects to the neighbors.

- c) Will the requested special use be adequately served by public facilities and services?

The requested special use will be served by all public facilities and services, and we will ensure adequate garbage and recycling services are rendered with our vendor contracts.

d) Will the requested special use cause undue traffic congestion?

The special use will not cause undue traffic congestion as we have secured off site parking, and will work with valet and shuttle services to ensure all parking and traffic is managed appropriately.

e) Will the requested special use preserve significant historical and architectural resources?

N/A

f) Will the requested special use preserve significant natural and environmental features?

N/A

g) Will the requested special use comply with all other applicable regulations of the district in which it is located and other applicable ordinances, except to the extent such regulations have been modified through the planned development process or the grant of a variation?

The special use will comply with all applicable regularions of the district and the city.



City of Evanston DISCLOSURE STATEMENT

(This form is required for all Major Variances and Special Use Applications)

The Evanston City Code, Title 1, Chapter 18, requires any persons or entities who request the City Council to grant zoning amendments, variations, or special uses, including planned developments, to make the following disclosures of information. The applicant is responsible for keeping the disclosure information current until the City Council has taken action on the application. For all hearings, this information is used to avoid conflicts of interest on the part of decision-makers.

1. If applicant is an agent or designee, list the name, address, phone, fax, and any other contact information of the proposed user of the land for which this application for zoning relief is made: Does not apply.

2. *If a person or organization owns or controls the proposed land user*, list the name, address, phone, fax, and any other contact information of person or entity having constructive control of the proposed land user. Same as number ____ above, or indicated below. (An example of this situation is if the land user is a division or subsidiary of another person or organization.)

3. List the name, address, phone, fax, and any other contact information of person or entity holding title to the subject property. Same as number ____ above, or indicated below.

619 H. LLC - Mohamed Eldibany, 2819 Girard Evanston
224-420-6195

4. List the name, address, phone, fax, and any other contact information of person or entity having constructive control of the subject property. Same as number ³ ____ above, or indicated below.



Memorandum

To: Members of the Zoning Board of Appeals

From: Johanna Leonard, Community Development Director
Scott Mangum, Planning and Zoning Manager
Melissa Klotz, Zoning Administrator

Subject: 619 Howard St. – ZBA 19ZMJV-0021
ZBA Recommending Body
City Council Determining Body

Date: April 11, 2019

Notice – Published in the March 21, 2019 *Evanston Review*:

Thomas Ahleman, architect, applies for a Special Use permit for a Banquet Hall Facility in the B3 Business District (Zoning Code Section 6-9-4-3). The Zoning Board of Appeals makes a recommendation to City Council, the determining body for this case.

Recommendation

City Staff and DAPR recommend approval for a special use permit for a Banquet Hall in the B3 Business District. The applicant has complied with all zoning requirements, and meets all of the standards of a special use for this district.

Site Background

619 Howard St. is located on the northeast corner of Howard St. and Callan Ave. It is immediately surrounded by the following zoning districts:

North:	R5	General Residential District
South:	Chicago	Mixed Use
East:	B3	Business District
West:	B3	Business District

The property is surrounded by commercial uses to the east and west, mixed-use to the south in Chicago, and multiple family residences to the north separated by an alley.

Proposal

The property owner seeks to operate a Banquet Hall, Palmhouse Productions, at 619 Howard St., previously the Sherwin Williams paint store, in conjunction with the operators of Peckish Pig restaurant across the street. The Zoning Ordinance defines a Banquet Hall as:

A principal use consisting of a large room or hall that is available for rent

for use for specific banquets, exhibitions, and/or meetings that may include the provision of food, drink, and/or entertainment.

The building features approximately 10,000 sq. ft. of space and is proposed with a configuration for a “small room” that accommodates 151 occupants (per the building code requirement for a banquet hall facility with table seating) and a “big room” that accommodates 312 occupants. The building will also feature bathrooms and a commercial kitchen space for catering. The total occupancy of the building is 470.

The building will be used as a venue space for larger sized weddings, fundraisers, bar/bat mitzvahs, and gala dinners. Peckish Pig currently hosts similar events at 623 Howard St. and has hosted over 70 events in the last 5 years but prefers to host such events at 619 Howard so that the restaurant can remain open for public use during those times. The facility will operate from 8am – 11pm Sunday through Thursday, and from 9am – midnight Friday and Saturday. The facility will not be occupied or utilized during all of these hours. 10-15 events per month are anticipated for the first year of operation. Larger events will likely occur on weekend evenings.


Catering will be provided by Peckish Pig or in-house via the commercial kitchen. Caterers will shuttle their staff in for drop off during scheduled delivery hours to ensure the parking lot remains available for patron use. Palmhouse plans to obtain a liquor license. The Banquet Hall will employ 2-3 full time employees and 4 part-time employees, half of which are current Peckish Pig employees. Employees will receive a public transportation allowance to encourage public transit instead of vehicular traffic and parking.

The property features 21 parking spaces (including one ADA space) and one delivery space. The applicant is currently in negotiation to secure 20 off-site parking spaces leased from 525 Howard St. to be utilized by shuttles or valet service when needed. 525 Howard St. is occupied by an optometry business that is closed during evening hours. Additionally, the applicant has reached an agreement to use up to 400 parking spaces in the Gateway Parking Garage at 7474 N Rogers Ave., which is the large parking garage that serves the Howard St. CTA station and L.A. Fitness development. There is a pedestrian exit from the parking garage to Howard St. The applicant believes it is a 6-10 minute walk from the pedestrian exit to the Banquet Hall space, which is approximately a quarter mile to the west. A shuttle will also be provided by Palmhouse if necessary. The parking garage will provide written documentation of the agreement upon approval of the special use. The special use should be conditioned to require this parking agreement. The applicant believes valet service is not needed for events with less than 40 patrons since the onsite parking lot features 21 parking spaces. Valet service and utilization of the parking lot at 525 Howard St. will be required for events with 41-100 patrons, and shuttle service to the parking garage will be required for events over 100 patrons.

The building will be renovated into a “modern industrial” event space. The existing storefront windows will be replaced with a combination of double paned windows and

panels to reduce sound pollution and provide privacy for events. The bowstring trusses in the ceiling will be exposed and the roof will be replaced with additional insulation and sound attenuation. The applicant will consult with acoustical professionals to ensure noise does not exceed 60 decibels at the residential property lines across the alley. The facility will operate within the guidelines of the noise ordinance, which states no amplified sound will be played before 7am, after 10pm Sunday – Thursday, and after 11pm Friday – Saturday. Events that have occurred at Peckish Pig operate within these parameters with no known noise complaints from the nearby residential neighborhood. Deliveries and garbage pickup will occur via the alley.

Proposed Floor Plan:



The Banquet Hall will also be used for live music events without table seating and with a building occupancy of up to 1,342. This is new information since the DAPR review of the project. Similar events that may not fit the zoning definition of Banquet Hall are allowed as accessory uses since they will not occur on a daily or weekly basis, or as often as the principal Banquet Hall use. If the business operations change to where these other events occur regularly, or if verified complaints are received by staff, then the business may be required to apply for a text amendment and special use permit to allow for the operation of a Performance Entertainment Venue within the B3 District.

City staff is not aware of any objections to the proposal, and has not received any complaints about similar events held at Peckish Pig in the last five years.

Ordinances Identified for Requested Relief:

6-9-4-3 Special Uses: The following uses may be allowed in the B3 Business District, subject to the provisions set forth in Section 6-3-5, "Special Uses," of this Title:
Banquet Hall (among other listed uses)

Comprehensive Plan:

The Evanston Comprehensive General Plan encourages the utilization of vacant storefronts along existing commercial corridors to provide needed services to the community and encourage economic vitality. The Comprehensive Plan specifically includes:

Objective: Promote the growth and redevelopment of business, commercial, and industrial areas.

Objective: Retain and attract businesses in order to strengthen Evanston's economic base.

A Banquet Hall at 619 Howard St. will utilize a vacant building and provide a needed service, a large event space, in Evanston that features ample parking and other measures to ensure there is no negative effect on the nearby residential neighborhood.

Design and Project Review (DAPR) Discussion and Recommendation:

On April 3, 2019, the Design and Project Review Committee reviewed the proposal and determined additional information was needed regarding occupancy of the building, parking, and valet/shuttle service. The case was held to allow the applicant time to produce the information requested.

On April 10, 2019, the Design and Project Review Committee reviewed additional information including a parking plan for off-site valet/shuttle service and unanimously recommended approval with the condition that DAPR approval is required for any event that will occur outdoors on the property.

Special Use Standards:

For the ZBA to recommend that City Council grant a special use, the ZBA must find that the proposed special use:

- a) Is one of the listed special uses for the zoning district in which the property lies: Banquet Halls are allowed under the special use section for the B3 Business District.
- b) Complies with the purposes and the policies of the Comprehensive General Plan and the Zoning ordinance: The use is compliant with the Zoning ordinance and the Comprehensive General Plan because the project promotes adaptive reuse of existing commercial structures.
- c) Does not cause a negative cumulative effect in combination with existing special uses or as a category of land use: There are no other special uses in the immediate area, and the proposed Banquet Hall is complementary to

- nearby daytime commercial uses. Nuisance mitigating measures for noise and parking have been proposed to ensure the use is not detrimental to the adjacent residential area.
- d) Does not interfere with or diminish the value of property in the neighborhood: The proposed business would occupy an existing vacant commercial space and the façade will be improved with new windows that will improve the aesthetics of the building.
 - e) Is adequately served by public facilities and services: The building is served by adequate sidewalks, streets, and close proximity to public transportation.
 - f) Does not cause undue traffic congestion: The Banquet Hall is located approximately ¼ mile away from a large parking garage and the Howard St. CTA train and bus station, and other bus stops are located within a block of the site. The applicant agrees to use off-site parking at 525 Howard St. and valet/shuttle service to the Gateway parking garage for larger events.
 - g) Preserves significant historical and architectural resources: The building and property are not identified as a local historic landmark. The applicant proposes to modify the façade and replace windows to update the building.
 - h) Preserves significant natural and environmental resources: No significant natural or environmental resources exist on site.
 - i) Complies with all other applicable regulations: The project complies with all other applicable regulations to move forward with the next steps in the special use process.

Attachments

Special Use Application – submitted March 14, 2019

Business Summary

Parking Statement

Plat of Survey

Site Plan

Elevations

Image of Property

Aerial View of Property

Zoning Map of Property

DAPR Meeting Minutes Excerpt – April 3, 2019

DAPR Draft Meeting Minutes Excerpt – April 10, 2019



SPECIAL USE APPLICATION

CITY OF
Evanston

192MJV-0021

Rec'd 3.14.19
DAPP 4.3.19
ZBA 4.10.19
P+D 5.13.19

1. PROPERTY

Address 619 Howard Street, Evanston IL 60202

Permanent Identification Number(s):

PIN 1: 11-30-210-016-0000 PIN 2: 11-30-210-017-0000

(Note: An accurate plat of survey for all properties that are subject to this application must be submitted with the application.)

2. APPLICANT

Name: Thomas Ahleman

Organization: Studio Talo Architecture, Inc.

Address: 1234 Sherman Ave. #202

City, State, Zip: Evanston, IL 60202

Phone: Work: 847.733.7300

Home: -

Cell/Other: 773.620.7232

Fax: Work: _____

Home: _____

E-mail: thomas@studiotalo.com

11-30-210-018-0000, ← AND

11-30-210-019-0000

11-30-210-020-0000

Please circle the primary means of contact.

What is the relationship of the applicant to the property owner?

same

builder/contractor

potential purchaser

potential lessee

architect

attorney

lessee

real estate agent

officer of board of directors

other: _____

3. PROPERTY OWNER (Required if different than applicant. All property owners must be listed and must sign below.)

Name(s) or Organization: Mohamed Eldibany

Address: 2819 Girard Ave.

City, State, Zip: Evanston, IL 60201

Phone: Work: 847.570.2749

Home: -

Cell/Other: 224.420.6195

Fax: Work: _____

Home: _____

E-mail: m.eldibany@yahoo.com

Please circle the primary means of contact.

"By signing below, I give my permission for the Applicant named above to act as my agent in all matters concerning this application. I understand that the Applicant will be the primary contact for information and decisions during the processing of this application, and I may not be contacted directly by the City of Evanston. I understand as well that I may change the Applicant for this application at any time by contacting the Zoning Office in writing."

Mohamed Eldibany
Property Owner(s) Signature(s) - REQUIRED

3.14.19
Date

4. SIGNATURE

"I certify that all of the above information and all statements, information and exhibits that I am submitting in conjunction with this application are true and accurate to the best of my knowledge."

Thomas Ahleman
Applicant Signature - REQUIRED

3.14.19
Date

5. REQUIRED DOCUMENTS AND MATERIALS

The following are required to be submitted with this application:

- (This) Completed and Signed Application Form
- Plat of Survey Date of Survey: 5.13.18
- Project Site Plan Date of Drawings: Forthcoming
- Plan or Graphic Drawings of Proposal (If needed, see notes) "
- NA Non-Compliant Zoning Analysis
- Proof of Ownership Document Submitted: "Owner Authorization"
- Application Fee Amount \$ _____

Notes: Incomplete applications will not be accepted. Although some of these materials may be on file with another City application, individual City applications must be complete with their own required documents.

Plat of Survey

(1) One copy of plat of survey, drawn to scale, that accurately reflects current conditions.

Site Plan

(1) One copy of site plan or floor plans, drawn to scale, showing all dimensions.

Plan or Graphic Drawings of Proposal

A Special Use application requires graphic representations for any elevated proposal-- garages, home additions, roofed porches, etc. Applications for a/c units, driveways, concrete walks do not need graphic drawings; their proposed locations on the submitted site plan will suffice.

Proof of Ownership

Accepted documents for Proof of Ownership include: a deed, mortgage, contract to purchase, closing documents (price may be blacked out on submitted documents).

- Tax bill will not be accepted as Proof of Ownership.

Non-Compliant Zoning Analysis

This document informed you that the proposed change of use is non-compliant with the Zoning Code and requires a variance.

Application Fee

The application fee depends on your zoning district (see zoning fees). Acceptable forms of payment are: Cash, Check, or Credit Card.

6. PROPOSED PROJECT

A. Briefly describe the proposed Special Use:

The proposed special use is a Banquet Hall that may be rented for gatherings such as wedding receptions. that may include the provision of food, drink and/or entertainment.

APPLICANT QUESTIONS

a) Is the requested special use one of the special uses specifically listed in the Zoning Ordinance? What section of the Zoning Ordinance lists your proposed use as an allowed special use in the zoning district in which the subject property lies? (See Zoning Analysis Review Sheet)

YES. 6-9-4-3 Special Uses

b) Will the requested special use interfere with or diminish the value of property in the neighborhood? Will it cause a negative cumulative effect on the neighborhood?

NO to both questions.

c) Will the requested special use be adequately served by public facilities and services?

Yes. The location is on major bus routes and is near a CTA El station. There is also additional parking available nearby at the CTA Howard Street parking garage.

d) Will the requested special use cause undue traffic congestion?

No.

e) Will the requested special use preserve significant historical and architectural resources?

Yes. By re-using a large historical structure on a main street, and making facade improvements that highlight the historical character of the building, we are preserving part of Evanston's historical; architectural character.

f) Will the requested special use preserve significant natural and environmental features?

The requested special use will have no impact on natural or environmental features.

g) Will the requested special use comply with all other applicable regulations of the district in which it is located and other applicable ordinances, except to the extent such regulations have been modified through the planned development process or the grant of a variation?

Yes.



City of Evanston DISCLOSURE STATEMENT

CITY of
Evanston (This form is required for all Major Variances and Special Use Applications)

The Evanston City Code, Title 1, Chapter 18, requires any persons or entities who request the City Council to grant zoning amendments, variations, or special uses, including planned developments, to make the following disclosures of information. The applicant is responsible for keeping the disclosure information current until the City Council has taken action on the application. For all hearings, this information is used to avoid conflicts of interest on the part of decision-makers.

1. If applicant is an agent or designee, list the name, address, phone, fax, and any other contact information of the proposed user of the land for which this application for zoning relief is made: Does not apply.

NA
USER of land is listed on page 1.

2. If a person or organization owns or controls the proposed land user, list the name, address, phone, fax, and any other contact information of person or entity having constructive control of the proposed land user. Same as number _____ above, or indicated below. (An example of this situation is if the land user is a division or subsidiary of another person or organization.)

NA

3. List the name, address, phone, fax, and any other contact information of person or entity holding title to the subject property. Same as number 3 above, or indicated below. *on page 1.*

4. List the name, address, phone, fax, and any other contact information of person or entity having constructive control of the subject property. Same as number 3 above, or indicated below.

If Applicant or Proposed Land User is a Corporation

Any corporation required by law to file a statement with any other governmental agency providing substantially the information required below may submit a copy of this statement in lieu of completing a and b below.

a. Names and addresses of all officers and directors.

Property owner NA

b. Names, addresses, and percentage of interest of all shareholders. If there are fewer than 33 shareholders, or shareholders holding 3% or more of the ownership interest in the corporation or if there are more than 33 shareholders.

NA

If Applicant or Proposed Land User is not a Corporation

Name, address, percentage of interest, and relationship to applicant, of each partner, associate, person holding a beneficial interest, or other person having an interest in the entity applying, or in whose interest one is applying, for the zoning relief.

PROPERTY OWNER LISTED ON #3 / page 1.



Tuesday, April 2nd, 2019

City of Evanston
C/o Melissa Klotz
Planning & Zoning Division
Community Development Department
Morton Civic Center

To whom it may concern:

Palmhouse Productions LLC is seeking an approval of an allowed special use for the space at 619 Howard Street. Our intent is to open up a Venue Space for public and private events utilizing the 9929 sq. ft, including a full catering kitchen, green room, bathrooms, and divisible event space. Please see our proposed summary of operations below:

Overview:

In a collaboration between Peckish Pig & Mohamed Eldibany, "Palmhouse Productions" hopes to fill a need in the Evanston community for access to venue space that rivals the best of Chicago event spaces. Operating events such as private events ranging from weddings to fundraisers, bar/bat mitzvahs to gala dinners. As the owners of Peckish Pig, an existing business across the street on Howard street, we have seen the need for large scale event space and have hosted over 70 weddings in the 5 years, as well as events for Piven Theater, Beacon Academy, Howard Area Community Center, Nichols Middle School, Y.O.U, Theo Ubique Theater, and more. As it stands, many Evanston events travel to Chicago to host events without a variety options for the larger headcounts. All of the larger event spaces in Evanston are currently more traditional hotel banquet style spaces, and we hope to provide a modern industrial alternative.

Operations:

Palmhouse will operate from the hours of 8am to 11pm, Sunday – Thursday and 9am – 12am Friday - Saturday. While these will be the maximum operation hours, the space may not actually be occupied during every hour listed, as events vary in time frame.

We anticipate this new space will host an average somewhere between 10-15 events per month in the first year. Events may be scheduled during the day time and/or evening, with the earliest start at 8am and the latest end event concluding by 12am. The larger - scale events

would be centralized to Friday / Saturday evening bookings, while smaller scale events will fill the weekday and weekend daytime events.

Catering for Palmhouse will be provided either in house within the catering kitchen, or with outside caterers who will be limited to drop off during scheduled hours, and then prepare menu on site. Peckish Pig will serve as the primary caterer, and as so should not add any parking or traffic requirements for additional staffing. Any additional outside caterers will be required to shuttle their staff in and drop off during scheduled delivery hours.

Palmhouse will seek a liquor license from the City of Evanston and be the sole liquor provider for any and all events on site and hold the liquor liability insurance for the building. Palmhouse expects to employ 2-3 full time employees and 4 part-time employees between office & event bar staff. 50% of these employees are current Peckish Pig staff who will move into new roles Palmhouse, the remainder will be highly encouraged to use public transit and will be provided with public transportation allowance.

The current building at 619 Howard street includes 21 parking spaces, with one loading and one ADA space. In addition to our current parking lot, we are in negotiations securing 20 off site spaces as a monthly lease for evening events at the parking lot at 525 Howard, to be utilized by shuttles and/or valet service. Palmhouse is less than .5 miles from the red/purple/yellow line station at Howard, and also directly on the 201/206 CTA bus lines which stop at Howard & Custer and also at Howard & Clyde. We will encourage public transit and rideshare, utilize valet parking (free to guests of events to encourage use) and shuttle services to and from the Howard street train station/Gateway Parking Structure. Nearby Gateway Parking structure at 7474 N. Rogers has 592 spaces in their structure and have assured us they would have no problem securing 100 or more spaces or more on a Friday or Saturday evening to provide supplemental parking options as their heaviest traffic is for park & ride commuters to the Howard street train station. We have additionally contacted the owner of the parking lot at Howard and Clyde to negotiate use of the parking lot in the evenings for events.

With the current adjacent lot, any party under 40 would be able to use the parking lot without valet. Any event over 40 people would be required to utilize the valet service. With the additional 20 spaces for the total of 41 secured spaces, we would be able provide parking for 80-100 guests utilizing a valet service to ensure traffic flow between spaces. For events over 100, we will require hosts to shuttle guests from either the hotels, ceremony site or from the gateway parking structure. We have reached out to several local shuttle services to provide information and quotes on wedding shuttles which we will retain, and also provide to event hosts.

In order to ensure smooth traffic flow upon guest arrival, event guests would pull into the parking lot off street to give their cars to valet, who would then continue north in the parking lot to the alley and exit to fill the secondary lot before filling the lot adjacent to the building.

Building changes:

Our plan is to renovate the property into a beautiful addition to the Howard street scape. As far as changes to the building, we will be doing a full renovation of the interior and while we plan to expose the bowstring trusses, we will be looking to install a new roof with additional insulation for both energy and sound purposes. We will consult with acoustical professionals to ensure sound travel does not disturb surrounding buildings, and plan to conduct decibel testing to ensure any sound travel through the alley to residential lines does not exceed 60 decibels. Will submit decibel testing report to city once project is completed but prior to opening for business.

We will be replacing the large storefront with new double paned windows to help reduce sound and provide privacy for events within the space. 619 Howard will receive new HVAC, plumbing, and electrical, as well as a new fence and gate to the parking lot on both the street and alley facing sides. Palmhouse will adhere to all Evanston noise ordinances for amplified sound as outlined in ordinance 9-5-20, which states no amplified sound will be played from Sunday – Thursday After 10pm, and before 7am, and Friday – Saturday after 11pm, and before 7am. We operate weddings at Peckish Pig currently, including on our patio, and hosts understand these parameters, and have no complaints to complying with the noise ordinance when planning their DJ/Band/Amplified sound.

Loading & Waste Management:


Deliveries to and from the building will only be allowed occur between the 9am-4pm hours, and delivery vehicles will load into the building from the alley behind the building, or the parking lot in the same drop off as the shuttles. To enter the alley without disturbing or entering the surrounding neighborhood we will have trucks head north on Custer and turn east into the alley behind Bumper to Bumper Auto Parts.

Waste Management: Palmhouse will contract with Groot for Waste Management services for all waste management. We will contract that any and all garbage disposal or pickup is not allowed after 10pm, or before 7am. We will employ 2 commercial dumpsters, one dedicated to recycling and one dedicated to garbage/refuse. Any and all garbage or recycling collected at the end of the event will be stored within the building until the following day to ensure noise protection for the buildings behind 619 Howard Street. Employees will be restricted to using the north doors facing the alley after 10pm to minimize any disturbance to surrounding areas.

Deborah Evans: _____

India McKay: _____

Mohamed Eldibany: _____



ME



Melissa Klotz <mklotz@cityofevanston.org>

Re: Proposed Event Space project on 611-621 Howard Street, Evanston and Parking

1 message

Mohamed Eldibany <mmeldibany@yahoo.com>

Tue, Apr 9, 2019 at 4:06 PM

Reply-To: Mohamed Eldibany <mmeldibany@yahoo.com>

To: mklotz@cityofevanston.org, Ann Rainey <arainey@cityofevanston.org>, Johanna Leonard <jleonard@cityofevanston.org>

Dear Ann, Melissa and Johanna, I am writing to update you regarding "parking" for the proposed project.

I met today with Mr. Kamran Jeffery, senior Manager at SP Plus Corporation, and Mr. Abbey Osinowo, Facility manager, Gateway Parking Garage at 7474 N Rogers, Chicago 60626 (owned by SP Plus Corporation).

SP Plus corporation, a publicly traded company, owns and manages several parking garages in Evanston: Sherman Plaza Parking Garage, 1800 Maple self park, SP+ Parking on 600 Main, Church Street Self park,...etc.

I presented the project to Mr. Jeffery and Mr. Osinowo.

We drove to the property to determine the distance and feasibility of using Gateway Parking Garage for our guests parking. Then we drove back to the Garage and inspected the entire facility.

At the conclusion of the meeting, Mr. Jeffery informed me that they are offering us 400 spaces at any time, and many more during the evening hours and weekends.

Further, they are open to offering discounts to our customers.

I requested a written document with this information. Mr Jeffery indicated that once we have an approval letter from the city of Evanston, we can request such a document. That they would be happy to cooperate with us.

Mr Jeffery and Mr Osinowo, pointed out a walkway from the second level of the garage that bypasses the plaza to Howard street, making a short walk to the property. The walking time should not be more than 6-10 minutes or so. However, we plan to have shuttle available for our guests.

Mr Kamaran contact information is:

Kamran Jeffery, Senior Manager
SP Plus Corporation, 680 North Lake Shore Drive
Chicago, IL 60611
p: 312-943-0568
e: Kjeffery@spplus.com
spplus.com/aboutUs

Based on this new information, I, respectfully, request that parking would not be a limiting factor in the project occupancy.

Sincerely,

Mohamed Eldibany
224.420.6195

AVENUE

AVENUE

SET CROSS NOTCH
5.00'N & 5.00'W

SET CROSS NOTCH
5.00'N & ON LINE EXT.

16' PUBLIC ALLEY
(CONC. PAVEMENT)

N89°58'08"E
149.00'

OVERHEAD ELECTRIC WIRES

DEPRESSED CURB

PRESSED CURB

WUP CONC. RAMP CONC. WALL

MH CONC. WALL

WUP CONC. WALL

IRON FENCE IS 57.03'
8.23'S POST POST POST

IRON FENCE IS
8.04'S & 2.37'W

ENTRY
6.84'S
ON LINE

92.03'

6.88'S

2 PAR. SPACES

LOT 1

LOT 2

LOT 3

LOT 4

LOT 5

LOT 6

HIGH 1 STORY
BRICK BUILDING
619

BLDG. AREA = 9,929 S.F.
BLDG. HEIGHT = 20.00 FT.

7 PARKING SPACES

13 PARKING SPACES

ON LINE

IRON FENCE IS 2.53'W

1 STORY
BRICK BUILDING
609

METAL
DONATION
BOX

0.05'E
ON LINE

N00°12'55"W
115.00'

107.90'

107.89'

115.00'

S00°12'55"E

0.26'N
ON LINE

35.00'

92.03'

28.50'

ENTRY

ENTRY

0.23'N

28.50'

GAS
METER

28.50'

56.98'

28.50'

PLANTER

CONC. WALK

149.00'

PLANTER

BRICK

PLANTER

BRICK

SET CROSS NOTCH
5.00'S & ON LINE EXT.

DEPRESSED CURB

CONC. CURB

3 STREET PARKING SPACES


CURB CUT

STREET PARKING

SPECIAL USE
APPLICATION

PALMHOUSE EVENT SPACE
619 HOWARD ST.
EVANSTON, IL 60626

04/05/19




NO DELIVERY OR GUEST
DROP OFF ON STREET

HOWARD ST.

PALMHOUSE EVENT SPACE
 Date: 04/05/19 619 HOWARD ST.
 Project #1907

1 SITE PLAN - PROPOSED
 1/16" = 1'-0"

SD0.1




MAX. GUEST OCCUPANCY: 463
 MAX. EMPLOYEE OCCUPANCY: 7
 TOTAL OCCUPANCY: 470


1 PROPOSED FLOOR PLAN
 3/32" = 1'-0"

PALMHOUSE EVENT SPACE
 Date: 04/05/19 619 HOWARD ST.
 Project # 1907


SD1.0






1
BASEMENT FLOOR PLAN
 3/32" = 1'-0"



① PROPOSED SOUTH ELEVATION
1/8" = 1'-0"




② PROPOSED WEST ELEVATION
1/8" = 1'-0"



619 Howard St.




619 Howard St




March 25, 2019

- User drawn points
- Tax Parcels




City of Evanston IL, Imagery courtesy Cook County GIS

619 Howard St



March 25, 2019

- User drawn points
- ▭ Zoning Boundaries & Labels
- ▭ Tax Parcels



City of Evanston IL, Imagery courtesy Cook County GIS

**DESIGN AND PROJECT REVIEW COMMITTEE (DAPR) MINUTES EXCERPT
April 3, 2019**

Voting Members Present: J. Hyink, I. Eckersberg, D. Cueva, M. Tristan, G. Gerdes,
S. Mangum, L. Biggs, M. Klotz, M. Jones

Staff Present: J. Velan

Others Present:

Presiding Member: S. Mangum

A quorum being present, S. Mangum called the meeting to order at 2:31 pm.

New Business

1. 619 Howard Street

Recommendation to ZBA

Thomas Ahleman, architect, submits for a Special Use permit for a Banquet Hall Facility in the B3 Business District.

APPLICATION PRESENTED BY: Thomas Ahleman, architect

DISCUSSION:

- Owners of Peckish Pig plan to produce events in this space, primarily weddings.
- 22 parking spaces, including ADA space.
- The facade will be updated.
- The property is 2 blocks from the CTA Red Line stop, there is a parking garage at this stop.
- Occupancy of 1,342 based on standing room. Music events in the future possible.
- M. Tristan stated that 416 is the maximum occupancy with seating based on net square footage.
- G. Gerdes stated occupancy needs to be clarified; occupancy determines the number of fixtures needed per the plumbing code.
- J. Velan would like to know the current volume of events at Peckish Pig. Current valet struggles to find parking, does not think the garage at the Howard CTA station should be considered for parking. Consider requiring transportation.
- S. Mangum stated other banquet halls required to have a cap on the number of occupants without off-site parking plans.
- J. Velan stated 6:00pm to 6:00am is resident parking only. Current valet does not have documentation of a parking agreement. Ride-share, vans and buses, and loading zone in parking area should be considered. Deliveries are assumed to be done from the parking lot.
- L. Biggs stated more information is needed on how parking and loading will occur. The overhead door on east elevation could be opened to provide more light and provide access to parking.
- S. Mangum asked about music. Will new roof and insulation absorb sound? Will proposed glass roll-up doors be open for events with music?

- A decibel test will be needed.
- 12:30am proposed end time for event operations.
- Panels planned to be installed for more privacy along Howard Street.
- S. Mangum asked the applicant to consider other ways to cover windows without removing storefront window system.
- M. Tristan stated full sprinkler and alarm systems required, water line size will need to be increased.
- Committee requested the following additional information:
 - Occupancy numbers
 - Parking plan narrative
 - # of employees
 - Loading information
 - Music/sound mitigation
 - Hours of operation
 - Waste management information
- New mechanical equipment will be installed.

L. Bigs made a motion to hold item in Committee until the above information is provided, seconded by G. Gerdes.

The Committee voted, 9-0, to hold item in Committee.

**DESIGN AND PROJECT REVIEW COMMITTEE (DAPR) MINUTES EXCERPT
April 10, 2019**

Voting Members Present: I. Eckersberg, D. Cueva, M. Tristan, G. Gerdes, J. Leonard, S. Mangum, K. Jensen, L. Biggs, M. Griffith, M. Jones

Staff Present: J. Velan

Others Present: Ald. Rainey

Presiding Member: J. Leonard

A quorum being present, J. Leonard called the meeting to order at 2:31 pm.

Old Business

1. 619 Howard Street

Recommendation to ZBA

Thomas Ahleman, architect, submits for a Special Use permit for a Banquet Hall Facility in the B3 Business District.

APPLICATION PRESENTED BY: Thomas Ahleman, architect
Mohamed Eldibany, consultant

DISCUSSION:

- M. Eldibany stated the parking garage at the CTA Howard Red Line stop has about 400 parking spaces, parking garage is available for their use, will secure agreement.
- G. Gerdes noted the occupancy count had been reduced, existing overhead doors shown removed on the plan.
- Dumpster is now shown on the plan.
- K. Jensen stated composting waste is encouraged.
- They are in discussions with local composting service.
- Aiming for Spring 2020 opening.
- L. Biggs stated requested information has been provided, satisfied.
- S. Mangum clarified that valet parking is proposed to be provided for events over 40 people. Customer/Valet drop-off to occur in onsite parking lot.
- They will shuttle people to/from the parking garage at the CTA Howard Red Line stop, shuttle will use parking lot for drop offs.
- Events are expected to be indoor only. They can provide baffles to mitigate sound, agree to test sound level.
- J. Leonard asked if the parking lot would be used for events, such as a tent, would like to accommodate and maintain parking and traffic circulation.
- Events occurring in the parking lot not anticipated.
- M. Griffith stated a condition of their special use could be staff approval of a site plan for events in the parking lot.

L. Bigs made a motion to recommend approval subject to events held in the parking lot to require DAPR approval for site plan and to be consistent with special use approved, seconded by G. Gerdes.

The Committee voted, 10-0, to recommend approval subject to the condition noted above.



Meagan Jones <mmjones@cityofevanston.org>

Fwd: 22ZMJV-0043 Amendment to Special Use

1 message

Katie Ashbaugh <kashbaugh@cityofevanston.org>
To: Meagan Jones <mmjones@cityofevanston.org>

Thu, Aug 4, 2022 at 5:56 PM

Here is the one comment I've received to add at the back of my packet-- If you are able to edit the text of my staff report within FoxIt and add it to the attachment list let me know, or I can update it!

----- Forwarded message -----

From: **Jeannie Sanke** <jsankephd@mac.com>
Date: Thu, Aug 4, 2022 at 2:44 PM
Subject: 22ZMJV-0043 Amendment to Special Use
To: <kashbaugh@cityofevanston.org>

Dear Ms. Ashbaugh:

I have lived at 140 Clyde for almost 16 years. I wish to submit my comments regarding the aforementioned amendment request from Playhouse Productions, LLC.

As a residential neighbor who has known and worked with the owners and operators of the Pecking Pig and Palmhouse since the initial proposals of the former, I can state with certainty that Ms. Mussel-McKay and her partners will not negatively impact the neighborhood with outdoor events at 619 Howard Street. I know from experience with everyone in their organization that, should there be a problem, they will endeavor to resolve it quickly and to everyone's satisfaction.

Having said this, I must note that the owners and operators of the Peckish Pig and Palmhouse are conscientious. Other business operators are not. The excessive noise, trash, and other problems occurring at Good to Go just one block west make clear that such an amendment can be dangerous to the quality of life. If, for example, the owners of Good To Go or other owners who do not share a sense of community were to ever assume ownership or management in the 600 block, the quality of life in the immediate vicinity would plummet. We already have to deal with the noise from Good to Go now, even two blocks away.

I therefore ask that the Land Use Commission revise any Amendment to Special Use at 619 Howard Street to specify that only the current management be granted removal of the condition of approval as described in 22ZMJV-0043, and that the condition remain in force for any other owner or operator of the business at 619 Howard Street.

Sincerely,

Jean M. Sanke
140 Clyde Ave. Apt. 1E
Evanston IL 60202

--

Katie Ashbaugh, AICP

Planner

Planning & Zoning Division

Community Development Department

City of Evanston

She, Her, Hers

2100 Ridge Ave | Evanston, IL 60201 | (708) 328-8559
kashbaugh@cityofevanston.org | cityofevanston.org



2021 All-America City | 2021 What Works Cities Silver Certified

Note: The contents of this electronic mail to/from any recipient hereto, any attachments hereto, and any associated metadata pertaining to this electronic mail, is subject to disclosure under the Illinois Freedom of Information Act, 5 ILCS 140/1 *et. seq.*

1621-31 Chicago Avenue
Planned Development
22PLND-0020

LUC Recommending Body



Memorandum

To: Chair and Members of the Land Use Commission

From: Johanna Nyden, Director of Community Development
Elizabeth Williams, Planning Manager
Meagan Jones, Neighborhood and Land Use Planner

Subject: Planned Development
1621-31 Chicago Avenue, 22PLND-0020

Date: August 5, 2022

Request

The applicant applies for a Special Use for a Planned Development at 1621-31 Chicago Avenue to construct an 18-story mixed-use residential building with 7,159 sq. ft. of ground floor commercial space. The applicant is requesting the following site-development allowances:

1. 128 dwelling units proposed including required onsite IHO units leading to the addition of 52 bonus units for a total 180 total units. The maximum number of dwelling units permitted is 106 (based on the lot size of 21,644 and 52 possible bonus units).
2. 7.8 FAR is proposed. The maximum FAR is 8.0 with a site development allowance (5.4 in the D4 district + 2.0 with IHO bonus + .6 with a site development allowance).
3. 174'8" zoning height is proposed. The maximum height allowed is 145' (105' maximum in D4 + 40' with a site development allowance). This exceeds maximum site development allowance. Due to the IHO bonus, a simple majority vote of City Council will be needed.
4. 57 on-site parking spaces (including 8 compact spaces) are proposed. A minimum of 130 parking spaces are required based on the unit mix and retail provided.
5. 2 loading berths where 3 loading berths are required.

The applicant may seek and the Land Use Commission may consider additional Site Development Allowances as may be necessary or desirable for the proposed development.

Notice

The Application has been filed in conformance with applicable procedural and public

notice requirements including publication in the Evanston Review on July 21, 2022.

Additionally, two community meetings were held, one on February 8, 2022 and a second on July 26, 2022, to enable the applicant to present plans to the nearby residents and for residents to ask questions regarding the proposal.

General Information

Applicant: Jeff Michael
Horizon Realty Group
1946 W. Lawrence Ave.
Chicago, IL 60640

Owner(s): Horizon Group XXIII, LLC
1946 W Lawrence Ave
Chicago, IL 60640

Existing Zoning: D4 Downtown Transition District

Existing Land Use: Single-story commercial building

Property Size: 21,644 sq. ft. (approx. 0.5 acres)

PINs: 11-18-403-021-0000

Surrounding Zoning and Land Uses	Zoning	Land Use
North	D4 Downtown Transition District & R6 General Residential District	Commercial Business, Multi-Family Residences
South	D4 Downtown Transition District	Commercial Businesses, Hotel
East	D1 Downtown Fringe District & R6 General Residential District	First United Methodist Church, Multi-Family Residences, Mixed-Use Buildings
West	D3 Downtown Core Development District & D2 Downtown Retail Core District	Whole Foods Market and parking garage, Park Evanston Multi-Family Residential, Commercial Businesses

Analysis

Project Description

The applicant proposes to demolish the existing one-story commercial building and

construct an 18-story (174'8" zoning height) mixed-use building with 7,159 square feet of ground floor retail and 180 total residential units above. There will be 57 parking spaces within a two level parking podium accessed from the alley to the immediate east of the property.



1621-31 Chicago Avenue - rendering of proposed building, looking towards the southeast

Site Layout

The proposed project site is on the east side of Chicago Avenue between Church Street and Davis Street slightly north of the middle of the block and currently consists of a single-story commercial building with several shops and restaurants including Found, La Cocinita, and Best Care Cleaners. There are currently three vacant storefronts.

The site for the proposed planned development is a slightly rectangular shaped area with approximately 127 feet of street frontage along Chicago Avenue. The development consists of a ground floor with approximately 7,195 square feet of retail space and lobby area consisting of a bike room, mail room, etc. for the residences above. Two parking levels are on the 2nd and 3rd floors. The proposed building will be constructed lot line to lot line. A 15 ft. 3 in. setback from the north property line and an approximately 42 ft. 3 in. setback from the south property line are proposed beginning at the 4th floor. This will consist of terrace space for the units on that floor and an area for green roof that runs adjacent to the existing building to the south.

The site is marked on the image below with an orange line.



1621-31 Chicago Avenue - aerial shot noting site boundary

The west portion of the ground floor will consist of a lobby area for building residences and retail space accessed from Chicago Avenue. The applicant is also proposing to have a loading zone in front of the building on Chicago Avenue to accommodate quick deliveries and pick-up/drop-offs for people accessing the building. The western portion of the ground floor consists of parking for 106 bicycles and mechanical and trash /recycling receptacle space. There is also a connection to the existing Merion development to the south. Loading and trash collection will take place within a loading berth located off of the alley to the east of the property as will entry to the on-site parking garage.


The 2nd floor parking level will consist of 29 parking spaces and resident storage space. The 3rd floor parking level below will have 28 parking spaces and additional residential storage space. A total of 3 ADA accessible parking spaces will be provided.



1621-31 Chicago Avenue – ground floor

The typical floor plan will consist of 13 units with a mix of studios, 1-bedroom and 2-bedroom units. The penthouse floor will consist of 11 units with a mix of 1-bedroom and 2-bedroom units. The 18th floor of the building will be the amenity floor with lounge space, swimming pool and dog run. This floor will also house mechanical space.

The landscape plan (pictured below) proposes to replace three planters in front of the proposed building. These planters will have perennial grasses, flowering plants and “purple robe” locust trees.




Chicago Ave

Exterior Building Materials

The proposed exterior building materials include:

- Prefinished storefront system
- Colored concrete block
- Aluminum Louver (parking levels)
- Prefinished Metal Panel
- Fiber Cement Panel
- Glass railing
- Pre-finished window wall



Staff reviewed the design and layout of the proposal and noted that the height and building materials are out of context with the surrounding properties and the intent of the D4 District as a transition district. Staff also suggested that additional Electric Vehicle (EV) charging stations be provided and that a wind study is completed to address the pedestrian experience. The applicant has alerted staff that they have sought proposals for a wind study; however, it has not been completed at this time. Clarification was sought on waste management, which the applicant proposes to have recycling and trash shoots on-site with additional pick-ups that can be scheduled for any restaurant use that may be in the retail space. A waste management plan is provided (attached). It was also pointed out that since the applicant owns the majority of the buildings on this block, alley traffic would be important for them to manage. The applicant has provided an alley management plan which is included as an attachment to this report. In order to address parking concerns, staff suggests leasing additional spaces at the Church Street garage located north of the site. Staff has also encouraged the applicant to continue

work with Bird Friendly Evanston on bird friendly measures. Finalized bird friendly measures can be reviewed by staff at the time of a building permit review.

Inclusionary Housing Ordinance (IHO)

The development meets the requirements within the City's Inclusionary Housing Ordinance. The development has a base of 128 dwelling units and proposes to provide 13 on-site affordable units (10% of 128 rounds up to 13). Since the development meets this requirement and is located within the Downtown district, it is able to obtain 4 additional bonus units for every on-site affordable unit provided, in this case 52 additional units. Adding these units to the original 128 units yields a total of 180 dwelling units.

The base number of dwelling units requested = 128
10% * 128 = 12.8, rounds up to 13
+ 4 bonus units per on-site inclusionary dwelling unit
4 * 13 = 52
128 base + 52 bonus = 180 dwelling units

Meeting the IHO requirement also enables bonuses for FAR, discounted parking requirements (described in more detail below) and the ability to have a simple majority vote from City Council to approve site development allowances that exceed the maximum permitted, instead of a supermajority (two-thirds) vote.

As a public benefit, the applicant is proposing to provide 5 additional units within the development as affordable at 60% Area Median Income (AMI), for a total of 18 on-site affordable units within the 180 unit building.

Traffic and Circulation

The Applicant submitted a Traffic Impact Study conducted by KLOA which looked at the possible effects the proposed development may have on traffic in the area. The study noted that the site is considered a Transit Oriented Development that served by several nearby CTA bus lines and is within walking distance of CTA and Metra transit stations at Davis Street. Additionally, both Chicago Avenue and Davis Street are designated bike paths and a two-way barrier protected bike lane runs in front of the site on the east side of Chicago Avenue. On-street metered parking is available on both sides of the street.

Pace Bus Route 208 runs along Golf Road and Route 213 runs along Chicago Avenue and Green Bay Road both serve the immediate area and have stops at the Davis Street CTA Station less than half a mile from the site.

Vehicle, bicycle and pedestrian counts were taken at weekday peak morning and evening times at several intersections and possible points of conflict, including:

- Chicago Avenue with Davis Street
- Chicago Avenue with Church Street
- Hinman Avenue with Davis Street
- Hinman Avenue with Church Street
- Davis Street with the north-south alley

- Church Street with the north-south alley

The study did note that, due to the Covid-19 pandemic, traffic volumes in the study area generally do not have typical conditions. As such, the 2021 traffic counts obtained in the study were compared to previous traffic counts conducted in the area by KLOA in 2018. Based on the comparison of the traffic volumes, the 2021 traffic volumes were increased by varying amounts detailed within the study.

The study also noted that U.S. Census data in the area showed that only approximately 50 percent of residents in the area drive a car to work. Also, given the site's location in the downtown and proximity to public transportation and alternative modes of transportation, the number of trips generated by the new development will be reduced. Similarly given the reduction in commercial space at the site from what is currently there, the study found that the net increase in new traffic and parking to the area will be reduced.

Access to the parking garage and the two loading docks will be via the north-south alley adjacent to the east side of the site. Vehicles going to the parking garage and trucks to the loading docks will be able to access this alley from either Church Street or Davis Street, which will help to distribute the traffic along the roadway system. Additionally, a vehicle loading zone is proposed in front of the building along the east side of Chicago Avenue. This loading zone would eliminate approximately two to three on-street parking spaces. Pedestrian access to the residential and commercial portions of the development will be provided via Chicago Avenue. A shortened path for residents to access the building's bicycle parking has been provided to discourage biking in the alley.

Overall, the study found that proposed development would have limited impact on the operation of the roadway system. The existing roadway system has sufficient capacity to accommodate the traffic that would be generated by the proposed development. Each of the intersections studied are projected to maintain a good level of service assuming other area growth and the additional traffic projected to be generated by the development. As such, the study does not suggest roadway improvements and/or traffic control modifications are required but did suggest that consideration should be given to providing car-sharing vehicles within the parking garage or in the vicinity of the site. Staff agrees that this should be done to supplement nearby car-share vehicles and has added this as a possible condition should the development be approved.

Public Benefits

Public benefits are intended to address impacts development has on the community. The applicant proposes the following to address how the proposed development provides public benefits per Zoning Code Section 6-3-6-3:

1. 5 additional IHO units @ 60% AMI (\$2,025,000 NPV to community)
2. Establish scholarship fund for continued education In real estate
3. Promote local artists
4. Environmental site clean up
5. Electric Vehicle charging stations

6. Composting & recycling of waste

Staff notes that environmental site clean-up would be required to occur with redevelopment of the site to ensure no additional remediation is needed. In addition, staff suggested additional public benefits that could be provided by the applicant including:

- Donation of \$5000 of lightweight Divvy e-bike station purchase.
- Donation to the public transportation fund that could go towards a study that the City is currently working with the CTA to modernize the Purple line.

Compliance with the Zoning Ordinance

The D4 downtown transition district is intended to provide for business infill development and redevelopment within downtown Evanston. The massing and scale of structures within the D4 district should be reflective of established uses and should provide suitable transition between downtown districts and those districts adjacent to the downtown. The district is also intended to encourage and sustain a mix of office, retail, and residential uses. Planned developments are encouraged as a special use in the D4 district. Where a lot zoned D4 is overlaid with an oRD redevelopment overlay district designation, a planned development is required in order to ensure that proposed development in these areas is consistent with the objectives and policies of the adopted plan for downtown Evanston.

The applicant is requesting to construct an 18-story, 180 unit mixed-use residential building with ground floor retail. The following site development allowances are required for plan approval:

Base zoning, allowable Planned Development site development allowance, and IHO bonuses				
	Base Requirements	IHO Bonus	Site Development Allowance	Proposed
Density	54 dwelling units	+52 = 106 dwelling units	NA	123 + 52 (bonus)= 180
FAR	5.4	+2 = 7.4	+0.6 = 8.0	7.8
Zoning Height	105'	NA	+40 = 145'	174'8"
Parking Spaces	140 (10 retail + 130 residential)	130 (No parking required for 13 onsite affordable units. No retail parking bonus)	NA	57 (with 8 compact spaces)
Loading Berths	3	NA	NA	2

NA = no bonus/site development allowance is provided for this item

A mixed-use of multi-family residential and commercial is permitted within this zoning district. Due to the 10% IHO required on-site affordable units being provided,

development bonuses enable the proposed FAR to fall within the maximum site development allowance that can be requested. On-site parking provided is below what is required within a TOD area, even with credits given for the on-site affordable units. No bonuses are provided for loading berths which the development proposes one less than required or for building height which is above the maximum permitted in the district. Again, due to meeting IHO requirements this enables a simple majority vote instead of a super-majority vote in order to exceed maximum site development allowances. As mentioned above, additional parking spaces should be leased to address the parking gap within the proposal.

Compliance with the Comprehensive Plan

The proposal generally complies with the Evanston Comprehensive General Plan with regards to use. The following objectives and actions within the Comprehensive Plan should also be considered:

- Recognize the benefits of mixing residential, commercial, and institutional uses in neighborhoods: The proposed Planned Development will provide additional housing options for residents including a total of 18 on-site affordable units and includes 7,195 square feet of ground floor commercial space within the City's Downtown.
- Promote higher-density residential and mixed-use development in close proximity to transit nodes (e.g., train stations) in order to support non-automobile dependent lifestyles: As a higher density development located within walking distance of the Davis Street transit station, this is addressed. There is some concern regarding the need for additional parking which could be mitigated through leasing additional spaces in nearby parking structures. Additionally, there are a number of bicycle parking spaces for building residents which encourages use of the protected bike-line that runs in front of the building.
- Implement strategies that enhance the economic vitality of Downtown Evanston. The proposed development provides a mixed-used building that adds additional residents and potential customers to the downtown in addition to new commercial space. This ground floor space replaces some existing locally based businesses that add to the unique character of this stretch of Chicago Avenue.
- Maintain the appealing character of Evanston's neighborhoods while guiding their change: As mentioned above, the redevelopment of this site provides additional residents and customers to the downtown. While it does provide a podium to aid in perceived walkability at the ground level, the building materials and height of the glass wall are not in context with the heights and building materials of adjacent structures.

Compliance with the Downtown Plan

This site is within the designated East Edge subarea and is recognized as a site susceptible to change. The East Edge subarea calls for mixed-use development with ground floor retail or office and heights between 6 and 10 stories to keep a walkable commercial stretch for this section of the Downtown. The overall height of the proposed development is above this suggested height. The Downtown Plan also highlighted the need to maintain a compact, walkable mixed-use transit oriented character while

promoting sustainable development that can be an economic engine. Much of this is provided by the development with the proposed ground floor retail, however, the development will remove a building that has been viewed as character giving and contains some unique retail space that helps provide the unique “local” character that is mentioned within the Downtown Plan’s objectives and strategies. Additionally, the parking podium levels above the ground floor present an area of dead space along the front façade.

Compliance with the Design Guidelines for Planned Developments

The proposed building has some inconsistency with the Design Guidelines for Planned Developments. The building does break-up the massing with setbacks from the north and south property lines, providing terrace space for building residents on the 4th floor as well as a green roof area. Additionally, the ground retail and parking podium can be viewed as presenting a more pedestrian oriented scale and help break-up the perception of the massing for a portion of the façade, though the parking levels themselves are inactive on that portion of the façade. That being said, the overall massing and building materials are out of appropriate scale and context to the site, which is zoned to provide a transition to the neighboring properties to the east. Though the area to the east is higher density residential, the adjacent residential buildings are of a smaller scale than what is proposed. Additionally though contemporary architecture is permitted and specific design elements fit that style of architecture, the proposed façade which is largely prefinished glass wall that begins at the ground floor at the center of the building, does not keep the existing context of adjacent buildings which are largely masonry or a similar look.

Standards

The proposed development must satisfy the Standards for Special Use in Section 6-3-5-10, the Standard for Planned Development in Section 6-3-6-9, and the standards and guidelines established for Planned Developments in the D4 Downtown Transition District. (Section 6-11-1-10). Staff finds that the proposed Planned Development does not meet all of the Standards for approval.

Standards for Special Use (Section 6-3-5-10)

- A Planned Development is listed as an allowed special use in the D4 District.
- As noted above, the proposal is generally in keeping with the purposes and policies of the adopted Comprehensive Plan as it provides a mixed-use, transit oriented development with on-site affordable units. The proposal is seeking site development allowances to address the requirements within the Zoning Ordinance code that it does not meet. There is concern, however, with regards to the building context and height which is also above site development allowance that is established.
- The proposed development will not cause a negative cumulative effect when considered in conjunction with other special uses on the immediate area and the City as a whole. Surrounding uses include a number of mixed-use residential buildings, retail, office, and high density multiple family residences. The extent of the proposed use, however, does exceed what is permitted.

- The proposed development will not interfere with or diminish the value of property in the neighborhood. No information has been provided that indicates negative impact to property values of adjacent property
- The proposed development will be adequately served by public infrastructure already available. The street and sidewalk network, as well as water, sewer, electricity and gas infrastructure already exist.
- The proposed development will not cause undue traffic congestion. The applicant has submitted a traffic study indicating there will be minimal effect on the level of service on existing surrounding roadways. That being said, the submitted alley management plan would need to be adhered to mitigate any impacts on adjacent properties that utilize the alley.
- There are no historical and architectural resources or environmental features present on the site. Though, per staff's review letter, consideration could be taken in preserving portions of the 1-story commercial building.

Standards and Guidelines for Planned Developments in D4 Downtown Transition District (Sections 6-3-6-9 and 6-11-1-10)

The proposed Planned Development use complies with the purposes and intent of the Zoning Ordinance. The proposal will greatly increase the bulk of structures on the east side of Chicago Avenue and be out of scale with other structures on that block which is within a zoning district meant to act as a transition to less intense uses on the edge of downtown and have smaller bulk. The proposal is largely consistent with the vision and goals of the Comprehensive Plan for redevelopment of underutilized properties with uses compatible with the surrounding neighborhood, however, the bulk and materials of the proposed development is out of scale and context with neighboring properties.

The proposed site development allowances for height and dwelling units exceed the maximum site development allowances permitted. As stated above, due to the proposed development meeting IHO requirements, a majority vote of City Council is required for approval as opposed to a supermajority vote.

Recommendation

Based on the analysis above staff recommends the Land Use Commission review the facts presented and make a recommendation to the City Council. Should the Commission vote to approve the development staff recommends the following conditions be added:

1. Additional public benefits are considered as suggested within the staff report.
2. That the applicant adhere to the alley management plan provided
3. That the applicant adhere to the waste management plan provided
4. Bird Friendly measures continue to be worked on and finalized prior to building permit issuance.
5. Consider adding car-sharing space within the building's garage or in the vicinity.
6. Building residents are not allowed to park in the neighborhood.
7. Additional parking spaces are leased in the Church Street parking garage and vehicle ownership data on building residents is provided over time to monitor parking demand

Attachments

1621-31 Chicago Avenue Plans - revised July 6, 2022

Traffic Impact Study - dated October 19, 2021

Alley Management Plan

Waste Management Plan

Fiscal Impact Analysis - dated March 1, 2022

Public comments/petitions received

[Link to Planned Development Application](#)

[Link to Market Feasibility Study](#)



The Legacy

1621-29 Chicago Ave

July 6, 2022





1621-31 Chicago Ave. - Evanston, IL



Area Map
7/6/22




PAPPAGEORGE
HAYMES



1621-31 Chicago Ave. - Evanston, IL






1621-31 Chicago Ave. - Evanston, IL

Context View from East
7/6/22

PAPPAGEORGE
HAYMES





One Rotary Center - 237'

Optima Views - 265'

Sherman Plaza - 276'

Chase Building - 276'

601 Davis - 252'

Park Evanston - 236'

The Legacy - 195'

500 Davis - 135'

The Mather - 141'



1621-31 Chicago Ave. - Evanston, IL

View from NW
7/6/22

**PAPPAGEORGE
HAYMES**



1621-31 Chicago Ave. - Evanston, IL

View from SW
7/6/22

**PAPPAGEORGE
HAYMES**




Chicago Ave



Site Plan
SCALE: 1/16" = 1'-0"






57 Total Parking Spaces
 6 (10.5%) EV-Installed Spaces
 12 (21%) EV-Ready Spaces
 39 EV-Capable Spaces

Second Floor

SCALE: 1/16" = 1'-0"






57 Total Parking Spaces
 6 (10.5%) EV-Installed Spaces
 12 (21%) EV-Ready Spaces
 39 EV-Capable Spaces

Third Floor
 SCALE: 1/16" = 1'-0"






Fourth Floor


SCALE: 1/16" = 1'-0"





Typical Tower Plan - Tier 1 (5th-16th Floor)
SCALE: 1/16" = 1'-0"






Penthouse Floor (17th Floor)

SCALE: 1/16" = 1'-0"





Sky Amenity (18th Floor)
 SCALE: 1/16" = 1'-0"





1621-31 Chicago Ave. - Evanston, IL

Ground Level View
7/6/22

Appendix

	Floor	Building			Unit Mix					Retail	Resi SF	Common SF	Amenity SF	Parking/Load SF	Vertical Service	Mech SF	Gross SF	FAR SF	Cars
		# Floors	Height (ft)	Height (in)	Studio (456sf)	1 Bed (698-773sf)	1 Bed + (856sf)	2 Bed (900-1256sf)	Total Units/FL										
	Ground Floor	1	16	0					0	7,195	0	6,427	0	2,576	852	3,824	20,874	13,622	0
	Second Floor	1	9	4					0		0	2,263	0	14,139	573	83	17,058	2,263	29
	Third Floor	1	11	0					0		0	1,636	0	13,048	573	83	15,340	1,636	28
Tier 1	Fourth Floor	1	11	8	2	7	0	4	13		9,623	830	0	0	566	176	11,195	10,453	
	Fifth Floor	1	9	8	2	7	0	4	13		9,744	830	0	0	566	176	11,316	10,574	
	Sixth Floor	1	9	8	2	7	0	4	13		9,744	830	0	0	566	176	11,316	10,574	
	Seventh Floor	1	9	8	2	7	0	4	13		9,744	830	0	0	566	176	11,316	10,574	
	Eighth Floor	1	9	8	2	7	0	4	13		9,744	830	0	0	566	176	11,316	10,574	
	Ninth Floor	1	9	8	2	7	0	4	13		9,744	830	0	0	566	176	11,316	10,574	
	Tenth Floor	1	9	8	2	7	0	4	13		9,744	830	0	0	566	176	11,316	10,574	
	Eleventh Floor	1	9	8	2	7	0	4	13		9,744	830	0	0	566	176	11,316	10,574	
	Twelfth Floor	1	9	8	2	7	0	4	13		9,744	830	0	0	566	176	11,316	10,574	
	Thirteenth Floor	1	9	8	2	7	0	4	13		9,744	830	0	0	566	176	11,316	10,574	
	Fourteenth Floor	1	9	8	2	7	0	4	13		9,744	830	0	0	566	176	11,316	10,574	
	Fifteenth Floor	1	9	8	2	7	0	4	13		9,744	830	0	0	566	176	11,316	10,574	
	Sixteenth Floor	1	9	8	2	7	0	4	13		9,744	830	0	0	566	176	11,316	10,574	
		Penthouse Floor	1	14	4	0	5	2	4	11		9,744	830	0	0	566	176	11,316	10,574
	Sky Amenity	1	16	8	0	0	0	0	0		0	656	2,687	0	640	1,710	5,693	3,343	
	Total	18	195.000		26	96	2	56	180	7,195	136,295	22,602	2,687	29,763	10,562	8,164	217,268	168,779	57
	Percentage				14%	53%	1%	31%											
	Goal				20%	50%		30%											

Total Units	180	DU
Avg Unit Size	757	SF
Parking Ratio	0.32	/DU
Parking Eff.	522	/Space
Typ. Floor Eff. - Tier 1	86.11%	
Total Eff.	66.04%	
Amenity/Unit	14.93	SF

Site Area	21,644	SF
Total FAR Allowed (8)	173,152	SF
Proposed FAR Ratio	7.798	
FAR Overage	-4,373	SF



LEED v4 for BD+C: New Construction and Major Renovation

Project Checklist

Project Name: The Legacy Evanston

Date: 2022-07-06

Y ? N

1			Credit	Integrative Process	1
14	0	2	Location and Transportation		16
			Credit	LEED for Neighborhood Development Location	16
1			Credit	Sensitive Land Protection	1
		2	Credit	High Priority Site	2
5			Credit	Surrounding Density and Diverse Uses	5
5			Credit	Access to Quality Transit	5
1			Credit	Bicycle Facilities	1
1			Credit	Reduced Parking Footprint	1
1			Credit	Green Vehicles	1
4	3	0	Sustainable Sites		10
Y			Prereq	Construction Activity Pollution Prevention	Required
	1		Credit	Site Assessment	1
1			Credit	Site Development - Protect or Restore Habitat	2
1			Credit	Open Space	1
	2		Credit	Rainwater Management	3
1			Credit	Heat Island Reduction	2
1			Credit	Light Pollution Reduction	1
5	2	0	Water Efficiency		11
Y			Prereq	Outdoor Water Use Reduction	Required
Y			Prereq	Indoor Water Use Reduction	Required
Y			Prereq	Building-Level Water Metering	Required
2			Credit	Outdoor Water Use Reduction	2
2			Credit	Indoor Water Use Reduction	6
	2		Credit	Cooling Tower Water Use	2
1			Credit	Water Metering	1
6	10	0	Energy and Atmosphere		33
Y			Prereq	Fundamental Commissioning and Verification	Required
Y			Prereq	Minimum Energy Performance	Required
Y			Prereq	Building-Level Energy Metering	Required
Y			Prereq	Fundamental Refrigerant Management	Required
2			Credit	Enhanced Commissioning	6
	9		Credit	Optimize Energy Performance	18
1			Credit	Advanced Energy Metering	1
1			Credit	Demand Response	2
	1		Credit	Renewable Energy Production	3
1			Credit	Enhanced Refrigerant Management	1
1			Credit	Green Power and Carbon Offsets	2

7	1	0	Materials and Resources		13
Y			Prereq	Storage and Collection of Recyclables	Required
Y			Prereq	Construction and Demolition Waste Management Planning	Required
2			Credit	Building Life-Cycle Impact Reduction	5
1	1		Credit	Building Product Disclosure and Optimization - Environmental Product Declarations	2
1			Credit	Building Product Disclosure and Optimization - Sourcing of Raw Materials	2
1			Credit	Building Product Disclosure and Optimization - Material Ingredients	2
2			Credit	Construction and Demolition Waste Management	2

12	0	0	Indoor Environmental Quality		16
Y			Prereq	Minimum Indoor Air Quality Performance	Required
Y			Prereq	Environmental Tobacco Smoke Control	Required
1			Credit	Enhanced Indoor Air Quality Strategies	2
3			Credit	Low-Emitting Materials	3
1			Credit	Construction Indoor Air Quality Management Plan	1
2			Credit	Indoor Air Quality Assessment	2
1			Credit	Thermal Comfort	1
1			Credit	Interior Lighting	2
1			Credit	Daylight	3
1			Credit	Quality Views	1
1			Credit	Acoustic Performance	1

2	0	0	Innovation		6
1			Credit	Innovation	5
1			Credit	LEED Accredited Professional	1

0	0	0	Regional Priority		4
			Credit	Regional Priority: Specific Credit	1
			Credit	Regional Priority: Specific Credit	1
			Credit	Regional Priority: Specific Credit	1
			Credit	Regional Priority: Specific Credit	1

51	16	2	TOTALS		Possible Points: 110
-----------	-----------	----------	---------------	--	-----------------------------

Certified: 40 to 49 points, Silver: 50 to 59 points, Gold: 60 to 79 points, Platinum: 80 to 110




9:30 AM



12:00 PM



2:30 PM



5:00 PM




9:30 AM



12:00 PM



2:30 PM



5:00 PM





9:30 AM



12:00 PM



2:30 PM



5:00 PM





9:30 AM



12:00 PM



2:30 PM



5:00 PM





9:30 AM



12:00 PM



2:30 PM



5:00 PM





9:30 AM



12:00 PM



2:30 PM



5:00 PM






9:30 AM



12:00 PM




2:30 PM



5:00 PM






1621-31 Chicago Ave. - Evanston, IL

Project Site
7/6/22

PAPPAGEORGE
HAYMES





145' Total Height


105' Base Zoning Height

145'


40'

As-of-Right


- 145' Building Height Allowed (Up to 40' of Parking not counted towards building height)



• 185' Building Height Allowed with Development Allowance




Current Design
• 185' Street Wall Height
w/195' Overall Height




West Elevation
SCALE: 1" = 30'

- 01 - Prefinished Window Wall
- 02 - Glass Railing
- 03 - Fiber Cement Panel
- 04 - Prefinished Metal Panel
- 05 - Aluminum Louver
- 06 - Prefinished Storefront System
- 07 - Colored Concrete Block




- 01 - Prefinished Window Wall
- 02 - Glass Railing
- 03 - Fiber Cement Panel
- 04 - Prefinished Metal Panel
- 05 - Aluminum Louver
- 06 - Prefinished Storefront System
- 07 - Colored Concrete Block

North Elevation
SCALE: 1" = 30'



East Elevation
SCALE: 1" = 30'

- 01 - Prefinished Window Wall
- 02 - Glass Railing
- 03 - Fiber Cement Panel
- 04 - Prefinished Metal Panel
- 05 - Aluminum Louver
- 06 - Prefinished Storefront System
- 07 - Colored Concrete Block



- 01 - Prefinished Window Wall
- 02 - Glass Railing
- 03 - Fiber Cement Panel
- 04 - Prefinished Metal Panel
- 05 - Aluminum Louver
- 06 - Prefinished Storefront System
- 07 - Colored Concrete Block

South Elevation
SCALE: 1" = 30'


Facade Zones per LEED Pilot Credit 55


Zone 1

- 36' or 3 Stories above the Ground Level
- 12' or 1 Story above the Green Roof

Zone 2

- All Facade that is not Zone 1







Chicago Ave


Landscaping Plan
SCALE: 1" = 10'





Building Section
 SCALE: 1" = 30'





Neutral Frameless Glass Window Wall System




Fiber Cement Panel - Dark Accent




Metal Panel - Light



Fiber Cement Panel - Light Accent



Metal Panel - Dark



Fiber Cement Panel - Main Body



Sack Finish Concrete

Traffic Circulation Impact Study & Addendum

Traffic Impact Study 1621-31 Chicago Avenue

Evanston, Illinois



Prepared for:



October 19, 2021

Contents

Executive Summary 1

1. Introduction..... 3

2. Existing Conditions..... 6

 Site Location 6

 Existing Roadway System Characteristics..... 6

 Alternative Modes of Transportation..... 8

 Existing Traffic Volumes..... 9

3. Traffic Characteristics of the Proposed Development 13

 Proposed Development Plan 13

 Directional Distribution 13

 Development Traffic Generation 13

4. Projected Traffic Conditions..... 16

 Development Traffic Assignment..... 16

 Other Area Growth 16

 Total Projected Traffic Volumes 16

5. Traffic Analysis and Recommendations 20

 Traffic Analyses..... 20

 Discussion and Recommendations 27

 Transportation Sustainability Recommendations 28

6. Conclusion 29

Appendix

List of Figures and Tables

Figures

1. Site Location	4
2. Aerial View of Site	5
3. Existing Roadway Characteristics	7
4. Base Traffic Volumes	11
5. Existing Pedestrian and Bicycle Volumes	12
6. Estimated Directional Distribution	14
7. Estimated Development-Generated Traffic Volumes.....	17
8. No-Build Traffic Volumes.....	18
9. Total Projected Traffic Volumes	19

Tables

1. Site-Generated Traffic Volumes.....	15
2. Net Increase in Site-Generated Traffic	15
3. Capacity Analysis Results - Chicago Avenue with Davis Street.....	21
4. Capacity Analysis Results - Chicago Avenue with Church Street	21
5. Capacity Analysis Results - Davis Street with Hinman Avenue	23
6. Capacity Analysis Results - Church Street with Hinman Avenue.....	24
7. Capacity Analysis Results - Davis Street with North-South Alley	25
8. Capacity Analysis Results - Church Street with North-South Alley	26
9. Capacity Analysis Results - Proposed Access with North-South Alley	26

Executive Summary

This report summarizes the results of a traffic impact study conducted by Kenig, Lindgren, O’Hara, Aboona, Inc. (KLOA, Inc.) for the proposed mixed-use development to be located at 1621-31 Chicago Avenue in Evanston, Illinois. The site is located on the east side of Chicago Avenue between Davis Street and Church Street and is currently occupied by several one-story retail buildings containing Found Kitchen and Social House, Tsim Sha Tsui, La Cocinita, BC Cleaners, Kafein, and a vacant space.

The objective of the traffic study was as follows:

- Determine the existing vehicular, pedestrian, bicycle, and public transportation conditions in the study area to establish a base condition.
- Assess the impact that the proposed development will have on transportation conditions in the area.
- Determine any roadway, access, bicycle, and pedestrian modifications and/or improvements that will be necessary to effectively accommodate and mitigate future conditions.

Accessibility to and from the area is enhanced by public transportation and various alternative modes of transportation. The Metra Union Pacific North Line (UP-N) and Chicago Transit Authority (CTA) Rapid Transit Purple Line have stations within a half-mile of the site and several CTA bus routes have stops in the area. In addition, pedestrian facilities including sidewalks and crosswalks are generally provided on all roadways within the area. Barrier-protected bike lanes are provided on Chicago Avenue, Davis Street, and Church Street. Car-sharing vehicles are also located within the area.

Vehicle, pedestrian, and bicycle counts were conducted during the weekday morning and evening peak periods in order to determine the general transportation conditions during these time periods. The following intersections were analyzed as part of this study:

- Chicago Avenue with Davis Street
- Chicago Avenue with Church Street
- Hinman Avenue with Davis Street
- Hinman Avenue with Church Street
- Davis Street with the north-south alley
- Church Street with the north-south alley

The proposed development will be an 18-story mixed-use development containing approximately 180 apartment units, approximately 7,000 square feet of retail space, and 57 parking spaces. Access to the parking garage and the two loading docks will be via the north-south public alley that extends along the east side of the site.

Based on the preceding analyses and recommendations, the following conclusions were made:

- The existing roadway system has sufficient reserve capacity to accommodate the traffic to be generated by the proposed development. All of the intersections within the study area are projected to continue to operate at a good level of service assuming the additional traffic to be generated by the proposed development and the other area growth. Overall, the proposed development will have a limited impact on the operation of the roadway system. As such, no roadway improvements and/or traffic control modifications are required.
- Given the location of the site within the central business district and its proximity to public transportation and alternative modes of transportation, the number of vehicle trips generated by the development will be reduced. A review of the U.S. Census data in the area showed that only approximately 50 percent of residents in the area drive a car to work. Further, the development is proposing a total of approximately 7,000 square feet of new commercial space which will replace the approximately 15,000 square feet of existing commercial space. As such, the net increase in new traffic and parking to the area will be reduced.
- Access to the parking garage and the two loading docks will be via the north-south public alley that extends along the east side of the site. The access drive will provide one inbound lane and one outbound lane. Vehicles to the parking garage and trucks to the loading docks will be able to access the alley from either Church Street or Davis Street, which will help to distribute the traffic along the roadway system.
- In addition, a loading zone is proposed along the east side of Chicago Avenue which will require the elimination of two to three parallel parking spaces. All pedestrian access to the residential and commercial portions of the development will be provided via Chicago Avenue.

1. Introduction

This report summarizes the results of a traffic impact study conducted by Kenig, Lindgren, O’Hara, Aboona, Inc. (KLOA, Inc.) for a proposed mixed-use development to be located at 1621-31 Chicago Avenue in Evanston, Illinois. The site is located on the east side of Chicago Avenue between Davis Street and Church Street and is currently occupied by several one-story retail buildings containing Found Kitchen and Social House, Tsim Sha Tsui, La Cocinita, BC Cleaners, Kafein, and a vacant space. As proposed, the proposed development will be a mixed-use development containing approximately 180 apartment units, approximately 7,000 square feet of retail space, and 57 parking spaces. Access to the parking garage and the two loading docks will be via the north-south public alley that extends along the east side of the site.


The purpose of this study was to examine background traffic conditions, assess the impact that the proposed development will have on traffic conditions in the area, and determine if any roadway or access improvements are necessary to accommodate traffic generated by the proposed development. **Figure 1** shows the location of the site in relation to the area roadway system. **Figure 2** shows an aerial view of the site.

The sections of this report present the following:

- Existing roadway conditions
- A description of the proposed development
- Directional distribution of the development traffic
- Vehicle trip generation for the development
- Future traffic conditions including access to the development
- Traffic analyses for the weekday morning and evening peak hours
- Recommendations with respect to adequacy of the site access and adjacent roadway system

Traffic capacity analyses were conducted for the weekday morning and evening peak hours for the following conditions:

1. Base Conditions - Analyzes the capacity of the existing roadway system using existing peak hour traffic volumes in the surrounding area adjusted to reflect normal conditions.
2. No-Build Conditions – Analyzes the capacity of the existing roadway system using the base traffic volumes increased by a regional growth factor and including the traffic to be generated by other proposed and/or approved area developments.
3. Future Conditions – Analyzes the capacity of the projected roadway system assuming projected traffic volumes which include the existing traffic volumes, ambient area growth not attributable to any particular development, the traffic to be generated by other proposed/approved area developments, and the traffic estimated to be generated by the proposed subject development.



Site Location

Figure 1

1621-31 Chicago Avenue
Evanston, Illinois



Aerial View of Site

Figure 2

2. Existing Conditions

Existing transportation conditions in the vicinity of the site were documented based on a field visit conducted by KLOA, Inc. in order to obtain a database for projecting future conditions. The following provides a description of the geographical location of the site, physical characteristics of the area roadway system including lane usage and traffic control devices, and existing peak hour traffic volumes.

Site Location

The site is bounded by Chicago Avenue on the west and the north-south alley on the east, approximately halfway between Davis Street and Church Street. Located within Evanston's central business district, the land uses surrounding the site generally consist of commercial, office, and multi-story residential developments. The site is currently occupied by several one-story retail buildings containing Found Kitchen and Social House, Tsim Sha Tsui, La Cocinita, BC Cleaners, Kafein, and a vacant space.

Existing Roadway System Characteristics


The characteristics of the existing roadways within the study area are illustrated in **Figure 3** and described below. All roadways are under the jurisdiction of the City of Evanston.

Chicago Avenue is generally a north-south, two-way roadway. In the vicinity of the site, Chicago Avenue provides a single lane in each direction with a two-way, protected bike lane located on the east side of the road north of Davis Street. Parallel metered parking is generally permitted on both sides of the road between Davis Street and Church Street. At its signalized intersection with Davis Street, Chicago Avenue provides an exclusive left-turn lane and a through lane on the northbound approach and a through lane and an exclusive right-turn lane on the southbound approach. Both approaches provide high-visibility, ladder style crosswalks. At its signalized intersection with Church Street, Chicago Avenue provides a through lane and an exclusive right-turn lane on the northbound approach and a shared left-turn/through lane on the southbound approach. Both approaches provide high-visibility, ladder style crosswalks. Chicago Avenue has a posted speed limit of 25 miles per hour.

Davis Street is generally a one-way westbound roadway that provides two westbound lanes with metered parallel parking provided on both sides of the road and a barrier-protected bike lane for westbound travel located on the north side of the street. At its signalized intersection with Chicago Avenue, the westbound approach of Davis Street provides a shared left-turn/through lane and a shared through/right-turn lane on the westbound approach. Both the east and west legs of the intersection provide high-visibility, ladder style crosswalks. At its unsignalized intersection with the north-south alley, Davis Street provides a shared left-turn/through lane and a shared through/right-turn lane on the westbound approach. At its all-way stop sign controlled intersection with Hinman Avenue, the westbound approach of Davis Street provides a single lane approach. Both the east and west legs of the intersection provide standard style crosswalks.



NOT TO SCALE



LEGEND	
	- TRAVEL LANE
	- TRAFFIC SIGNAL
	- STOP SIGN
	- SPEED LIMIT
	- ON-STREET PARKING
	- NO PARKING
	- METERED PARKING
	- LOADING ZONE
	- BIKE LANE
	- STANDARD CROSSWALK
	- HIGH VISIBILITY CROSSWALK

1621-31 Chicago Ave
Evanston, Illinois

Existing Roadway Characteristics



Job No: 17-039

Figure: 3

Church Street is generally a one-way eastbound roadway that provides two eastbound lanes with metered parallel parking generally provided on the north side of the roadway. Church Street also provides a barrier-protected bike lane for eastbound travel west of Chicago Avenue. At its signalized intersection with Chicago Avenue, Church Street provides a shared left-turn/through lane and a shared through/right-turn lane on the eastbound approach. Both the east and west legs of the intersection provide high-visibility, ladder style crosswalks. At its unsignalized intersection with the north-south alley, Church Street provides a shared left-turn/through lane and a shared through/right-turn lane on the eastbound approach. At its all-way stop sign controlled intersection with Hinman Avenue, the eastbound approach of Church Street provides a shared left-turn/through lane and a separate right-turn lane. Both the east and west legs of the intersection provide standard style crosswalks.

Hinman Avenue is generally a north-south, two-way roadway. In the vicinity of the site, Hinman Avenue provides a single lane in each direction with parallel parking generally permitted on both sides of the road. At its all-way stop sign controlled intersections with Davis Street and Chicago Avenue, Hinman Avenue provides a single lane approach on both legs. Both approaches at both intersections provide standard style crosswalks.

In addition to these roadways, a two-way, 18-foot wide north-south alley is provided midblock between Chicago Avenue and Hinman Avenue, which intersects both Davis Street and Church Street and extends from Sheridan Road to Grove Street. The alley provides access to parking spaces for First United Methodist Church and the 1616 Hinman Avenue residential building and loading for the residential buildings on the east side of the alley and the commercial uses, including several restaurants, on the west side of the alley.

Alternative Modes of Transportation

Accessibility to and from the Evanston central business district is enhanced by the alternative modes of transportation serving the area as summarized below.

Public Transportation. The area is served by several modes of public transportation including Metra commuter rail, CTA rapid transit service, and two bus lines.

The following summarizes the rail lines providing service to the area:

- The *Metra Union Pacific/North Line (UP-N)* has a local stop at Benson Avenue just north of Davis Street, which is located approximately two to three blocks west of Chicago Avenue. This line provides daily service between Ogilvie Transportation Center in Chicago and Kenosha, Wisconsin.
- The *CTA Purple Transit Line* has a local stop at Benson Avenue just north of Davis Street and is located two to three blocks west of Chicago Avenue. This line provides daily service between the Linden station in Wilmette and the Howard station on the border of Chicago and Evanston. In addition, weekday peak period express service is provided between the Howard station and downtown Chicago Loop.

The following bus routes serve the immediate area. Several other bus routes have stops that are within walking distance of the site.

- *Route 208 (Golf)* generally runs along Golf Road between the Davis Street CTA station and Woodfield Mall. Service is provided seven days a week
- *Route 213 (Green Bay Road)* generally runs along Chicago Avenue and Green Bay Road between the Howard Street CTA station and downtown Highland Park. Service is provided on weekdays and Saturdays.

Non-Motorized Transportation Systems. All of the roadways within the immediate area have sidewalks on both sides of the roadway. Crosswalks are generally provided on all approaches of the signalized intersections. Pedestrian signals are also provided at all signalized intersections within the study area.

According to the City of Evanston's Area Bike Map, Chicago Avenue and Davis Street are designated bike routes. In addition, Chicago Avenue, Davis Street, and Church Street provide barrier-protected bike lanes within the vicinity of the site.

Car-Sharing Transportation Availability. Multiple car-sharing vehicles are located within walking distance of the site.

Existing Traffic Volumes

In order to determine current vehicle, pedestrian, and bicycle conditions within the study area, KLOA, Inc. performed peak period transportation counts at the following intersections:



- Chicago Avenue with Davis Street
- Chicago Avenue with Church Street
- Hinman Avenue with Davis Street
- Hinman Avenue with Church Street
- Davis Street with the north-south alley
- Church Street with the north-south alley

All of the traffic counts were conducted during the weekday morning (7:00 A.M. to 9:00 A.M.) and evening (4:00 P.M. to 6:00 P.M.) peak periods on Thursday, September 16, 2021 except at the intersection of Church Street with the public alley, which was conducted in 2017. The results of the traffic counts showed that the weekday morning peak hour of traffic occurs from 8:00 A.M. to 9:00 A.M. and the weekday evening peak hour of traffic occurs from 5:00 P.M. to 6:00 P.M.

It should be noted that due to the Covid 19 pandemic, traffic volumes in the area generally do not reflect normal or typical conditions. As such, the 2021 traffic counts were compared to previous traffic counts conducted in the area by KLOA, Inc. in 2018. Based on the comparison of the traffic volumes, the 2021 traffic volumes were increased as follows:

- The Davis Street westbound through volumes were increased by 50 percent during the morning peak hour and 25 percent during the evening peak hour.
- The Church Street eastbound through volumes were increased by 150 percent during the morning and evening peak hours.
- The Chicago Avenue southbound through volumes were increased by 10 percent during the morning peak hour and 25 percent during the evening peak hour and the northbound through volumes were increased by 30 percent during the morning peak hour and were not increased during the evening peak hour.

Figures 4 and 5 illustrate the Year 2021 existing vehicle, pedestrian, and bicycle peak hour volumes.



1621-31 Chicago Ave
Evanston, Illinois

Existing Pedestrian and Bicycle
Traffic Volumes



Job No: 17-039

Figure: 5

3. Traffic Characteristics of the Proposed Development

In order to properly evaluate future traffic conditions in the surrounding area, it was necessary to determine the traffic characteristics of the proposed development, including the directional distribution and volumes of traffic that it will generate.

Proposed Development Plan

As proposed, the development will be a mixed-use development containing 180 apartment units, approximately 7,000 square feet of retail space, and 57 parking spaces. Access to the parking garage and the two loading docks will be via the north-south public alley that extends along the east side of the site. The access drive to the parking garage will be located on the north side of the site and the two loading docks will be located on the south side of the site. The access drive will provide one inbound lane and one outbound lane. Vehicles to the parking garage and trucks to the loading docks will be able to access the alley from either Church Street or Davis Street, which will help to distribute the traffic along the roadway system.



In addition, a loading zone is proposed along the east side Chicago Avenue which will require the elimination of two to three parallel parking spaces. All pedestrian access to the residential and commercial portions of the development will be provided via Chicago Avenue.

Directional Distribution

The directions from which site-generated traffic will approach and depart the development were estimated based on existing travel patterns, as determined from the traffic counts. **Figure 6** illustrates the directional distribution of the development-generated traffic.

Development Traffic Generation

The number of peak hour vehicle trips estimated to be generated by the proposed development was based on vehicle trip generation rates contained in the *Trip Generation Manual*, 10th Edition, published by the Institute of Transportation Engineers (ITE). It should be noted that the ITE trip rates are based on suburban rates where the primary mode of transportation is the automobile. Given the location of the proposed site within the central business district and its proximity to alternative modes of transportation, the number of additional vehicle trips generated by the development will be reduced. A review of the U.S. Census data in the area showed that only approximately 50 percent of residents in the area drive a car to work. Therefore, the residential and retail trips were reduced by 50 percent to account for the residents, patrons, and employees that will use alternative means of transportation other than the automobile to travel to and from the development. **Table 1** summarizes the total trips anticipated with the development during the weekday morning and weekday evening peak hours.



LEGEND

00% - PERCENT DISTRIBUTION

1621-31 Chicago Ave
Evanston, Illinois

Estimated Directional Distribution



Job No: 17-039

Figure: 6

Table 1
SITE-GENERATED TRAFFIC VOLUMES

Land Use/Size	Weekday Morning Peak Hour			Weekday Evening Peak Hour		
	In	Out	Total	In	Out	Total
Apartments – 180 units (LUC 220)¹						
Gross Trips:	19	64	83	63	37	100
<i>Less 50% Reduction:</i>	<u>-9</u>	<u>-32</u>	<u>-41</u>	<u>-31</u>	<u>-18</u>	<u>49</u>
Total Residential Trips:	10	32	42	32	19	51
Retail – 7,000 s.f. (LUC 820)²						
Gross Trips:	4	3	7	13	14	27
<i>Less 50% Reduction:</i>	<u>--</u>	<u>--</u>	<u>--</u>	<u>-6</u>	<u>-7</u>	<u>-13</u>
Total Retail Trips:	<u>4</u>	<u>3</u>	<u>7</u>	<u>7</u>	<u>7</u>	<u>14</u>
Total Development Trips	14	35	49	39	26	65
Trip generation rates were reduced by 50 percent to account for alternative modes of transportation serving the area and the development.						

It is important to note that the site contains 15,000 square feet of commercial space, including several popular restaurants that are currently generating traffic. As such, the proposed development will not be generating all new traffic to the roadway system. **Table 2** shows the estimated traffic to be generated by the proposed development and the estimated traffic generated by the existing uses. From the table, it can be seen that the increase in traffic from the proposed development will be limited.

Table 2
NET INCREASE IN SITE-GENERATED TRAFFIC

Land Use/Size	Weekday Morning Peak Hour			Weekday Evening Peak Hour		
	In	Out	Total	In	Out	Total
Proposed Development	14	35	49	39	26	65
Existing Commercial Space	7	4	11	12	13	15
Net Increase in Traffic	7	31	38	27	13	40
Note: The traffic generated by the existing commercial space was based on rates provided in the ITE <i>Trip Generation Manual</i> , 10 th Edition and reduced by 50 percent to account for alternative modes of transportation.						

4. Projected Traffic Conditions

The total projected traffic volumes include the existing traffic volumes, increase in background traffic due to ambient growth, and the traffic estimated to be generated by the proposed subject development.

Development Traffic Assignment

The estimated weekday morning and evening peak hour traffic volumes that will be generated by the proposed development were assigned to the roadway system in accordance with the previously described directional distribution (Figure 6) and are illustrated in **Figure 7**.

Other Area Growth

The Year 2021 base traffic volumes (Figure 4) were increased by a regional growth factor to account for the increase in existing traffic related to regional growth in the area (i.e., not attributable to any particular planned development). Based on ADT projections provided by the Chicago Metropolitan Agency for Planning (CMAP), the existing traffic volumes in the study area increased by a compounded growth rate of 0.27 percent per year for six years for a total of 1.6 percent. A copy of the CMAP 2050 projections letter is included in the Appendix.

In addition, the traffic study included the buildout of the following proposed and/or approved area developments:

- An office development approved to be located at 605 Davis Street that is to contain approximately 200,000 square feet of office space.
- A senior living residential development currently under construction at 1815 Ridge Avenue that is to contain approximately 161 units.
- The Emerson development approved to be located at 1900 Sherman Avenue that is to contain approximately 168 age-restricted units.
- A residential development approved to be located at 1555 Ridge Avenue that is to contain approximately 68 residential units.
- A residential development proposed to be located at 1012-1034 Chicago Avenue that is to contain 116 units and approximately 5,000 square feet of ground floor retail space.


Figure 8 illustrates the Year 2027 no-build traffic volumes.

Total Projected Traffic Volumes

The development-generated traffic was added to the existing traffic volumes accounting for background growth to determine the Year 2027 total projected traffic volumes, shown in **Figure 9**. To provide a conservative (worst-case) analysis, no reductions were assumed for the traffic currently generated by the commercial space located on the site.



NOT TO SCALE



LEGEND

- 00 - AM PEAK HOUR (8:00-9:00 AM)
- (00) - PM PEAK HOUR (5:00-6:00 PM)


1621-31 Chicago Ave
Evanston, Illinois

Estimated Site-Generated
Traffic Volumes





NOT TO SCALE



LEGEND

- 00 - AM PEAK HOUR (8:00-9:00 AM)
- (00) - PM PEAK HOUR (5:00-6:00 PM)


1621-31 Chicago Ave
Evanston, Illinois

Year 2027 No-Build Traffic Volumes





NOT TO SCALE



LEGEND

- 00 - AM PEAK HOUR (8:00-9:00 AM)
- (00) - PM PEAK HOUR (5:00-6:00 PM)

1621-31 Chicago Ave
Evanston, Illinois

Year 2027 Total Projected Traffic Volumes



5. Traffic Analysis and Recommendations

The following provides an evaluation conducted for the weekday morning and weekday evening peak hours. The analysis includes conducting capacity analyses to determine how well the roadway system and access drives are projected to operate and whether any roadway improvements or modifications are required.

Traffic Analyses

Roadway and adjacent or nearby intersection analyses were performed for the weekday morning and weekday evening peak hours for the base (Year 2021), no-build (Year 2027), and future projected (Year 2027) traffic volumes.

The traffic analyses were performed using the methodologies outlined in the Transportation Research Board's *Highway Capacity Manual (HCM), 2010* and analyzed using Synchro/SimTraffic computer software. The analyses for signalized intersections were done using actual cycle lengths and phasings.

The analyses for the unsignalized intersections determine the average control delay to vehicles at an intersection. Control delay is the elapsed time from a vehicle joining the queue at a stop sign (includes the time required to decelerate to a stop) until its departure from the stop sign and resumption of free flow speed. The methodology analyzes each intersection approach controlled by a stop sign and considers traffic volumes on all approaches and lane characteristics.

The ability of an intersection to accommodate traffic flow is expressed in terms of level of service, which is assigned a letter from A to F based on the average control delay experienced by vehicles passing through the intersection. The *Highway Capacity Manual* definitions for levels of service and the corresponding control delay for signalized intersections and unsignalized intersections are included in the Appendix of this report.

Summaries of the traffic analysis results showing the level of service and overall intersection delay (measured in seconds) for the Year 2021 base, Year 2027 no-build, and Year 2027 total projected conditions for the study area intersections are presented in **Tables 3** through **9**. A discussion of the intersections follows. Summary sheets for the capacity analyses are included in the Appendix.

Table 3
 CAPACITY ANALYSIS RESULTS
 CHICAGO AVENUE WITH DAVIS STREET – SIGNALIZED

Intersection	Weekday Morning Peak Hour		Weekday Evening Peak Hour	
	LOS	Delay	LOS	Delay
Base Conditions				
• Overall	B	17.7	B	19.0
• Northbound Through	B	18.2	B	15.6
• Northbound Left	B	15.6	C	20.8
• Southbound Through	B	10.3	B	16.6
• Southbound Right	B	10.2	B	11.5
• Westbound Approach	C	31.3	C	32.8
No-Build Conditions				
• Overall	B	18.0	B	19.5
• Northbound Through	B	18.6	B	15.9
• Northbound Left	B	16.1	C	22.3
• Southbound Through	B	10.3	B	17.1
• Southbound Right	B	10.3	B	11.6
• Westbound Approach	C	31.7	C	33.2
Projected Conditions				
• Overall	B	18.5	B	19.8
• Northbound Through	B	18.7	B	16.1
• Northbound Left	B	16.1	C	22.3
• Southbound Through	B	10.3	B	17.0
• Southbound Right	B	10.2	B	11.6
• Westbound Approach	C	32.3	C	33.6
LOS = Level of Service Delay is measured in seconds.				

Table 4
 CAPACITY ANALYSIS RESULTS
 CHICAGO AVENUE WITH CHURCH STREET – SIGNALIZED

Intersection	Weekday Morning Peak Hour		Weekday Evening Peak Hour	
	LOS	Delay	LOS	Delay
Base Conditions				
• Overall	B	18.1	C	23.3
• Northbound Through	A	6.3	A	4.7
• Northbound Right	B	12.5	B	15.5
• Southbound Approach	A	8.0	B	11.2
• Eastbound Approach	C	33.5	D	40.6
No-Build Conditions				
• Overall	B	18.5	C	25.4
• Northbound Through	A	6.6	A	8.0
• Northbound Right	B	12.0	B	15.0
• Southbound Approach	A	8.3	B	11.8
• Eastbound Approach	C	34.2	D	45.0
Projected Conditions				
• Overall	B	18.7	C	26.2
• Northbound Through	A	6.6	A	5.0
• Northbound Right	B	12.9	B	16.8
• Southbound Approach	A	8.4	B	12.1
• Eastbound Approach	C	34.5	D	46.6
LOS = Level of Service Delay is measured in seconds.				

Table 5
 CAPACITY ANALYSIS RESULTS
 DAVIS STREET WITH HINMAN AVENUE – UNSIGNALIZED

Intersection	Weekday Morning Peak Hour		Weekday Evening Peak Hour	
	LOS	Delay	LOS	Delay
Base Conditions				
• Overall	A	7.9	A	8.5
• Westbound Approach	A	8.1	A	8.4
• Northbound Approach	A	7.8	A	8.2
• Southbound Approach	A	7.5	A	8.6
No-Build Conditions				
• Overall	A	8.0	A	8.6
• Westbound Approach	A	8.2	A	8.5
• Northbound Approach	A	7.9	A	8.3
• Southbound Approach	A	7.6	A	8.7
Projected Conditions				
• Overall	A	8.0	A	8.5
• Westbound Approach	A	8.2	A	8.5
• Northbound Approach	A	7.9	A	8.3
• Southbound Approach	A	7.6	A	8.7
LOS = Level of Service Delay is measured in seconds.				

Table 6
 CAPACITY ANALYSIS RESULTS
 CHURCH STREET WITH HINMAN AVENUE – UNSIGNALIZED

Intersection	Weekday Morning Peak Hour		Weekday Evening Peak Hour	
	LOS	Delay	LOS	Delay
Base Conditions				
• Overall	A	8.3	A	9.5
• Eastbound Approach	A	8.5	A	9.8
• Northbound Approach	A	7.8	A	8.5
• Southbound Approach	A	7.8	A	9.0
No-Build Conditions				
• Overall	A	8.4	A	9.7
• Eastbound Approach	A	8.6	B	10.1
• Northbound Approach	A	7.9	A	8.6
• Southbound Approach	A	7.8	A	9.1
Projected Conditions				
• Overall	A	8.4	A	9.8
• Eastbound Approach	A	8.6	B	10.1
• Northbound Approach	A	7.9	A	8.7
• Southbound Approach	A	7.9	A	9.2
LOS = Level of Service Delay is measured in seconds.				

Table 7
 CAPACITY ANALYSIS RESULTS
 DAVIS STREET WITH ALLEY – UNSIGNALIZED

Intersection	Weekday Morning Peak Hour		Weekday Evening Peak Hour	
	LOS	Delay	LOS	Delay
Base Conditions				
• Northbound Approach	B	10.6	B	10.3
• Westbound Left	A	7.6	A	0.1
• Southbound Approach	B	10.0	B	10.2
No-Build Conditions				
• Northbound Approach	B	11.0	B	10.5
• Westbound Left	A	7.6	A	0.1
• Southbound Approach	B	10.3	B	10.4
Projected Conditions				
• Northbound Approach	B	11.1	B	10.6
• Westbound Left	A	7.6	A	0.1
• Southbound Approach	A	9.8	A	9.7
LOS = Level of Service Delay is measured in seconds.				

Table 8
 CAPACITY ANALYSIS RESULTS
 CHURCH STREET WITH ALLEY – UNSIGNALIZED

Intersection	Weekday Morning Peak Hour		Weekday Evening Peak Hour	
	LOS	Delay	LOS	Delay
Base Conditions				
• Northbound Approach	B	11.7	B	12.4
• Eastbound Left	A	7.4	A	7.3
• Southbound Approach	B	10.0	B	11.5
No-Build Conditions				
• Northbound Approach	B	11.9	B	12.7
• Eastbound Left	A	7.4	A	7.3
• Southbound Approach	B	10.1	B	11.8
Projected Conditions				
• Northbound Approach	B	10.2	B	11.6
• Eastbound Left	A	7.4	A	7.3
• Southbound Approach	B	10.2	B	12.0
LOS = Level of Service Delay is measured in seconds.				

Table 9
 CAPACITY ANALYSIS RESULTS
 PROPOSED ACCESS WITH ALLEY – UNSIGNALIZED

Intersection	Weekday Morning Peak Hour		Weekday Evening Peak Hour	
	LOS	Delay	LOS	Delay
Projected Conditions				
• Northbound Approach	A	7.2	A	7.3
• Eastbound Left	A	8.6	A	8.6
LOS = Level of Service Delay is measured in seconds.				

Discussion and Recommendations

The following summarizes how the intersections are projected to operate and identifies any roadway and traffic control improvements necessary to accommodate the development traffic.

Chicago Avenue with Davis Street

The results of the capacity analysis indicate that this signalized intersection currently operates at an overall Level of Service (LOS) B during the weekday morning and weekday evening peak hours. Assuming Year 2027 projected traffic volumes, this intersection is projected to continue operating at an overall LOS B during both peak hours with limited increases in delay. In addition, the intersection approaches and movements are projected to continue to operate at LOS C or better during both peak hours. Some queueing currently occurs along Chicago Avenue during the peak periods, particularly in the northbound direction. However, the queue typically clears the intersection in one traffic signal cycle. As such, the intersection has sufficient reserve capacity to accommodate the traffic projected to be generated by the proposed development. Given the low volume of development-generated traffic projected to traverse this intersection and that the increase in overall intersection delay is projected to be approximately only one second, the development is projected to have a limited impact on the operation of this intersection.

Chicago Avenue with Church Street

The results of the capacity analysis indicate that this signalized intersection currently operates at an overall LOS C or better during the weekday morning and weekday evening peak hours. Assuming Year 2027 projected traffic volumes, this intersection is projected to continue operating at an overall LOS C or better with limited increase in delays during the weekday morning and weekday evening peak hours. Additionally, all of the intersection approaches and movements are projected to continue to operate at LOS D or better during the peak hours. Some queueing currently occurs along Chicago Avenue and Church Street during the peak periods. However, the queues typically clear within one traffic signal cycle. As such, the intersection has sufficient reserve capacity to accommodate the traffic projected to be generated by the proposed development. Given the low volume of development-traffic projected to traverse this intersection and that the increase in overall intersection delay is projected to be approximately only one to three seconds, the development is projected to have a limited impact on the operation of this intersection.

Hinman Avenue with Davis Street

The results of the capacity analysis indicate that this all-way stop sign controlled intersection currently operates at an overall LOS A during the weekday morning and weekday evening peak hours. Assuming Year 2027 projected traffic volumes, this intersection is projected to continue operating at an overall LOS A with limited increase in delays during the weekday morning and weekday evening peak hours. Additionally, all of the intersection approaches are projected to continue to operate at LOS A during the peak hours. As such, the intersection has sufficient reserve capacity to accommodate the traffic projected to be generated by the proposed development. Given the low volume of development-traffic projected to traverse this intersection and that the increase in overall intersection delay is projected to be less than one second, the development is projected to have a limited impact on the operation of this intersection.

Hinman Avenue with Church Street

The results of the capacity analysis indicate that this all-way stop sign controlled intersection currently operates at an overall LOS A during the weekday morning and weekday evening peak hours. Assuming Year 2027 projected traffic volumes, this intersection is projected to continue operating at an overall LOS A with limited increase in delays during the weekday morning and weekday evening peak hours. Additionally, all of the intersection approaches are projected to continue to operate at LOS B or better during the peak hours. As such, the intersection has sufficient reserve capacity to accommodate the traffic projected to be generated by the proposed development. Given the low volume of development-traffic projected to traverse this intersection and that the increase in overall intersection delay is projected to be less than one second, the development is projected to have a limited impact on the operation of this intersection.

Davis Street with the North-South Alley

The results of the capacity analysis indicate that the northbound and southbound approaches at this intersection currently operate at LOS B during both peak hours and are projected to continue operating at existing levels of service with limited increases in delay. As such, this intersection has sufficient reserve capacity to accommodate the traffic projected to be generated by the development.

Church Street with the North-South Alley

The results of the capacity analysis indicate that the northbound and southbound approaches at this intersection currently operate at LOS B during both peak hours and are projected to continue operating at existing levels of service with limited increases in delay. As such, this intersection has sufficient reserve capacity to accommodate the traffic projected to be generated by the development.

Transportation Sustainability Recommendations

The following summarizes suggested measures to be implemented by the development and/or recommendations to further minimize the impact of the development, foster alternative modes of transportation other than the automobile, and to enhance pedestrian/bicycle safety.

- Consideration should be given to providing car-sharing vehicles within the parking garage or in the vicinity of the site.
- Indoor bike storage will be provided within the development.

6. Conclusion

This report summarizes the methodologies, results, and findings of a traffic impact study conducted by Kenig, Lindgren, O'Hara, Aboona, Inc. (KLOA, Inc.) to assess the impact of the mixed-use development at 1621-31 Chicago Avenue in Evanston, Illinois. As proposed, the development will be a mixed-use development containing 180 apartment units, approximately 7,000 square feet of retail space, and 57 parking spaces. Based on the preceding analyses and recommendations, the following conclusions were made:

- The existing roadway system has sufficient reserve capacity to accommodate the traffic to be generated by the proposed development. All of the intersections within the study area are projected to continue to operate at a good level of service assuming the additional traffic to be generated by the proposed development and the other area growth. Overall, the proposed development will have a limited impact on the operation of the roadway system. As such, no roadway improvements and/or traffic control modifications are required.
- Given the location of the site within the central business district and its proximity to alternative modes of transportation, the number of vehicle trips generated by the development will be reduced. A review of the U.S. Census data in the area showed that only approximately 50 percent of residents in the area drive a car to work. Further, the development is proposing a total of approximately 7,000 square feet of new commercial space which will replace the approximately 15,000 square feet of commercial space. As such, the net increase in new traffic and parking to the area will be reduced.
- Access to the parking garage and the two loading docks will be via the north-south public alley that extends along the east side of the site. The access drive to the parking garage will be located on the north side of the site and the two loading docks will be located on the south side of the site. The access drive will provide one inbound lane one outbound lane. Vehicles to the parking garage and trucks to the loading docks will be able to access the alley from either Church Street or Davis Street, which will help to distribute the traffic along the roadway system.
- In addition, a loading zone is proposed along the east side of Chicago Avenue which will require the elimination of two to three parallel parking spaces. All pedestrian access to the residential and commercial portions of the development will be provided via Chicago Avenue.

Appendix

Traffic Count Summary Sheets
Preliminary Site Plan
ITE Trip Generation Worksheets
CMAP 2050 Projections Letter
Level of Service Criteria
Capacity Analysis Summary Sheets

Traffic Count Summary Sheets



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurguette@kloainc.com

Count Name: Church St with Chicago Ave
Site Code:
Start Date: 09/16/2021
Page No: 1

Turning Movement Data

Start Time	Church St Eastbound					Church St Westbound					Chicago Ave Northbound					Chicago Ave Southbound														
	U-Turn	Left	Thru	Right	App. Total	U-Turn	Left	Thru	Right	App. Total	U-Turn	Left	Thru	Right	App. Total	U-Turn	Left	Thru	Right	App. Total	U-Turn	Left	Thru	Right	App. Total	U-Turn	Left	Thru	Right	App. Total
7:00 AM	0	5	7	14	3	26	0	0	0	0	0	0	0	32	2	3	34	0	3	28	0	4	31	0	2	13	0	4	15	84
7:15 AM	0	2	14	14	18	30	0	0	0	0	0	0	0	35	4	12	39	0	2	13	0	4	15	0	1	25	0	12	26	126
7:30 AM	0	6	25	15	12	46	0	0	0	0	0	0	0	51	3	8	54	0	1	25	0	12	26	0	0	27	0	11	27	134
7:45 AM	0	9	16	18	15	43	0	0	0	0	0	0	0	55	9	8	64	0	0	27	0	11	27	0	0	93	0	31	99	435
Hourly Total	0	22	62	61	48	145	0	0	0	0	0	0	0	173	18	35	191	0	6	93	0	31	99	0	0	33	0	9	33	179
8:00 AM	0	9	22	28	36	59	0	0	0	0	0	0	0	77	10	19	87	0	0	33	0	9	33	1	1	40	0	21	42	223
8:15 AM	0	10	28	27	30	65	0	0	0	0	0	0	0	106	10	18	116	0	1	40	0	21	42	0	1	26	0	26	27	174
8:30 AM	0	11	24	20	46	55	0	0	0	0	0	0	0	82	10	23	92	0	1	26	0	26	27	0	2	33	0	20	35	196
8:45 AM	0	20	19	32	29	71	0	0	0	0	0	0	0	87	3	21	90	0	2	33	0	20	35	1	4	132	0	76	137	772
Hourly Total	0	50	93	107	141	250	0	0	0	0	0	0	0	352	33	81	385	0	4	132	0	76	137	0	0	0	0	0	0	0
*** BREAK ***																														
4:00 PM	0	7	35	60	53	102	0	0	0	0	0	0	0	58	11	22	69	0	1	88	0	23	89	0	3	86	0	23	89	238
4:15 PM	0	13	31	51	69	95	0	0	0	0	0	0	0	45	9	30	54	0	2	90	0	26	92	0	2	90	0	26	92	266
4:30 PM	0	7	41	43	57	91	0	0	0	0	0	0	0	70	13	31	83	0	2	90	0	26	92	0	2	100	0	39	102	258
4:45 PM	0	11	36	50	104	97	0	0	0	0	0	0	0	47	12	35	59	0	2	100	0	39	102	0	8	364	0	111	372	1022
Hourly Total	0	38	143	204	283	385	0	0	0	0	0	0	0	220	45	118	265	0	4	82	0	21	86	0	4	82	0	21	86	238
5:00 PM	0	8	40	34	42	82	0	0	0	1	1	0	0	59	10	21	69	0	4	82	0	21	86	0	8	85	0	39	93	276
5:15 PM	0	8	38	55	37	101	0	0	0	4	4	0	0	65	13	23	78	0	8	85	0	39	93	0	11	96	0	28	107	281
5:30 PM	0	11	29	45	32	85	0	0	0	0	0	0	0	73	16	42	89	0	5	72	0	32	77	0	5	72	0	32	77	255
5:45 PM	0	18	52	44	38	114	0	0	0	1	1	0	0	58	5	39	63	0	5	72	0	32	77	0	28	335	0	120	363	1050
Hourly Total	0	45	159	178	149	382	0	0	0	6	6	0	0	255	44	125	299	0	28	335	0	120	363	1	46	924	0	338	971	3279
Grand Total	0	155	457	550	621	1162	0	0	0	6	6	0	0	1000	140	359	1140	0	46	924	0	338	971	0	47	95.2	0.0	0.0	29.6	-
Approach %	0.0	13.3	39.3	47.3	-	35.4	0.0	0.0	0.0	100.0	0.0	0.0	0.0	87.7	12.3	-	34.8	0.0	1.4	28.2	0.0	0.0	29.6	0.0	1.4	28.2	0.0	0.0	29.6	-
Total %	0.0	4.7	13.9	16.8	-	35.4	0.0	0.0	0.0	0.2	0.2	0.0	0.0	30.5	4.3	-	34.8	0.0	1.4	28.2	0.0	0.0	29.6	0.0	1.4	28.2	0.0	0.0	29.6	-
Lights	0	128	408	519	-	1055	0	0	0	1	1	0	0	843	133	-	976	1	38	792	0	-	831	1	38	792	0	-	831	2863
% Lights	-	82.6	89.3	94.4	-	90.8	-	-	-	16.7	16.7	-	-	84.3	95.0	-	85.6	100.0	82.6	85.7	-	-	85.6	100.0	82.6	85.7	-	-	85.6	87.3
Buses	0	14	1	17	-	32	0	0	0	0	0	0	0	13	1	-	14	0	0	22	0	-	22	0	0	22	0	-	22	68
% Buses	-	9.0	0.2	3.1	-	2.8	-	-	-	0.0	0.0	-	-	1.3	0.7	-	1.2	0.0	0.0	2.4	-	-	2.3	0.0	0.0	2.4	-	-	2.3	2.1
Single-Unit Trucks	0	2	7	7	-	16	0	0	0	0	0	0	0	28	3	-	31	0	1	18	0	-	19	0	1	18	0	-	19	66
% Single-Unit Trucks	-	1.3	1.5	1.3	-	1.4	-	-	-	0.0	0.0	-	-	2.8	2.1	-	2.7	0.0	2.2	1.9	-	-	2.0	0.0	2.2	1.9	-	-	2.0	2.0
Articulated Trucks	0	0	0	0	-	0	0	0	0	0	0	0	0	4	0	-	4	0	0	5	0	-	5	0	0	5	0	-	5	9
% Articulated Trucks	-	0.0	0.0	0.0	-	0.0	-	-	-	0.0	0.0	-	-	0.4	0.0	-	0.4	0.0	0.0	0.5	-	-	0.5	0.0	0.0	0.5	-	-	0.5	0.3
Bicycles on Road	0	11	41	7	-	59	0	0	0	5	5	0	0	112	3	-	115	0	7	87	0	-	94	0	7	87	0	-	94	273
% Bicycles on Road	-	7.1	9.0	1.3	-	5.1	-	-	-	83.3	83.3	-	-	11.2	2.1	-	10.1	0.0	15.2	9.4	-	-	9.7	0.0	15.2	9.4	-	-	9.7	8.3
Pedestrians	-	-	-	-	-	621	-	-	-	-	-	-	-	-	-	-	359	-	-	-	-	-	-	-	-	-	-	-	-	338



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurguette@kloainc.com

Count Name: Church St with Chicago Ave
Site Code:
Start Date: 09/16/2021
Page No: 3

Turning Movement Peak Hour Data (8:00 AM)

Start Time	Church St Eastbound					Church St Westbound					Chicago Ave Northbound					Chicago Ave Southbound										
	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	Int. Total	
8:00 AM	0	9	22	28	36	59	0	0	0	0	0	0	0	0	77	10	19	87	0	0	33	0	9	33	179	
8:15 AM	0	10	28	27	30	65	0	0	0	0	0	0	0	0	106	10	18	116	1	1	40	0	21	42	223	
8:30 AM	0	11	24	20	46	55	0	0	0	0	0	0	0	0	82	10	23	92	0	1	26	0	26	27	174	
8:45 AM	0	20	19	32	29	71	0	0	0	0	0	0	0	0	87	3	21	90	0	2	33	0	20	35	196	
Total	0	50	93	107	141	250	0	0	0	0	0	0	0	0	352	33	81	385	1	4	132	0	76	137	772	
Approach %	0.0	20.0	37.2	42.8	-	-	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	91.4	8.6	-	-	0.7	2.9	96.4	0.0	-	-	-	-
Total %	0.0	6.5	12.0	13.9	-	32.4	0.0	0.0	0.0	0.0	-	49.9	0.1	0.5	17.1	0.0	-	17.7	0.1	0.5	17.1	0.0	-	-	-	
PHF	0.000	0.625	0.830	0.836	-	0.880	0.000	0.000	0.000	0.000	-	0.830	0.250	0.500	0.825	0.000	-	0.815	0.250	0.500	0.825	0.000	-	-	0.865	
Lights	0	41	81	101	-	223	0	0	0	0	0	0	0	0	255	31	-	286	1	4	121	0	-	-	635	
% Lights	-	82.0	87.1	94.4	-	89.2	-	-	-	-	-	-	100.0	100.0	91.7	-	-	92.0	100.0	100.0	91.7	-	-	-	82.3	
Buses	0	5	0	4	-	9	0	0	0	0	0	0	0	0	4	0	0	4	0	0	4	0	0	4	17	
% Buses	-	10.0	0.0	3.7	-	3.6	-	-	-	-	-	-	0.0	0.0	1.1	0.0	-	1.0	0.0	0.0	3.0	-	-	-	2.2	
Single-Unit Trucks	0	1	4	1	-	6	0	0	0	0	0	0	0	0	16	2	-	18	0	0	6	0	-	-	30	
% Single-Unit Trucks	-	2.0	4.3	0.9	-	2.4	-	-	-	-	-	-	-	-	4.5	6.1	-	4.7	0.0	0.0	4.5	-	-	-	4.4	
Articulated Trucks	0	0	0	0	-	0	0	0	0	0	0	0	0	0	3	0	0	3	0	0	1	0	0	1	4	
% Articulated Trucks	-	0.0	0.0	0.0	-	0.0	-	-	-	-	-	-	0.0	0.0	0.9	0.0	-	0.8	0.0	0.0	0.8	-	-	-	0.7	
Bicycles on Road	0	3	8	1	-	12	0	0	0	0	0	0	0	0	74	0	-	74	0	0	0	0	-	-	86	
% Bicycles on Road	-	6.0	8.6	0.9	-	4.8	-	-	-	-	-	-	-	-	21.0	0.0	-	19.2	0.0	0.0	0.0	-	-	-	11.1	
Pedestrians	-	-	-	-	141	-	-	-	-	-	-	-	-	-	-	-	81	-	-	-	-	-	-	76	-	
% Pedestrians	-	-	-	-	100.0	-	-	-	-	-	-	-	-	-	-	-	100.0	-	-	-	-	-	-	100.0	-	



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurguette@kloainc.com

Count Name: Church St with Chicago Ave
Site Code:
Start Date: 09/16/2021
Page No: 4

Turning Movement Peak Hour Data (5:00 PM)

Start Time	Church St Eastbound					Church St Westbound					Chicago Ave Northbound					Chicago Ave Southbound								
	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total
5:00 PM	0	8	40	34	42	82	0	0	0	1	1	0	0	59	10	21	69	0	4	82	0	21	86	238
5:15 PM	0	8	38	55	37	101	0	0	0	4	4	0	0	65	13	23	78	0	8	85	0	39	93	276
5:30 PM	0	11	29	45	32	85	0	0	0	0	0	0	0	73	16	42	89	0	11	96	0	28	107	281
5:45 PM	0	18	52	44	38	114	0	0	0	1	1	0	0	58	5	39	63	0	5	72	0	32	77	255
Total	0	45	159	178	149	382	0	0	0	6	6	0	0	255	44	125	299	0	28	335	0	120	363	1050
Approach %	0.0	11.8	41.6	46.6	-	-	0.0	0.0	0.0	100.0	-	0.0	0.0	85.3	14.7	-	-	0.0	7.7	92.3	0.0	-	-	-
Total %	0.0	4.3	15.1	17.0	-	36.4	0.0	0.0	0.0	0.6	0.6	0.0	0.0	24.3	4.2	-	28.5	0.0	2.7	31.9	0.0	-	-	34.6
PHF	0.000	0.625	0.764	0.809	-	0.838	0.000	0.000	0.000	0.375	0.375	0.000	0.000	0.873	0.688	-	0.840	0.000	0.636	0.872	0.000	-	-	0.848
% Lights	0	39	140	173	-	352	0	0	0	1	1	0	0	227	43	-	270	0	22	327	0	-	349	972
% Buses	-	86.7	88.1	97.2	-	92.1	-	-	-	16.7	16.7	-	-	89.0	97.7	-	90.3	-	78.6	97.6	-	-	96.1	92.6
% Single-Unit Trucks	0	3	0	3	-	6	0	0	0	0	0	0	0	4	0	-	4	0	0	5	0	-	5	15
% Articulated Trucks	-	6.7	0.0	1.7	-	1.6	-	-	-	0.0	0.0	-	-	1.6	0.0	-	1.3	-	0.0	1.5	-	-	1.4	1.4
% Bicycles on Road	0	0	3	2	-	5	0	0	0	0	0	0	0	4	0	-	4	0	1	1	0	-	2	11
% Pedestrians	-	0.0	1.9	1.1	-	1.3	-	-	-	0.0	0.0	-	-	1.6	0.0	-	1.3	-	3.6	0.3	-	-	0.6	1.0
% Pedestrians on Road	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	-	0	0	0	2	0	-	2	2
% Articulated Trucks	-	0.0	0.0	0.0	-	0.0	-	-	-	0.0	0.0	-	-	0.0	0.0	-	0.0	-	0.0	0.6	-	-	0.6	0.2
% Bicycles on Road	0	3	16	0	-	19	0	0	0	5	5	0	0	20	1	-	21	0	5	0	0	-	5	50
% Pedestrians	-	6.7	10.1	0.0	-	5.0	-	-	-	83.3	83.3	-	-	7.8	2.3	-	7.0	-	17.9	0.0	-	-	1.4	4.8
% Pedestrians on Road	-	-	-	-	149	-	-	-	-	-	125	-	-	-	-	-	120	-	-	-	-	-	-	-
% Pedestrians	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	-	-	-	-	-



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurguette@kloainc.com

Count Name: Church St with Hinman St
Site Code:
Start Date: 09/16/2021
Page No: 1

Turning Movement Data

Start Time	Church St Eastbound					Church St Westbound					Hinman Ave Northbound					Hinman Ave Southbound															
	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	Int. Total						
7:00 AM	0	2	6	5	4	13	0	0	0	0	2	0	0	0	4	2	8	6	0	1	7	0	3	8	0	1	10	0	3	11	27
7:15 AM	0	2	2	5	3	9	0	0	0	0	4	0	0	0	4	4	3	8	0	1	10	0	3	11	0	0	6	0	5	6	34
7:30 AM	0	2	13	4	3	19	0	0	0	0	7	0	0	0	8	1	9	9	0	0	12	0	5	12	0	0	12	0	5	12	35
7:45 AM	0	2	8	4	4	14	0	0	0	0	4	0	0	0	8	1	16	9	0	0	2	35	16	37	0	2	35	0	16	37	124
Hourly Total	0	8	29	18	14	55	0	0	0	0	17	0	0	0	24	8	36	32	0	1	5	0	7	6	0	1	6	0	8	7	58
8:00 AM	0	3	14	12	7	29	0	0	0	0	7	0	0	0	16	2	10	18	0	0	2	2	10	18	0	0	7	0	5	7	55
8:15 AM	0	8	13	9	8	30	0	0	0	0	8	0	0	0	17	4	9	21	0	0	7	0	5	7	0	0	2	2	0	4	53
8:30 AM	0	5	10	8	10	23	0	0	0	0	4	0	0	0	20	5	15	25	0	0	7	0	5	7	0	0	4	0	9	4	219
8:45 AM	0	6	12	7	11	25	0	0	0	0	6	0	0	0	17	7	7	24	0	0	2	0	9	4	0	0	20	0	29	24	88
Hourly Total	0	22	49	36	36	107	0	0	0	0	25	0	0	0	70	18	41	88	0	0	4	20	0	24	0	0	2	0	29	24	219
*** BREAK ***	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4:00 PM	0	5	26	19	5	50	0	0	0	0	5	0	1	0	13	5	13	19	0	0	4	26	0	7	0	0	30	1	10	36	110
4:15 PM	0	3	24	19	10	46	0	0	2	0	9	2	0	0	15	11	23	26	0	0	5	30	1	10	0	0	20	0	8	22	95
4:30 PM	0	6	28	22	6	56	0	0	1	0	8	1	0	0	14	2	16	16	0	0	2	23	0	9	0	0	2	0	9	25	97
4:45 PM	0	3	27	17	9	47	0	0	2	0	9	2	0	0	17	6	16	23	0	0	2	23	0	9	0	0	2	0	9	25	97
Hourly Total	0	17	105	77	30	199	0	0	5	0	31	5	1	0	59	24	68	84	0	0	13	99	1	34	0	0	45	0	7	47	123
5:00 PM	0	4	30	17	14	51	0	0	1	0	6	1	0	0	17	7	6	24	0	0	2	45	0	7	0	0	2	0	16	33	118
5:15 PM	0	5	34	25	12	64	0	0	0	0	5	0	0	0	18	6	8	24	0	0	3	22	0	13	0	0	3	0	22	37	111
5:30 PM	0	5	24	25	18	54	0	0	1	0	5	1	0	0	11	8	17	19	0	0	3	34	0	22	0	0	4	29	0	33	118
5:45 PM	0	5	32	28	11	65	0	0	0	0	9	0	0	0	15	5	12	20	0	0	4	29	0	16	0	0	12	130	0	142	465
Hourly Total	0	19	120	95	55	234	0	0	2	0	25	2	0	0	61	26	43	87	0	0	12	284	1	137	0	0	9.8	89.9	0.3	26.1	-
Grand Total	0	66	303	226	135	595	0	0	7	0	98	7	1	0	214	76	188	291	0	0	31	88.9	1	137	0	0	9.8	89.9	0.3	26.1	-
Approach %	0.0	11.1	50.9	38.0	-	-	0.0	0.0	100.0	0.0	-	-	0.3	0.0	73.5	26.1	-	-	0.0	0.0	2.6	23.5	0.1	-	0.0	0.0	2.6	23.5	0.1	26.1	-
Total %	0.0	5.5	25.1	18.7	-	49.2	0.0	0.0	0.6	0.0	0.6	0.6	0.1	0.0	17.7	6.3	-	24.1	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.2
Lights	0	62	263	203	-	528	0	0	1	0	-	1	1	0	175	65	-	241	0	0	30	233	1	-	0	0	30	233	1	264	1034
% Lights	-	93.9	86.8	89.8	-	88.7	-	-	14.3	-	-	14.3	100.0	-	81.8	85.5	-	82.8	-	-	96.8	82.0	100.0	-	-	-	96.8	82.0	100.0	83.5	85.5
Buses	0	0	1	1	-	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
% Buses	-	0.0	0.3	0.4	-	0.3	-	-	0.0	-	-	0.0	0.0	-	0.0	0.0	-	0.0	-	-	0.0	0.0	0.0	-	-	-	0.0	0.0	0.0	0.0	0.2
Single-Unit Trucks	0	1	2	7	-	10	0	0	0	0	-	0	0	0	1	2	-	3	0	0	0	2	0	-	0	0	0	2	0	2	15
% Single-Unit Trucks	-	1.5	0.7	3.1	-	1.7	-	-	0.0	-	-	0.0	0.0	-	0.5	2.6	-	1.0	-	-	0.0	0.7	0.0	-	-	-	0.0	0.7	0.0	0.6	1.2
Articulated Trucks	0	0	0	2	-	2	0	0	0	0	-	0	0	0	0	1	-	1	0	0	0	0	0	-	0	0	0	0	0	0	3
% Articulated Trucks	-	0.0	0.0	0.9	-	0.3	-	-	0.0	-	-	0.0	0.0	-	0.0	1.3	-	0.3	-	-	0.0	0.0	0.0	-	-	-	0.0	0.0	0.0	0.0	0.2
Bicycles on Road	0	3	37	13	-	53	0	0	6	0	-	6	0	0	38	8	-	46	0	0	1	49	0	-	0	0	1	49	0	50	155



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurguette@kloainc.com

Count Name: Church St with Hinman St
Site Code:
Start Date: 09/16/2021
Page No: 3

Turning Movement Peak Hour Data (8:00 AM)

Start Time	Church St Eastbound				Church St Westbound				Hinman Ave Northbound				Hinman Ave Southbound												
	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	Int. Total						
8:00 AM	0	3	14	12	7	29	0	0	0	0	7	0	0	0	16	2	10	18	0	1	5	0	7	6	53
8:15 AM	0	8	13	9	8	30	0	0	0	0	8	0	0	17	4	9	21	0	1	6	0	8	7	7	58
8:30 AM	0	5	10	8	10	23	0	0	0	4	0	0	0	20	5	15	25	0	0	7	0	5	7	7	55
8:45 AM	0	6	12	7	11	25	0	0	0	6	0	0	0	17	7	7	24	0	2	2	0	9	4	4	53
Total	0	22	49	36	36	107	0	0	0	25	0	0	0	70	18	41	88	0	4	20	0	29	24	24	219
Approach %	0.0	20.6	45.8	33.6	-	-	0.0	0.0	0.0	0.0	-	0.0	0.0	79.5	20.5	-	-	0.0	16.7	83.3	0.0	-	-	-	-
Total %	0.0	10.0	22.4	16.4	-	48.9	0.0	0.0	0.0	-	-	40.2	0.0	32.0	8.2	-	-	40.2	1.8	9.1	0.0	-	-	-	11.0
PHF	0.000	0.688	0.875	0.750	-	0.892	0.000	0.000	0.000	-	0.000	0.880	0.000	0.875	0.643	-	-	0.880	0.000	0.500	0.714	0.000	-	-	0.857
% Lights	0	19	43	28	-	90	0	0	0	-	-	68	0	51	17	-	68	0	4	16	0	-	-	20	178
% Lights	-	86.4	87.8	77.8	-	84.1	-	-	-	-	-	77.3	-	72.9	94.4	-	77.3	-	100.0	80.0	0.0	-	-	83.3	81.3
Buses	0	0	1	0	-	1	0	0	0	-	-	0	0	0	0	-	0	0	0	0	0	-	-	0	1
% Buses	-	0.0	2.0	0.0	-	0.9	-	-	-	-	-	-	-	0.0	0.0	-	-	-	0.0	0.0	0.0	-	-	0.0	0.5
Single-Unit Trucks	0	1	1	5	-	7	0	0	0	-	-	1	0	0	1	-	1	0	0	1	0	-	-	1	9
% Single-Unit Trucks	-	4.5	2.0	13.9	-	6.5	-	-	-	-	-	1.1	-	0.0	5.6	-	1.1	-	0.0	5.0	-	-	-	4.2	4.1
Articulated Trucks	0	0	0	0	-	0	0	0	0	-	-	0	0	0	0	-	0	0	0	0	0	-	-	0	0
% Articulated Trucks	-	0.0	0.0	0.0	-	0.0	-	-	-	-	-	0.0	-	0.0	0.0	-	-	0.0	0.0	0.0	0.0	-	-	0.0	0.0
Bicycles on Road	0	2	4	3	-	9	0	0	0	-	-	19	0	19	0	-	19	0	0	3	0	-	-	3	31
% Bicycles on Road	-	9.1	8.2	8.3	-	8.4	-	-	-	-	-	21.6	-	27.1	0.0	-	21.6	-	0.0	15.0	-	-	-	12.5	14.2
Pedestrians	-	-	-	-	36	-	-	-	-	25	-	-	41	-	-	-	-	-	-	-	-	29	-	-	-
% Pedestrians	-	-	-	-	100.0	-	-	-	-	100.0	-	-	100.0	-	-	-	-	-	-	-	-	100.0	-	-	-



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurquette@kloainc.com

Count Name: Church St with Hinman St
Site Code:
Start Date: 09/16/2021
Page No: 4

Turning Movement Peak Hour Data (5:00 PM)

Start Time	Church St Eastbound					Church St Westbound					Hinman Ave Northbound					Hinman Ave Southbound															
	U-Turn	Left	Thru	Right	Peds	U-Turn	Left	Thru	Right	Peds	U-Turn	Left	Thru	Right	Peds	U-Turn	Left	Thru	Right	Peds	U-Turn	Left	Thru	Right	Peds	App. Total	Int. Total				
5:00 PM	0	4	30	17	14	51	0	0	1	0	6	1	0	0	17	7	6	24	0	2	45	0	7	47	0	3	22	0	13	25	113
5:15 PM	0	5	34	25	12	64	0	0	0	0	5	0	0	0	18	6	8	24	0	3	22	0	13	25	0	3	34	0	22	37	111
5:30 PM	0	5	24	25	18	54	0	0	1	0	5	1	0	0	11	8	17	19	0	4	29	0	16	33	0	4	29	0	16	33	118
5:45 PM	0	5	32	28	11	65	0	0	0	0	9	0	0	0	15	5	12	20	0	12	130	0	58	142	0	12	130	0	58	142	465
Total	0	19	120	95	55	234	0	0	2	0	25	2	0	0	61	26	43	87	0	8.5	91.5	0.0	-	-	0	8.5	91.5	0.0	-	-	-
Approach %	0.0	8.1	51.3	40.6	-	-	0.0	0.0	100.0	0.0	-	-	0.0	0.0	70.1	29.9	-	-	0.0	2.6	28.0	0.0	-	-	0.0	2.6	28.0	0.0	-	-	30.5
Total %	0.0	4.1	25.8	20.4	-	50.3	0.0	0.0	0.4	0.0	-	0.4	0.0	0.0	13.1	5.6	-	18.7	0.0	0.750	0.722	0.000	-	-	0.000	0.750	0.722	0.000	-	-	0.945
PHF	0.000	0.950	0.882	0.848	-	0.900	0.000	0.000	0.500	0.000	-	0.500	0.000	0.000	0.847	0.813	-	0.906	0.000	0.750	0.722	0.000	-	-	0.000	0.750	0.722	0.000	-	-	0.755
% Lights	0	19	104	88	-	211	0	0	0	0	-	0	0	0	52	25	-	77	0	11	100	0	-	111	0	11	100	0	-	111	399
% Lights	-	100.0	86.7	92.6	-	90.2	-	-	0.0	-	-	0.0	-	-	85.2	96.2	-	88.5	-	91.7	76.9	-	-	78.2	-	91.7	76.9	-	-	78.2	85.8
Buses	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0
% Buses	-	0.0	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0	0.0	-	-	0.0	0.0
Single-Unit Trucks	0	0	1	1	-	2	0	0	0	0	-	0	0	0	1	1	-	2	0	0	0	0	-	0	0	0	0	0	-	0	4
% Single-Unit Trucks	-	0.0	0.8	1.1	-	0.9	-	-	0.0	-	-	0.0	-	-	1.6	3.8	-	2.3	-	0.0	0.0	-	-	0.0	-	0.0	0.0	-	-	0.0	0.9
Articulated Trucks	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0
% Articulated Trucks	-	0.0	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0	0.0	-	-	0.0	0.0
Bicycles on Road	0	0	15	6	-	21	0	0	2	0	-	2	0	0	8	0	-	8	0	1	30	0	-	31	0	1	30	0	-	31	62
% Bicycles on Road	-	0.0	12.5	6.3	-	9.0	-	-	100.0	-	-	100.0	-	-	13.1	0.0	-	9.2	-	8.3	23.1	-	-	21.8	-	8.3	23.1	-	-	21.8	13.3
Pedestrians	-	-	-	-	55	-	-	-	-	-	25	-	-	-	-	-	43	-	-	-	-	-	58	-	-	-	-	-			
% Pedestrians	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	-	-	-			



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurquette@kloainc.com

Count Name: Davis St with Chicago Ave
Site Code:
Start Date: 09/16/2021
Page No: 1

Turning Movement Data

Start Time	Davis St Eastbound					Davis St Westbound					Chicago Ave Northbound					Chicago Ave Southbound									
	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	Int. Total
7:00 AM	0	0	0	0	6	0	0	6	9	0	10	15	0	9	29	0	10	38	0	0	27	10	6	37	90
7:15 AM	0	0	0	0	14	0	0	2	13	5	5	20	0	13	35	0	11	48	0	0	30	6	6	36	104
7:30 AM	0	0	0	0	18	0	0	0	14	4	9	18	0	18	41	0	11	59	0	1	29	7	10	37	114
7:45 AM	0	0	0	0	9	0	0	2	10	3	13	15	0	31	66	0	9	97	0	0	33	9	7	42	154
Hourly Total	0	0	0	0	47	0	0	10	46	12	37	68	0	71	171	0	41	242	0	1	119	32	29	152	462
8:00 AM	0	0	0	0	23	0	0	2	22	7	26	31	0	26	73	1	20	100	0	0	49	14	8	63	194
8:15 AM	0	1	0	0	19	1	0	1	14	4	18	19	0	22	107	1	12	130	0	2	40	20	13	62	212
8:30 AM	0	0	0	0	36	0	0	2	21	5	17	28	0	33	87	0	14	120	0	1	40	11	22	52	200
8:45 AM	0	2	0	0	25	2	0	2	27	4	27	33	0	35	83	0	35	118	0	0	46	22	15	68	221
Hourly Total	0	3	0	0	103	3	0	7	84	20	88	111	0	116	350	2	81	468	0	3	175	67	58	245	827
*** BREAK ***																									
4:00 PM	0	0	0	0	36	0	0	8	36	5	17	49	0	28	57	0	31	85	0	0	93	34	55	127	261
4:15 PM	0	0	0	0	32	0	0	7	33	4	32	44	0	26	68	0	20	94	0	0	99	32	37	131	269
4:30 PM	0	0	0	0	44	0	0	9	35	6	35	50	0	34	67	0	36	101	0	1	85	29	40	115	266
4:45 PM	0	0	0	0	46	0	0	6	34	10	47	50	0	26	70	0	26	96	0	0	98	45	28	143	289
Hourly Total	0	0	0	0	158	0	0	30	138	25	131	193	0	114	262	0	113	376	0	1	375	140	160	516	1085
5:00 PM	0	0	0	2	36	2	0	7	31	5	38	43	0	29	60	0	51	89	0	0	92	38	39	130	264
5:15 PM	0	0	0	0	56	0	0	9	22	9	30	40	0	29	77	0	19	106	0	1	105	36	30	142	288
5:30 PM	0	0	0	0	53	0	0	5	40	7	37	52	0	30	90	0	32	120	0	0	103	40	36	143	315
5:45 PM	0	0	0	0	46	0	0	9	31	9	44	49	0	26	55	0	24	81	0	0	107	40	36	147	277
Hourly Total	0	0	0	2	191	2	0	30	124	30	149	184	0	114	282	0	126	396	0	1	407	154	141	562	1144
Grand Total	0	3	0	2	499	5	0	77	392	87	405	556	0	415	1065	2	361	1482	0	6	1076	393	388	1475	3518
Approach %	0.0	60.0	0.0	40.0	-	-	0.0	13.8	70.5	15.6	-	-	0.0	28.0	71.9	0.1	-	-	0.0	0.4	72.9	26.6	-	-	-
Total %	0.0	0.1	0.0	0.1	-	0.1	0.0	2.2	11.1	2.5	-	15.8	0.0	11.8	30.3	0.1	-	42.1	0.0	0.2	30.6	11.2	-	-	41.9
Lights	0	0	0	0	-	0	0	72	348	75	-	495	0	389	937	0	-	1326	0	1	996	324	-	-	1321
% Lights	-	0.0	-	0.0	-	0.0	-	93.5	88.8	86.2	-	89.0	-	93.7	88.0	0.0	-	89.5	-	16.7	92.6	82.4	-	-	89.6
Buses	0	0	0	0	-	0	0	1	1	1	-	3	0	18	14	0	-	32	0	0	28	11	-	-	39
% Buses	-	0.0	-	0.0	-	0.0	-	1.3	0.3	1.1	-	0.5	-	4.3	1.3	0.0	-	2.2	-	0.0	2.6	2.8	-	-	2.6
Single-Unit Trucks	0	0	0	0	-	0	0	2	0	3	-	5	0	3	23	0	-	26	0	0	20	3	-	-	23
% Single-Unit Trucks	-	0.0	-	0.0	-	0.0	-	2.6	0.0	3.4	-	0.9	-	0.7	2.2	0.0	-	1.8	-	0.0	1.9	0.8	-	-	1.6
Articulated Trucks	0	0	0	0	-	0	0	0	0	0	-	0	0	0	4	0	-	4	0	0	7	0	-	-	7
% Articulated Trucks	-	0.0	-	0.0	-	0.0	-	0.0	0.0	0.0	-	0.0	-	0.0	0.4	0.0	-	0.3	-	0.0	0.7	0.0	-	-	0.5
Bicycles on Road	0	3	0	2	-	5	0	2	43	8	-	53	0	5	87	2	-	94	0	5	25	55	-	-	85



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurquette@kloainc.com

Count Name: Davis St with Chicago Ave
Site Code:
Start Date: 09/16/2021
Page No: 3

Turning Movement Peak Hour Data (8:00 AM)

Start Time	Davis St Eastbound					Davis St Westbound					Chicago Ave Northbound					Chicago Ave Southbound									
	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	Int. Total
8:00 AM	0	0	0	0	23	0	0	2	22	7	26	31	0	26	73	1	20	100	0	0	49	14	8	63	194
8:15 AM	0	1	0	0	19	1	0	1	14	4	18	19	0	22	107	1	12	130	0	2	40	20	13	62	212
8:30 AM	0	0	0	0	36	0	0	2	21	5	17	28	0	33	87	0	14	120	0	1	40	11	22	52	200
8:45 AM	0	2	0	0	25	2	0	2	27	4	27	33	0	35	83	0	35	118	0	0	46	22	15	68	221
Total	0	3	0	0	103	3	0	7	84	20	88	111	0	116	350	2	81	468	0	3	175	67	58	245	827
Approach %	0.0	100.0	0.0	0.0	-	-	0.0	6.3	75.7	18.0	-	-	0.0	24.8	74.8	0.4	-	-	0.0	1.2	71.4	27.3	-	-	-
Total %	0.0	0.4	0.0	0.0	-	0.4	0.0	0.8	10.2	2.4	-	13.4	0.0	14.0	42.3	0.2	-	56.6	0.0	0.4	21.2	8.1	-	29.6	-
PHF	0.000	0.375	0.000	0.000	-	0.375	0.000	0.875	0.778	0.714	-	0.841	0.000	0.829	0.818	0.500	-	0.900	0.000	0.375	0.893	0.761	-	0.901	0.936
Lights	0	0	0	0	-	0	0	5	73	12	-	90	0	107	291	0	-	398	0	0	158	62	-	220	708
% Lights	-	0.0	-	-	-	0.0	-	71.4	86.9	60.0	-	81.1	-	92.2	83.1	0.0	-	85.0	-	0.0	90.3	92.5	-	89.8	85.6
Buses	0	0	0	0	-	0	0	1	0	1	-	2	0	4	3	0	-	7	0	0	4	3	-	7	16
% Buses	-	0.0	-	-	-	0.0	-	14.3	0.0	5.0	-	1.8	-	3.4	0.9	0.0	-	1.5	-	0.0	2.3	4.5	-	2.9	1.9
Single-Unit Trucks	0	0	0	0	-	0	0	1	0	2	-	3	0	2	10	0	-	12	0	0	6	0	-	6	21
% Single-Unit Trucks	-	0.0	-	-	-	0.0	-	14.3	0.0	10.0	-	2.7	-	1.7	2.9	0.0	-	2.6	-	0.0	3.4	0.0	-	2.4	2.5
Articulated Trucks	0	0	0	0	-	0	0	0	0	0	-	0	0	0	2	0	-	2	0	0	1	0	-	1	3
% Articulated Trucks	-	0.0	-	-	-	0.0	-	0.0	0.0	0.0	-	0.0	-	0.0	0.6	0.0	-	0.4	-	0.0	0.6	0.0	-	0.4	0.4
Bicycles on Road	0	3	0	0	-	3	0	0	11	5	-	16	0	3	44	2	-	49	0	3	6	2	-	11	79
% Bicycles on Road	-	100.0	-	-	-	100.0	-	0.0	13.1	25.0	-	14.4	-	2.6	12.6	100.0	-	10.5	-	100.0	3.4	3.0	-	4.5	9.6
Pedestrians	-	-	-	-	103	-	-	-	-	-	88	-	-	-	-	-	-	81	-	-	-	-	-	58	-
% Pedestrians	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	-	-	-	-	100.0	-	-	-	-	-	100.0	-



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurquette@kloainc.com

Count Name: Davis St with Chicago Ave
Site Code:
Start Date: 09/16/2021
Page No: 4

Turning Movement Peak Hour Data (5:00 PM)

Start Time	Davis St Eastbound					Davis St Westbound					Chicago Ave Northbound					Chicago Ave Southbound									
	U-Turn	Left	Thru	Right	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	Int. Total	
5:00 PM	0	0	0	2	36	2	0	7	31	5	38	43	0	29	60	0	51	89	0	0	92	38	39	130	264
5:15 PM	0	0	0	0	56	0	0	9	22	9	30	40	0	29	77	0	19	106	0	1	105	36	30	142	288
5:30 PM	0	0	0	0	53	0	0	5	40	7	37	52	0	30	90	0	32	120	0	0	103	40	36	143	315
5:45 PM	0	0	0	0	46	0	0	9	31	9	44	49	0	26	55	0	24	81	0	0	107	40	36	147	277
Total	0	0	0	2	191	2	0	30	124	30	149	184	0	114	282	0	126	396	0	1	407	154	141	562	1144
Approach %	0.0	0.0	0.0	100.0	-	-	0.0	16.3	67.4	16.3	-	-	0.0	28.8	71.2	0.0	-	-	0.0	0.2	72.4	27.4	-	-	-
Total %	0.0	0.0	0.0	0.2	0.2	0.2	0.0	2.6	10.8	2.6	-	16.1	0.0	10.0	24.7	0.0	-	34.6	0.0	0.1	35.6	13.5	-	49.1	-
PHF	0.000	0.000	0.000	0.250	0.250	0.000	0.833	0.775	0.833	0.833	-	0.885	0.000	0.950	0.783	0.000	-	0.825	0.000	0.250	0.951	0.963	-	0.956	0.908
% Lights	0	0	0	0	-	0.0	0	28	112	30	-	170	0	110	252	0	-	362	0	0	393	120	-	513	1045
% Buses	0	0	0	0	-	0.0	0	93.3	90.3	100.0	-	92.4	0	96.5	89.4	-	-	91.4	0	0	96.6	77.9	-	91.3	91.3
% Buses	0	0	0	0	-	0.0	0	0	0	0	-	0	0	4	4	0	-	8	0	0	6	2	-	8	16
% Buses	0	0	0	0	-	0.0	0	0	0	0	-	0.0	0	3.5	1.4	-	-	2.0	0	0	1.5	1.3	-	1.4	1.4
Single-Unit Trucks	0	0	0	0	-	0.0	0	0	0	0	-	0.0	0	0	5	0	-	5	0	0	1	0	-	1	6
% Single-Unit Trucks	-	-	-	0.0	-	0.0	-	0.0	0.0	0.0	-	0.0	-	0.0	1.8	-	-	1.3	-	0.0	0.2	0.0	-	0.2	0.5
Articulated Trucks	0	0	0	0	-	0.0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	2	0	-	2	2
% Articulated Trucks	-	-	-	0.0	-	0.0	-	0.0	0.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0	0.5	0.0	-	0.4	0.2
Bicycles on Road	0	0	0	2	-	2	0	2	12	0	-	14	0	0	21	0	-	21	0	1	5	32	-	38	75
% Bicycles on Road	-	-	-	100.0	-	100.0	-	6.7	9.7	0.0	-	7.6	-	0.0	7.4	-	-	5.3	-	100.0	1.2	20.8	-	6.8	6.6
Pedestrians	-	-	-	-	191	-	-	-	-	-	149	-	-	-	-	-	126	-	-	-	-	-	141	-	-
% Pedestrians	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurguette@kloainc.com

Count Name: Davis St with Hinman Ave
Site Code:
Start Date: 09/16/2021
Page No: 3

Turning Movement Peak Hour Data (8:00 AM)

Start Time	Davis St Eastbound					Davis St Westbound					Hinman St Northbound					Hinman St Southbound															
	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	Int. Total						
8:00 AM	0	0	0	0	5	0	0	1	14	4	19	0	7	19	0	7	26	0	0	11	5	4	16	0	0	0	0	0	61		
8:15 AM	0	1	1	0	8	2	0	1	12	5	18	0	3	14	0	9	17	0	0	8	7	11	15	0	0	0	0	0	52		
8:30 AM	0	0	0	0	6	0	0	4	18	5	27	0	7	15	0	2	22	0	0	10	5	11	15	0	0	0	0	0	64		
8:45 AM	0	0	0	0	4	0	0	3	25	7	35	0	7	18	0	6	25	0	0	9	0	15	9	0	0	0	0	0	69		
Total	0	1	1	0	23	2	0	9	69	21	99	0	24	66	0	24	90	0	0	38	17	41	55	0	0	0	0	0	246		
Approach %	0.0	50.0	50.0	0.0	-	-	0.0	9.1	69.7	21.2	-	0.0	26.7	73.3	0.0	-	-	-	69.1	30.9	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	-
Total %	0.0	0.4	0.4	0.0	-	0.8	0.0	3.7	28.0	8.5	40.2	0.0	9.8	26.8	0.0	-	0.0	0.0	15.4	6.9	-	-	-	0.0	0.0	0.0	0.0	0.0	22.4		
PHF	0.000	0.250	0.250	0.000	-	0.250	0.000	0.563	0.690	0.750	0.707	0.000	0.857	0.868	0.000	-	0.865	0.000	0.864	0.607	-	-	-	0.000	0.000	0.864	0.607	-	0.859		
% Lights	0	0	0	0	-	0	0	8	63	20	91	0	12	50	0	-	62	0	30	13	-	-	-	0	0	30	13	-	43		
% Lights	-	0.0	0.0	-	-	0.0	-	88.9	91.3	95.2	91.9	-	50.0	75.8	-	-	68.9	-	78.9	76.5	-	-	-	-	-	78.9	76.5	-	78.2		
% Buses	0	0	0	0	-	0	0	0	2	0	2	0	0	0	0	-	0	0	0	0	-	-	-	0	0	0	0	-	0		
% Buses	-	0.0	0.0	-	-	0.0	-	0.0	2.9	0.0	2.0	-	0.0	0.0	-	-	0.0	-	0.0	0.0	-	-	-	-	-	0.0	0.0	-	0.0		
Single-Unit Trucks	0	0	0	0	-	0	0	1	0	1	2	0	0	0	0	-	0	0	2	4	-	-	-	0	0	2	4	-	6		
% Single-Unit Trucks	-	0.0	0.0	-	-	0.0	-	11.1	0.0	4.8	2.0	-	0.0	0.0	-	-	0.0	-	5.3	23.5	-	-	-	-	-	5.3	23.5	-	10.9		
Articulated Trucks	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	-	0	0	0	0	-	-	-	0	0	0	0	-	0		
% Articulated Trucks	-	0.0	0.0	-	-	0.0	-	0.0	0.0	0.0	0.0	-	0.0	0.0	-	-	0.0	-	0.0	0.0	-	-	-	-	-	0.0	0.0	-	0.0		
Bicycles on Road	0	1	1	0	-	2	0	0	4	0	4	0	12	16	0	-	28	0	6	0	-	-	-	0	0	6	0	-	6		
% Bicycles on Road	-	100.0	100.0	-	-	100.0	-	0.0	5.8	0.0	4.0	-	50.0	24.2	-	-	31.1	-	15.8	0.0	-	-	-	-	-	15.8	0.0	-	10.9		
Pedestrians	-	-	-	-	23	-	-	-	-	-	-	-	-	-	-	24	-	-	-	-	-	-	-	-	-	-	-	-	41		
% Pedestrians	-	-	-	-	100.0	-	-	-	-	-	-	-	-	-	-	100.0	-	-	-	-	-	-	-	-	-	-	-	-	100.0		



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurquette@kloainc.com

Count Name: Davis St with Hinman Ave
Site Code:
Start Date: 09/16/2021
Page No: 4

Turning Movement Peak Hour Data (5:00 PM)

Start Time	Davis St Eastbound				Davis St Westbound				Hinman St Northbound				Hinman St Southbound				Int. Total						
	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right		Peds	App. Total				
5:00 PM	0	0	0	0	8	0	0	24	10	34	0	6	14	0	5	20	0	1	46	14	2	61	115
5:15 PM	0	0	0	0	19	0	2	18	6	26	0	7	16	0	12	23	0	0	34	11	11	45	94
5:30 PM	0	0	0	0	9	0	3	25	5	33	0	12	12	0	9	24	0	1	35	20	14	56	113
5:45 PM	0	0	0	0	9	0	4	14	7	25	0	13	9	0	6	22	0	0	31	22	10	53	100
Total	0	0	0	0	45	0	9	81	28	118	0	38	51	0	32	89	0	2	146	67	37	215	422
Approach %	0.0	0.0	0.0	0.0	-	-	0.0	7.6	68.6	23.7	-	0.0	42.7	57.3	0.0	-	0.0	0.9	67.9	31.2	-	-	-
Total %	0.0	0.0	0.0	0.0	-	0.0	0.0	2.1	19.2	6.6	28.0	0.0	9.0	12.1	0.0	21.1	0.0	0.5	34.6	15.9	-	-	50.9
PHF	0.000	0.000	0.000	0.000	-	0.000	0.563	0.810	0.700	0.868	0.000	0.731	0.797	0.000	-	0.927	0.000	0.500	0.793	0.761	-	-	0.881
Lights	0	0	0	0	-	-	0	6	73	27	106	0	29	46	0	75	0	1	123	63	-	-	187
% Lights	-	-	-	-	-	-	-	66.7	90.1	96.4	89.8	-	76.3	90.2	-	84.3	-	50.0	84.2	94.0	-	-	87.0
Buses	0	0	0	0	-	-	0	0	0	0	0	0	0	0	-	0	0	0	0	0	-	-	0
% Buses	-	-	-	-	-	-	-	0.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0	0.0	0.0	-	-	0.0
Single-Unit Trucks	0	0	0	0	-	-	0	0	1	1	1	0	0	1	0	1	0	0	1	0	-	-	1
% Single-Unit Trucks	-	-	-	-	-	-	-	0.0	0.0	3.6	0.8	-	0.0	2.0	-	1.1	-	0.0	0.7	0.0	-	-	0.5
Articulated Trucks	0	0	0	0	-	-	0	0	0	0	0	0	0	0	-	0	0	0	0	0	-	-	0
% Articulated Trucks	-	-	-	-	-	-	-	0.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0	0.0	0.0	-	-	0.0
Bicycles on Road	0	0	0	0	-	-	0	3	8	11	13	0	9	4	0	13	0	1	22	4	-	-	27
% Bicycles on Road	-	-	-	-	-	-	-	33.3	9.9	0.0	9.3	-	23.7	7.8	-	14.6	-	50.0	15.1	6.0	-	-	12.6
Pedestrians	-	-	-	-	45	-	-	-	-	-	-	-	-	-	32	-	-	-	-	-	-	37	-
% Pedestrians	-	-	-	-	100.0	-	-	-	-	-	-	-	-	-	100.0	-	-	-	-	-	-	100.0	-



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurguette@kloainc.com

Count Name: Davis St with Public Alley
Site Code:
Start Date: 09/16/2021
Page No: 1

Turning Movement Data

Start Time	Davis St Eastbound					Davis St Westbound					Public Alley Northbound					Public Alley Southbound												
	U-Turn	Left	Thru	Right	App. Total	U-Turn	Left	Thru	Right	App. Total	U-Turn	Left	Thru	Right	App. Total	U-Turn	Left	Thru	Right	App. Total	U-Turn	Left	Thru	Right	App. Total	Int. Total		
7:00 AM	0	0	0	0	0	0	0	16	1	0	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7:15 AM	0	0	0	0	0	0	2	12	0	0	14	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	15
7:30 AM	0	0	1	0	1	0	0	18	0	0	18	0	2	1	0	5	3	0	0	0	0	1	0	0	0	0	1	0
7:45 AM	0	0	0	0	1	0	1	18	1	1	20	0	2	0	0	8	2	0	0	0	0	2	0	0	0	2	0	
Hourly Total	0	0	1	0	1	0	3	64	2	1	69	0	4	1	0	23	5	0	0	0	1	3	1	0	0	1	3	1
8:00 AM	0	0	0	0	0	0	1	17	1	0	19	0	3	0	0	12	3	0	0	0	1	0	1	0	0	1	0	
8:15 AM	0	0	1	0	1	0	2	19	1	1	22	0	0	0	0	6	0	0	0	0	0	2	0	0	0	2	0	
8:30 AM	0	0	0	0	0	0	0	21	0	3	21	0	1	0	0	5	1	0	0	1	1	2	2	0	1	2	2	
8:45 AM	0	0	0	0	0	0	1	29	0	0	30	0	1	2	0	12	3	0	0	0	2	0	2	0	0	2	35	
Hourly Total	0	0	1	0	1	0	4	86	2	4	92	0	5	2	0	35	7	0	0	1	4	4	5	0	0	1	105	
*** BREAK ***	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4:00 PM	0	0	1	1	2	0	0	42	1	0	43	0	2	0	0	22	2	0	0	0	2	8	2	0	0	2	49	
4:15 PM	0	0	0	0	3	0	0	41	1	1	42	0	1	0	0	8	1	0	0	0	2	10	2	0	0	2	45	
4:30 PM	1	0	0	0	2	0	0	45	1	0	46	0	2	0	0	15	2	0	0	0	2	10	2	0	0	2	51	
4:45 PM	0	0	0	0	0	0	1	43	0	1	44	0	3	0	0	11	3	0	0	1	1	7	2	0	0	2	49	
Hourly Total	1	0	1	1	5	0	1	171	3	2	175	0	8	0	0	56	8	0	0	1	7	35	8	0	0	1	194	
5:00 PM	0	0	0	0	1	0	0	41	1	1	42	0	0	0	0	9	0	0	0	0	1	4	1	0	0	1	43	
5:15 PM	0	0	0	1	0	0	0	33	1	0	34	0	0	0	0	11	0	0	0	0	1	5	1	0	0	1	36	
5:30 PM	0	0	0	0	0	0	0	46	1	4	47	0	1	1	0	13	2	0	0	1	1	10	2	0	0	1	51	
5:45 PM	0	0	1	0	1	0	0	38	2	0	40	0	1	0	0	14	1	0	0	0	1	4	1	0	0	1	43	
Hourly Total	0	0	1	1	2	0	0	158	5	5	163	0	2	1	0	47	3	0	0	1	4	23	5	0	0	1	173	
Grand Total	1	0	4	2	7	0	8	479	12	12	499	0	19	4	0	161	23	0	0	3	16	65	19	0	0	3	548	
Approach %	14.3	0.0	57.1	28.6	-	0.0	1.6	96.0	2.4	-	-	0.0	82.6	17.4	0.0	-	-	0.0	0.0	15.8	84.2	-	-	0.0	0.0	15.8	84.2	
Total %	0.2	0.0	0.7	0.4	-	1.3	0.0	1.5	87.4	2.2	-	91.1	0.0	3.5	0.7	0.0	-	4.2	0.0	0.0	0.5	2.9	-	3.5	-			
Lights	1	0	0	0	-	1	0	7	471	7	-	485	0	17	3	0	-	20	0	0	3	13	-	16	522			
% Lights	100.0	-	0.0	0.0	-	14.3	-	87.5	98.3	58.3	-	97.2	-	89.5	75.0	-	-	87.0	-	100.0	81.3	-	-	84.2	95.3			
Buses	0	0	0	0	-	0	0	0	3	0	-	3	0	0	0	0	-	0	0	0	0	0	-	0	0			
% Buses	0.0	-	0.0	0.0	-	0.0	-	0.0	0.6	0.0	-	0.6	-	0.0	0.0	-	-	0.0	-	0.0	0.0	-	-	0.0	0.5			
Single-Unit Trucks	0	0	0	0	-	0	1	2	4	-	7	0	2	1	0	-	3	0	0	0	2	-	2	12				
% Single-Unit Trucks	0.0	-	0.0	0.0	-	0.0	12.5	0.4	33.3	-	1.4	-	10.5	25.0	-	-	13.0	-	0.0	12.5	-	-	10.5	2.2				
Articulated Trucks	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0			
% Articulated Trucks	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0	-	0.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	0.0				
Bicycles on Road	0	0	4	2	-	0	0	0	3	1	-	4	0	0	0	0	-	0	0	0	1	-	1	11				



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurquette@kloainc.com

Count Name: Davis St with Public Alley
Site Code:
Start Date: 09/16/2021
Page No: 3

Turning Movement Peak Hour Data (8:00 AM)

Start Time	Davis St Eastbound					Davis St Westbound					Public Alley Northbound					Public Alley Southbound									
	U-Turn	Left	Thru	Right	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	Int. Total	
8:00 AM	0	0	0	0	0	0	1	17	1	0	19	0	3	0	0	0	12	3	0	0	0	1	0	1	23
8:15 AM	0	0	1	0	1	0	2	19	1	1	22	0	0	0	0	6	0	0	0	0	0	2	0	0	23
8:30 AM	0	0	0	0	0	0	0	21	0	3	21	0	1	0	0	5	1	0	0	1	1	2	2	0	24
8:45 AM	0	0	0	0	0	0	1	29	0	0	30	0	1	2	0	12	3	0	0	0	2	0	2	0	35
Total	0	0	1	0	1	0	4	86	2	4	92	0	5	2	0	35	7	0	0	1	4	4	5	0	105
Approach %	0.0	0.0	100.0	0.0	-	0.0	4.3	93.5	2.2	-	-	0.0	71.4	28.6	0.0	-	-	0.0	0.0	20.0	80.0	-	-	-	-
Total %	0.0	0.0	1.0	0.0	1.0	0.0	3.8	81.9	1.9	-	87.6	0.0	4.8	1.9	0.0	-	6.7	0.0	0.0	1.0	3.8	-	-	4.8	-
PHF	0.000	0.000	0.250	0.000	0.250	0.000	0.500	0.741	0.500	-	0.767	0.000	0.417	0.250	0.000	-	0.583	0.000	0.000	0.250	0.500	-	0.625	0.750	
Lights	0	0	0	0	0	0	3	83	0	-	86	0	3	1	0	-	4	0	0	1	3	-	4	94	
% Lights	-	-	0.0	-	0.0	-	75.0	96.5	0.0	-	93.5	-	60.0	50.0	-	-	57.1	-	-	100.0	75.0	-	80.0	89.5	
Buses	0	0	0	0	0	0	0	2	0	-	2	0	0	0	0	-	0	0	0	0	0	-	0	2	
% Buses	-	-	0.0	-	0.0	-	0.0	2.3	0.0	-	2.2	-	0.0	0.0	-	-	0.0	-	-	0.0	0.0	-	0.0	1.9	
Single-Unit Trucks	0	0	0	0	0	0	1	1	2	-	4	0	2	1	0	-	3	0	0	0	1	-	1	8	
% Single-Unit Trucks	-	-	0.0	-	0.0	-	25.0	1.2	100.0	-	4.3	-	40.0	50.0	-	-	42.9	-	-	0.0	25.0	-	20.0	7.6	
Articulated Trucks	0	0	0	0	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	
% Articulated Trucks	-	-	0.0	-	0.0	-	0.0	0.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	-	0.0	0.0	-	0.0	0.0	
Bicycles on Road	0	0	1	0	1	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	1	
% Bicycles on Road	-	-	100.0	-	100.0	-	0.0	0.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	-	0.0	0.0	-	0.0	1.0	
Pedestrians	-	-	-	-	0	-	-	-	-	4	-	-	-	-	-	35	-	-	-	-	-	-	4	-	
% Pedestrians	-	-	-	-	-	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	-	-	-	-	100.0	-	



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990 epurquette@kloainc.com

Count Name: Davis St with Public Alley
Site Code:
Start Date: 09/16/2021
Page No: 4

Turning Movement Peak Hour Data (5:00 PM)

Start Time	Davis St Eastbound					Davis St Westbound					Public Alley Northbound					Public Alley Southbound										
	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	Int. Total	
5:00 PM	0	0	0	0	1	0	0	0	41	1	1	42	0	0	0	0	0	9	0	0	0	0	1	4	1	43
5:15 PM	0	0	0	1	0	1	0	0	33	1	0	34	0	0	0	0	11	0	0	0	0	1	5	1	36	
5:30 PM	0	0	0	0	0	0	0	0	46	1	4	47	0	1	1	0	13	2	0	0	1	1	10	2	51	
5:45 PM	0	0	1	0	0	1	0	0	38	2	0	40	0	1	0	0	14	1	0	0	0	1	4	1	43	
Total	0	0	1	1	1	2	0	0	158	5	5	163	0	2	1	0	47	3	0	0	1	4	23	5	173	
Approach %	0.0	0.0	50.0	50.0	-	-	0.0	0.0	96.9	3.1	-	-	0.0	66.7	33.3	0.0	-	-	0.0	0.0	20.0	80.0	-	-	-	
Total %	0.0	0.0	0.6	0.6	-	1.2	0.0	0.0	91.3	2.9	-	94.2	0.0	1.2	0.6	0.0	-	1.7	0.0	0.0	0.6	2.3	-	2.9	-	
PHF	0.000	0.000	0.250	0.250	-	0.500	0.000	0.000	0.859	0.625	-	0.867	0.000	0.500	0.250	0.000	-	0.375	0.000	0.000	0.250	1.000	-	0.625	0.848	
Lights	0	0	0	0	0	0	0	0	158	5	-	163	0	2	1	0	-	3	0	0	1	3	-	4	170	
% Lights	-	-	0.0	0.0	-	0.0	-	-	100.0	100.0	-	100.0	0	0	0	0	-	100.0	-	-	100.0	75.0	-	80.0	98.3	
Buses	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	
% Buses	-	-	0.0	0.0	-	0.0	-	-	0.0	0.0	-	0.0	-	-	0.0	0.0	-	0.0	-	-	0.0	0.0	-	0.0	0.0	
Single-Unit Trucks	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	
% Single-Unit Trucks	-	-	0.0	0.0	-	0.0	-	-	0.0	0.0	-	0.0	-	-	0.0	0.0	-	0.0	-	-	0.0	0.0	-	0.0	0.0	
Articulated Trucks	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	
% Articulated Trucks	-	-	0.0	0.0	-	0.0	-	-	0.0	0.0	-	0.0	-	-	0.0	0.0	-	0.0	-	-	0.0	0.0	-	0.0	0.0	
Bicycles on Road	0	0	1	1	-	2	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	1	-	1	3	
% Bicycles on Road	-	-	100.0	100.0	-	100.0	-	-	0.0	0.0	-	0.0	-	-	0.0	0.0	-	0.0	-	-	0.0	25.0	-	20.0	1.7	
Pedestrians	-	-	-	-	1	-	-	-	-	-	5	-	-	-	-	-	47	-	-	-	-	-	23	-	-	
% Pedestrians	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990

Count Name: Church Street with Alley
Site Code:
Start Date: 01/31/2017
Page No: 1

Turning Movement Data

Start Time	Church Street Eastbound				Church Street Westbound				Alley Northbound				Alley Southbound					
	Left	Thru	Right	Peds	App. Total	Peds	App. Total	U-Turn	Thru	Right	Peds	App. Total	U-Turn	Thru	Left	Peds	App. Total	Int. Total
7:00 AM	0	16	4	1	20	1	0	0	0	0	0	0	0	0	0	4	0	20
7:15 AM	0	25	4	0	29	0	0	0	0	0	0	0	0	0	0	5	1	30
7:30 AM	2	30	2	0	34	2	0	0	0	0	6	0	0	2	0	12	2	36
7:45 AM	1	35	3	4	39	2	0	0	0	0	3	0	0	0	0	18	0	39
Hourly Total	3	106	13	5	122	5	0	0	0	0	14	0	0	0	3	39	3	125
8:00 AM	2	47	3	4	52	0	0	0	1	0	3	1	0	0	2	6	2	55
8:15 AM	0	48	2	5	50	0	0	0	0	0	9	0	0	0	0	4	0	50
8:30 AM	6	52	2	2	60	1	0	0	0	0	2	0	0	1	0	11	1	61
8:45 AM	1	61	3	6	65	0	0	0	0	0	6	0	0	1	0	12	1	66
Hourly Total	9	208	10	17	227	1	0	0	1	0	20	1	0	4	0	33	4	232
*** BREAK ***	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4:00 PM	0	47	2	4	49	1	0	0	0	1	9	1	0	0	0	24	0	50
4:15 PM	2	56	2	1	60	1	0	0	1	2	9	3	0	0	0	5	0	63
4:30 PM	1	47	2	0	50	0	0	0	1	0	11	1	0	2	0	8	2	53
4:45 PM	2	54	1	2	57	0	0	0	0	0	15	0	0	0	0	10	0	57
Hourly Total	5	204	7	7	216	2	0	0	2	3	44	5	0	2	0	47	2	223
5:00 PM	5	62	2	0	69	1	0	0	0	0	12	0	0	2	1	7	3	72
5:15 PM	1	66	1	1	68	1	0	0	0	1	10	1	0	1	0	6	1	70
5:30 PM	1	59	0	3	60	1	0	0	0	1	8	1	0	1	1	7	2	63
5:45 PM	0	51	1	1	52	0	0	0	0	0	5	0	0	1	0	6	1	53
Hourly Total	7	238	4	5	249	3	0	0	0	2	35	2	0	5	2	26	7	258
Grand Total	24	756	34	34	814	11	0	0	3	5	113	8	0	11	5	145	16	838
Approach %	2.9	92.9	4.2	-	-	-	-	0.0	37.5	62.5	-	-	0.0	68.8	31.3	-	-	-
Total %	2.9	90.2	4.1	-	97.1	-	0.0	0.0	0.4	0.6	-	1.0	0.0	1.3	0.6	-	1.9	-
Lights	22	738	34	-	794	-	0	0	2	5	-	7	0	11	5	-	16	817
% Lights	91.7	97.6	100.0	-	97.5	-	-	-	66.7	100.0	-	87.5	-	100.0	100.0	-	100.0	97.5
Buses	0	4	0	-	4	-	0	0	0	0	-	0	0	0	0	-	0	4
% Buses	0.0	0.5	0.0	-	0.5	-	-	-	0.0	0.0	-	0.0	-	0.0	0.0	-	0.0	0.5
Single-Unit Trucks	1	5	0	-	6	-	0	0	0	0	-	0	0	0	-	-	0	6
% Single-Unit Trucks	4.2	0.7	0.0	-	0.7	-	-	-	0.0	0.0	-	0.0	-	0.0	0.0	-	0.0	0.7
Articulated Trucks	0	0	0	-	0	-	0	0	0	0	-	0	0	0	-	-	0	0
% Articulated Trucks	0.0	0.0	0.0	-	0.0	-	-	-	0.0	0.0	-	0.0	-	0.0	0.0	-	0.0	0.0
Bicycles on Road	1	9	0	-	10	-	0	0	1	0	-	1	0	0	-	-	0	11
% Bicycles on Road	4.2	1.2	0.0	-	1.2	-	-	-	33.3	0.0	-	12.5	-	0.0	0.0	-	0.0	1.3
Pedestrians	-	-	-	34	-	11	-	-	-	-	113	-	-	-	-	145	-	-
% Pedestrians	-	-	-	100.0	-	100.0	-	-	-	-	100.0	-	-	-	-	100.0	-	-



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990

Count Name: Church Street with Alley
Site Code:
Start Date: 01/31/2017
Page No: 2

Turning Movement Peak Hour Data (8:00 AM)

Start Time	Church Street Eastbound				Church Street Westbound				Alley Northbound				Alley Southbound					
	Left	Thru	Right	Peds	App. Total	U-Turn	Thru	Right	Peds	App. Total	U-Turn	Thru	Left	U-Turn	Thru	Peds	App. Total	Int. Total
8:00 AM	2	47	3	4	52	0	1	0	3	1	0	0	2	0	0	6	2	55
8:15 AM	0	48	2	5	50	0	0	0	9	0	0	0	0	0	0	4	0	50
8:30 AM	6	52	2	2	60	1	0	0	2	0	0	0	1	0	0	11	1	61
8:45 AM	1	61	3	6	65	0	0	0	6	0	0	0	1	0	0	12	1	66
Total	9	208	10	17	227	1	1	0	20	1	0	4	4	0	33	4	232	
Approach %	4.0	91.6	4.4	-	-	-	100.0	0.0	-	-	100.0	0.0	100.0	0.0	0.0	-	-	-
Total %	3.9	89.7	4.3	-	97.8	-	0.4	0.0	-	0.4	0.0	1.7	0.0	0.0	0.0	-	1.7	-
PHF	0.375	0.852	0.833	-	0.873	-	0.250	0.000	-	0.250	0.000	0.500	0.000	0.000	0.000	-	0.500	0.879
Lights	8	202	10	-	220	-	0	0	-	0	0	4	4	0	0	-	4	224
% Lights	88.9	97.1	100.0	-	96.9	-	0.0	-	-	0.0	-	100.0	-	-	-	-	100.0	96.6
Buses	0	3	0	-	3	-	0	0	-	0	0	0	0	0	0	-	0	3
% Buses	0.0	1.4	0.0	-	1.3	-	0.0	-	-	0.0	-	0.0	-	-	-	-	0.0	1.3
Single-Unit Trucks	1	1	0	-	2	-	0	0	-	0	0	0	0	0	0	-	0	2
% Single-Unit Trucks	11.1	0.5	0.0	-	0.9	-	0.0	-	-	0.0	-	0.0	-	-	-	-	0.0	0.9
Articulated Trucks	0	0	0	-	0	-	0	0	-	0	0	0	0	0	0	-	0	0
% Articulated Trucks	0.0	0.0	0.0	-	0.0	-	0.0	-	-	0.0	-	0.0	-	-	-	-	0.0	0.0
Bicycles on Road	0	2	0	-	2	-	1	0	-	1	0	0	0	0	0	-	0	3
% Bicycles on Road	0.0	1.0	0.0	-	0.9	-	100.0	-	-	100.0	-	-	0.0	-	-	-	0.0	1.3
Pedestrians	-	-	-	17	-	1	-	-	20	-	-	-	-	-	-	33	-	-
% Pedestrians	-	-	-	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	100.0	-	-



Kenig Lindgren O'Hara Aboona, Inc.
9575 W. Higgins Rd., Suite 400

Rosemont, Illinois, United States 60018
(847)518-9990

Count Name: Church Street with Alley
Site Code:
Start Date: 01/31/2017
Page No: 3

Turning Movement Peak Hour Data (5:00 PM)

Start Time	Church Street Eastbound				Church Street Westbound				Alley Northbound				Alley Southbound					
	Left	Thru	Right	Peds	App. Total	U-Turn	Thru	Right	Peds	App. Total	U-Turn	Thru	Left	Thru	Peds	App. Total	Int. Total	
5:00 PM	5	62	2	0	69	1	0	0	0	0	0	0	0	2	1	7	3	72
5:15 PM	1	66	1	1	68	1	0	1	10	1	0	0	1	0	6	1	1	70
5:30 PM	1	59	0	3	60	1	0	1	8	1	0	1	1	1	7	2	2	63
5:45 PM	0	51	1	1	52	0	0	0	5	0	0	0	1	0	6	1	1	53
Total	7	238	4	5	249	3	0	2	35	2	0	2	5	2	26	7	258	
Approach %	2.8	95.6	1.6	-	-	-	0.0	100.0	-	-	0.0	71.4	28.6	-	-	-	-	-
Total %	2.7	92.2	1.6	-	96.5	-	0.0	0.8	-	0.8	0.0	1.9	0.8	-	-	2.7	-	-
PHF	0.350	0.902	0.500	-	0.902	-	0.000	0.500	-	0.500	0.000	0.625	0.500	-	-	0.583	-	0.896
Lights	7	234	4	-	245	-	0	2	-	2	0	5	2	-	-	7	-	254
% Lights	100.0	98.3	100.0	-	98.4	-	-	100.0	-	100.0	-	100.0	100.0	-	-	100.0	-	98.4
Buses	0	0	0	-	0	-	0	0	-	0	0	0	0	-	-	0	-	0
% Buses	0.0	0.0	0.0	-	0.0	-	-	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
Single-Unit Trucks	0	1	0	-	1	-	0	0	-	0	0	0	0	-	-	0	-	1
% Single-Unit Trucks	0.0	0.4	0.0	-	0.4	-	-	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.4
Articulated Trucks	0	0	0	-	0	-	0	0	-	0	0	0	0	-	-	0	-	0
% Articulated Trucks	0.0	0.0	0.0	-	0.0	-	-	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
Bicycles on Road	0	3	0	-	3	-	0	0	-	0	0	0	0	-	-	0	-	3
% Bicycles on Road	0.0	1.3	0.0	-	1.2	-	-	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	1.2
Pedestrians	-	-	-	5	-	3	-	-	35	-	-	-	-	-	26	-	-	-
% Pedestrians	-	-	-	100.0	-	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	-

Preliminary Site Plan

Chicago Ave



Project Data

- 195'-0" Tall**
- Total Units: 180
 - Avg Unit Size: 757sf
 - Total Stories: 18
 - 1 Sky Amenity Level
 - 14 Residential Stories
 - 2 Parking Levels
 - 1 Ground Level
 - Total Building Height 195'-0"
 - Typical Floor Eff.: 86.11%
 - Total Cars: 57
 - Parking Ratio: .32/DU
 - Parking Eff.: 522sf/Car
 - Amenity Ratio: 14.93sf/DU

Existing 20' Alley

Site Plan

SCALE: 1/16" = 1'-0"



ITE Trip Generation Worksheets


Shopping Center (820)

Vehicle Trip Ends vs: 1000 Sq. Ft. GLA
On a: Weekday,
Peak Hour of Adjacent Street Traffic,
One Hour Between 7 and 9 a.m.
Setting/Location: General Urban/Suburban
 Number of Studies: 84
 1000 Sq. Ft. GLA: 351
 Directional Distribution: 62% entering, 38% exiting

Vehicle Trip Generation per 1000 Sq. Ft. GLA

Average Rate	Range of Rates	Standard Deviation
0.94	0.18 - 23.74	0.87

Data Plot and Equation




Shopping Center (820)

Vehicle Trip Ends vs: 1000 Sq. Ft. GLA
On a: Weekday,
Peak Hour of Adjacent Street Traffic,
One Hour Between 4 and 6 p.m.
Setting/Location: General Urban/Suburban
 Number of Studies: 261
 1000 Sq. Ft. GLA: 327
 Directional Distribution: 48% entering, 52% exiting

Vehicle Trip Generation per 1000 Sq. Ft. GLA

Average Rate	Range of Rates	Standard Deviation
3.81	0.74 - 18.69	2.04

Data Plot and Equation



Multifamily Housing (Low-Rise) (220)

Vehicle Trip Ends vs: Dwelling Units
 On a: Weekday,
 Peak Hour of Adjacent Street Traffic,
 One Hour Between 7 and 9 a.m.

Setting/Location: General Urban/Suburban

Number of Studies: 42


Avg. Num. of Dwelling Units: 199

Directional Distribution: 23% entering, 77% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
0.46	0.18 - 0.74	0.12

Data Plot and Equation



Multifamily Housing (Low-Rise) (220)

Vehicle Trip Ends vs: Dwelling Units
 On a: Weekday,
 Peak Hour of Adjacent Street Traffic,
 One Hour Between 4 and 6 p.m.


Setting/Location: General Urban/Suburban

Number of Studies: 50
 Avg. Num. of Dwelling Units: 187
 Directional Distribution: 63% entering, 37% exiting

Vehicle Trip Generation per Dwelling Unit

Average Rate	Range of Rates	Standard Deviation
0.56	0.18 - 1.25	0.16

Data Plot and Equation



CMAP 2050 Projections Letter



Chicago Metropolitan Agency for Planning

433 West Van Buren Street
Suite 450
Chicago, IL 60607
312-454-0400
cmap.illinois.gov

August 27, 2021

Kelly Pachowicz
Consultant
Kenig, Lindgren, O’Hara and Aboona, Inc.
9575 West Higgins Road
Suite 400
Rosemont, IL 60018

Subject: Chicago Avenue @ Church Street
IDOT

Dear Ms. Pachowicz:

In response to a request made on your behalf and dated August 27, 2021, we have developed year 2050 average daily traffic (ADT) projections for the subject location.

ROAD SEGMENT	Current ADT	Year 2050 ADT
Chicago Ave, @ Davis St	11,600	12,400
Church St, east of Chicago Ave	7,950	8,500

Traffic projections are developed using existing ADT data provided in the request letter and the results from the June 2021 CMAP Travel Demand Analysis. The regional travel model uses CMAP 2050 socioeconomic projections and assumes the implementation of the ON TO 2050 Comprehensive Regional Plan for the Northeastern Illinois area. The provision of this data in support of your request does not constitute a CMAP endorsement of the proposed development or any subsequent developments.

If you have any questions, please call me at (312) 386-8806.

Sincerely,

Jose Rodriguez, PTP, AICP
Senior Planner, Research & Analysis

cc: Rios (IDOT)
2021_CY_TrafficForecast\Evanston\ck-109-21\ck-109-21.docx

Level of Service Criteria

LEVEL OF SERVICE CRITERIA

Signalized Intersections		
Level of Service	Interpretation	Average Control Delay (seconds per vehicle)
A	Favorable progression. Most vehicles arrive during the green indication and travel through the intersection without stopping.	≤10
B	Good progression, with more vehicles stopping than for Level of Service A.	>10 - 20
C	Individual cycle failures (i.e., one or more queued vehicles are not able to depart as a result of insufficient capacity during the cycle) may begin to appear. Number of vehicles stopping is significant, although many vehicles still pass through the intersection without stopping.	>20 - 35
D	The volume-to-capacity ratio is high and either progression is ineffective or the cycle length is too long. Many vehicles stop and individual cycle failures are noticeable.	>35 - 55
E	Progression is unfavorable. The volume-to-capacity ratio is high and the cycle length is long. Individual cycle failures are frequent.	>55 - 80
F	The volume-to-capacity ratio is very high, progression is very poor, and the cycle length is long. Most cycles fail to clear the queue.	>80.0
Unsignalized Intersections		
Level of Service	Average Total Delay (SEC/VEH)	
A	0 - 10	
B	> 10 - 15	
C	> 15 - 25	
D	> 25 - 35	
E	> 35 - 50	
F	> 50	

Source: *Highway Capacity Manual*, 2010.

Capacity Analysis Summary Sheets
Year 2021 Weekday Morning Peak Hour Conditions

Lanes, Volumes, Timings
1: Chicago Avenue & Davis Street

09/24/2021

												
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	0	0	0	7	116	15	113	398	0	0	186	65
Future Volume (vph)	0	0	0	7	116	15	113	398	0	0	186	65
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	11	11	11	11	11	11	11	11	11	11	11	11
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		0	0		70
Storage Lanes	0		0	0		0	1		0	0		1
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	0.95	0.95	0.95	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor					0.97		0.87					0.81
Frt					0.984							0.850
Flt Protected					0.998		0.950					
Satd. Flow (prot)	0	0	0	0	3090	0	1662	1589	0	0	1559	1501
Flt Permitted					0.998		0.629					
Satd. Flow (perm)	0	0	0	0	3055	0	960	1589	0	0	1559	1213
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		636			240			245			582	
Travel Time (s)		14.5			5.5			5.6			13.2	
Confl. Peds. (#/hr)	58		81	81		58	103		88	88		103
Confl. Bikes (#/hr)						16			49			11
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	0%	0%	0%	29%	0%	15%	5%	4%	0%	0%	6%	4%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)		0			0			0			0	
Mid-Block Traffic (%)		0%			0%			0%			0%	
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	0	0	0	146	0	120	423	0	0	198	69
Turn Type				Perm	NA		Perm	NA			NA	Perm
Protected Phases					8			2			6	
Permitted Phases				8			2					6
Detector Phase				8	8		2	2			6	6
Switch Phase												
Minimum Initial (s)				7.0	7.0		15.0	15.0			15.0	15.0
Minimum Split (s)				25.0	25.0		25.0	25.0			25.0	25.0
Total Split (s)				36.0	36.0		49.0	49.0			49.0	49.0
Total Split (%)				32.7%	32.7%		44.5%	44.5%			44.5%	44.5%
Yellow Time (s)				4.5	4.5		4.5	4.5			4.5	4.5
All-Red Time (s)				1.5	1.5		1.5	1.5			1.5	1.5
Lost Time Adjust (s)					0.0		0.0	0.0			0.0	0.0
Total Lost Time (s)					6.0		6.0	6.0			6.0	6.0
Lead/Lag												
Lead-Lag Optimize?												
Recall Mode				Max	Max		C-Max	C-Max			C-Max	C-Max
Act Effct Green (s)					30.0		63.0	63.0			63.0	63.0
Actuated g/C Ratio					0.27		0.57	0.57			0.57	0.57

Lanes, Volumes, Timings
 1: Chicago Avenue & Davis Street

09/24/2021

Lane Group	Ø10
Lane Configurations	
Traffic Volume (vph)	
Future Volume (vph)	
Ideal Flow (vphpl)	
Lane Width (ft)	
Grade (%)	
Storage Length (ft)	
Storage Lanes	
Taper Length (ft)	
Lane Util. Factor	
Ped Bike Factor	
Frt	
Flt Protected	
Satd. Flow (prot)	
Flt Permitted	
Satd. Flow (perm)	
Right Turn on Red	
Satd. Flow (RTOR)	
Link Speed (mph)	
Link Distance (ft)	
Travel Time (s)	
Confl. Peds. (#/hr)	
Confl. Bikes (#/hr)	
Peak Hour Factor	
Growth Factor	
Heavy Vehicles (%)	
Bus Blockages (#/hr)	
Parking (#/hr)	
Mid-Block Traffic (%)	
Shared Lane Traffic (%)	
Lane Group Flow (vph)	
Turn Type	
Protected Phases	10
Permitted Phases	
Detector Phase	
Switch Phase	
Minimum Initial (s)	4.0
Minimum Split (s)	25.0
Total Split (s)	25.0
Total Split (%)	23%
Yellow Time (s)	6.0
All-Red Time (s)	0.0
Lost Time Adjust (s)	
Total Lost Time (s)	
Lead/Lag	
Lead-Lag Optimize?	
Recall Mode	None
Act Effct Green (s)	
Actuated g/C Ratio	

Lanes, Volumes, Timings
 1: Chicago Avenue & Davis Street

09/24/2021




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
v/c Ratio					0.18		0.22	0.46			0.22	0.10
Control Delay					31.3		15.6	18.2			10.3	10.2
Queue Delay					0.0		0.0	0.0			0.0	0.0
Total Delay					31.3		15.6	18.2			10.3	10.2
LOS					C		B	B			B	B
Approach Delay					31.3			17.6			10.3	
Approach LOS					C			B			B	
Queue Length 50th (ft)					41		34	144			34	11
Queue Length 95th (ft)					68		108	361			144	m59
Internal Link Dist (ft)		556			160			165			502	
Turn Bay Length (ft)												70
Base Capacity (vph)					833		549	910			892	694
Starvation Cap Reductn					0		0	0			0	0
Spillback Cap Reductn					0		0	0			0	0
Storage Cap Reductn					0		0	0			0	0
Reduced v/c Ratio					0.18		0.22	0.46			0.22	0.10

Intersection Summary

Area Type: Other
 Cycle Length: 110
 Actuated Cycle Length: 110
 Offset: 0 (0%), Referenced to phase 2:NBTL and 6:SBT, Start of Green
 Natural Cycle: 80
 Control Type: Actuated-Coordinated
 Maximum v/c Ratio: 0.46
 Intersection Signal Delay: 17.7
 Intersection Capacity Utilization 59.2%
 Analysis Period (min) 15
 Intersection LOS: B
 ICU Level of Service B
 m Volume for 95th percentile queue is metered by upstream signal.


Splits and Phases: 1: Chicago Avenue & Davis Street



Lane Group	Ø10
v/c Ratio	
Control Delay	
Queue Delay	
Total Delay	
LOS	
Approach Delay	
Approach LOS	
Queue Length 50th (ft)	
Queue Length 95th (ft)	
Internal Link Dist (ft)	
Turn Bay Length (ft)	
Base Capacity (vph)	
Starvation Cap Reductn	
Spillback Cap Reductn	
Storage Cap Reductn	
Reduced v/c Ratio	
Intersection Summary	

Lanes, Volumes, Timings
2: Chicago Avenue & Church Street

09/24/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕↕						↑	↗		↖	
Traffic Volume (vph)	47	232	106	0	0	0	0	361	33	5	145	0
Future Volume (vph)	47	232	106	0	0	0	0	361	33	5	145	0
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	11	11	11	11	11	11	11	11	11	11	11	11
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		50	0		0
Storage Lanes	0		0	0		0	0		1	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	0.95	0.95	0.95	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor		0.93									1.00	
Frt		0.959							0.850			
Flt Protected		0.994									0.998	
Satd. Flow (prot)	0	2854	0	0	0	0	0	1545	1473	0	1531	0
Flt Permitted		0.994									0.989	
Satd. Flow (perm)	0	2806	0	0	0	0	0	1545	1473	0	1516	0
Right Turn on Red			Yes			Yes			Yes			Yes
Satd. Flow (RTOR)		49							50			
Link Speed (mph)		30			30			30				30
Link Distance (ft)		542			228			582				542
Travel Time (s)		12.3			5.2			13.2				12.3
Confl. Peds. (#/hr)	76		81	81		76	141		88	88		141
Confl. Bikes (#/hr)			12						74			
Peak Hour Factor	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	12%	4%	5%	0%	0%	0%	0%	7%	6%	0%	8%	0%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)		0						0			0	
Mid-Block Traffic (%)		0%			0%			0%			0%	
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	448	0	0	0	0	0	420	38	0	175	0
Turn Type	Perm	NA						NA	custom	Perm	NA	
Protected Phases		10						2 6	6		2 6	
Permitted Phases	10									2 6		
Detector Phase	10	10						2 6	6	2 6	2 6	
Switch Phase												
Minimum Initial (s)	30.0	30.0							24.0			
Minimum Split (s)	36.0	36.0							30.0			
Total Split (s)	36.0	36.0							30.0			
Total Split (%)	32.7%	32.7%							27.3%			
Yellow Time (s)	4.5	4.5							4.5			
All-Red Time (s)	1.5	1.5							1.5			
Lost Time Adjust (s)		0.0							0.0			
Total Lost Time (s)		6.0							6.0			
Lead/Lag												
Lead-Lag Optimize?												
Recall Mode	Max	Max							None			
Act Effct Green (s)		30.0						72.0	24.0		72.0	
Actuated g/C Ratio		0.27						0.65	0.22		0.65	


Lanes, Volumes, Timings
 2: Chicago Avenue & Church Street

09/24/2021

Lane Group	Ø2
Lane Configurations	
Traffic Volume (vph)	
Future Volume (vph)	
Ideal Flow (vphpl)	
Lane Width (ft)	
Grade (%)	
Storage Length (ft)	
Storage Lanes	
Taper Length (ft)	
Lane Util. Factor	
Ped Bike Factor	
Frt	
Flt Protected	
Satd. Flow (prot)	
Flt Permitted	
Satd. Flow (perm)	
Right Turn on Red	
Satd. Flow (RTOR)	
Link Speed (mph)	
Link Distance (ft)	
Travel Time (s)	
Confl. Peds. (#/hr)	
Confl. Bikes (#/hr)	
Peak Hour Factor	
Growth Factor	
Heavy Vehicles (%)	
Bus Blockages (#/hr)	
Parking (#/hr)	
Mid-Block Traffic (%)	
Shared Lane Traffic (%)	
Lane Group Flow (vph)	
Turn Type	
Protected Phases	2
Permitted Phases	
Detector Phase	
Switch Phase	
Minimum Initial (s)	42.0
Minimum Split (s)	44.0
Total Split (s)	44.0
Total Split (%)	40%
Yellow Time (s)	2.0
All-Red Time (s)	0.0
Lost Time Adjust (s)	
Total Lost Time (s)	
Lead/Lag	
Lead-Lag Optimize?	
Recall Mode	C-Max
Act Effct Green (s)	
Actuated g/C Ratio	

Lanes, Volumes, Timings
 2: Chicago Avenue & Church Street

09/24/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
v/c Ratio		0.56						0.42	0.11			0.18
Control Delay		33.5						6.3	12.5			8.0
Queue Delay		0.0						0.0	0.0			0.0
Total Delay		33.5						6.3	12.5			8.0
LOS		C						A	B			A
Approach Delay		33.5						6.9				8.0
Approach LOS		C						A				A
Queue Length 50th (ft)		127						183	6			44
Queue Length 95th (ft)		169						8	m31			69
Internal Link Dist (ft)		462				148		502				462
Turn Bay Length (ft)									50			
Base Capacity (vph)		800						1011	360			992
Starvation Cap Reductn		0						0	0			0
Spillback Cap Reductn		0						0	0			0
Storage Cap Reductn		0						0	0			0
Reduced v/c Ratio		0.56						0.42	0.11			0.18

Intersection Summary

Area Type: Other
 Cycle Length: 110
 Actuated Cycle Length: 110
 Offset: 0 (0%), Referenced to phase 2:NBSB, Start of Green
 Natural Cycle: 110
 Control Type: Actuated-Coordinated
 Maximum v/c Ratio: 0.56
 Intersection Signal Delay: 18.1
 Intersection Capacity Utilization 93.3%
 Analysis Period (min) 15
 Intersection LOS: B
 ICU Level of Service F
 m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 2: Chicago Avenue & Church Street



Lanes, Volumes, Timings
2: Chicago Avenue & Church Street

09/24/2021

Lane Group	Ø2
v/c Ratio	
Control Delay	
Queue Delay	
Total Delay	
LOS	
Approach Delay	
Approach LOS	
Queue Length 50th (ft)	
Queue Length 95th (ft)	
Internal Link Dist (ft)	
Turn Bay Length (ft)	
Base Capacity (vph)	
Starvation Cap Reductn	
Spillback Cap Reductn	
Storage Cap Reductn	
Reduced v/c Ratio	
Intersection Summary	

HCM 6th AWSC
3: Davis Street & Hinman Avenue

09/24/2021

Intersection	
Intersection Delay, s/veh	7.9
Intersection LOS	A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations					↕↕			↕			↕	
Traffic Vol, veh/h	0	0	0	9	106	21	12	50	0	0	33	17
Future Vol, veh/h	0	0	0	9	106	21	12	50	0	0	33	17
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Heavy Vehicles, %	0	0	0	11	3	5	0	0	0	0	5	24
Mvmt Flow	0	0	0	10	119	24	13	56	0	0	37	19
Number of Lanes	0	0	0	0	2	0	0	1	0	0	1	0

Approach	WB	NB	SB
Opposing Approach		SB	NB
Opposing Lanes	0	1	1
Conflicting Approach Left	NB		WB
Conflicting Lanes Left	1	0	2
Conflicting Approach Right	SB	WB	
Conflicting Lanes Right	1	2	0
HCM Control Delay	8.1	7.8	7.5
HCM LOS	A	A	A

Lane	NBLn1	WBLn1	WBLn2	SBLn1
Vol Left, %	19%	15%	0%	0%
Vol Thru, %	81%	85%	72%	66%
Vol Right, %	0%	0%	28%	34%
Sign Control	Stop	Stop	Stop	Stop
Traffic Vol by Lane	62	62	74	50
LT Vol	12	9	0	0
Through Vol	50	53	53	33
RT Vol	0	0	21	17
Lane Flow Rate	70	70	83	56
Geometry Grp	2	7	7	2
Degree of Util (X)	0.085	0.096	0.106	0.066
Departure Headway (Hd)	4.371	4.978	4.57	4.23
Convergence, Y/N	Yes	Yes	Yes	Yes
Cap	824	713	777	852
Service Time	2.373	2.753	2.345	2.232
HCM Lane V/C Ratio	0.085	0.098	0.107	0.066
HCM Control Delay	7.8	8.3	7.9	7.5
HCM Lane LOS	A	A	A	A
HCM 95th-tile Q	0.3	0.3	0.4	0.2

HCM 6th AWSC
4: Hinman Avenue & Church Street

09/24/2021

Intersection	
Intersection Delay, s/veh	8.3
Intersection LOS	A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔↔						↔			↔	
Traffic Vol, veh/h	20	202	33	0	0	0	0	53	18	4	17	0
Future Vol, veh/h	20	202	33	0	0	0	0	53	18	4	17	0
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94
Heavy Vehicles, %	4	4	14	0	0	0	0	0	6	0	5	0
Mvmt Flow	21	215	35	0	0	0	0	56	19	4	18	0
Number of Lanes	0	2	0	0	0	0	0	1	0	0	1	0

Approach	EB	NB	SB
Opposing Approach		SB	NB
Opposing Lanes	0	1	1
Conflicting Approach Left	SB	EB	
Conflicting Lanes Left	1	2	0
Conflicting Approach Right	NB		EB
Conflicting Lanes Right	1	0	2
HCM Control Delay	8.5	7.8	7.8
HCM LOS	A	A	A

Lane	NBLn1	EBLn1	EBLn2	SBLn1
Vol Left, %	0%	17%	0%	19%
Vol Thru, %	75%	83%	75%	81%
Vol Right, %	25%	0%	25%	0%
Sign Control	Stop	Stop	Stop	Stop
Traffic Vol by Lane	71	121	134	21
LT Vol	0	20	0	4
Through Vol	53	101	101	17
RT Vol	18	0	33	0
Lane Flow Rate	76	129	143	22
Geometry Grp	2	7	7	2
Degree of Util (X)	0.092	0.172	0.181	0.029
Departure Headway (Hd)	4.401	4.821	4.565	4.651
Convergence, Y/N	Yes	Yes	Yes	Yes
Cap	819	739	780	774
Service Time	2.402	2.587	2.331	2.655
HCM Lane V/C Ratio	0.093	0.175	0.183	0.028
HCM Control Delay	7.8	8.6	8.4	7.8
HCM Lane LOS	A	A	A	A
HCM 95th-tile Q	0.3	0.6	0.7	0.1

HCM 6th TWSC
6: Davis Street & East Alley

09/24/2021

Intersection

Int Delay, s/veh 1.3

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations					↕↕			↕			↕	
Traffic Vol, veh/h	0	0	0	4	129	2	5	2	0	0	6	4
Future Vol, veh/h	0	0	0	4	129	2	5	2	0	0	6	4
Conflicting Peds, #/hr	4	0	35	35	0	4	0	0	4	4	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	1	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	75	75	75	75	75	75	75	75	75	75	75	75
Heavy Vehicles, %	0	0	0	25	4	0	40	50	0	0	0	25
Mvmt Flow	0	0	0	5	172	3	7	3	0	0	8	5

Major/Minor	Major2	Minor1	Minor2
Conflicting Flow All	35	0	0
Stage 1	-	-	-
Stage 2	-	-	-
Critical Hdwy	4.6	-	-
Critical Hdwy Stg 1	-	-	-
Critical Hdwy Stg 2	-	-	-
Follow-up Hdwy	2.45	-	-
Pot Cap-1 Maneuver	1422	-	-
Stage 1	-	-	-
Stage 2	-	-	-
Platoon blocked, %	-	-	-
Mov Cap-1 Maneuver	1384	-	-
Mov Cap-2 Maneuver	-	-	-
Stage 1	-	-	-
Stage 2	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	0.2	10.6	10
HCM LOS		B	B

Minor Lane/Major Mvmt	NBLn1	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	648	1384	-	-	729
HCM Lane V/C Ratio	0.014	0.004	-	-	0.018
HCM Control Delay (s)	10.6	7.6	0	-	10
HCM Lane LOS	B	A	A	-	B
HCM 95th %tile Q(veh)	0	0	-	-	0.1

HCM 6th TWSC
7: East Alley & Church Street

09/24/2021

Intersection												
Int Delay, s/veh	0.5											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔↔						↔			↔	
Traffic Vol, veh/h	9	251	10	0	0	0	0	4	0	4	0	0
Future Vol, veh/h	9	251	10	0	0	0	0	4	0	4	0	0
Conflicting Peds, #/hr	33	0	20	20	0	33	17	0	1	1	0	17
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	1080852480	-	-	0	-	-	0	-	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	10	273	11	0	0	0	0	4	0	4	0	0

Major/Minor	Major1			Minor1			Minor2		
Conflicting Flow All	33	0	0	-	352	163	193	357	-
Stage 1	-	-	-	-	319	-	33	33	-
Stage 2	-	-	-	-	33	-	160	324	-
Critical Hdwy	4.14	-	-	-	6.54	6.94	7.54	6.54	-
Critical Hdwy Stg 1	-	-	-	-	5.54	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-	-	-	6.54	5.54	-
Follow-up Hdwy	2.22	-	-	-	4.02	3.32	3.52	4.02	-
Pot Cap-1 Maneuver	1577	-	-	0	571	853	749	568	0
Stage 1	-	-	-	0	652	-	-	-	0
Stage 2	-	-	-	0	-	-	826	648	0
Platoon blocked, %	-	-	-	-	-	-	-	-	-
Mov Cap-1 Maneuver	1537	-	-	-	544	840	721	541	-
Mov Cap-2 Maneuver	-	-	-	-	544	-	721	541	-
Stage 1	-	-	-	-	637	-	-	-	-
Stage 2	-	-	-	-	-	-	814	633	-

Approach	EB	NB	SB
HCM Control Delay, s	0.2	11.7	10
HCM LOS		B	B

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	SBLn1
Capacity (veh/h)	544	1537	-	-	721
HCM Lane V/C Ratio	0.008	0.006	-	-	0.006
HCM Control Delay (s)	11.7	7.4	0	-	10
HCM Lane LOS	B	A	A	-	B
HCM 95th %tile Q(veh)	0	0	-	-	0

Capacity Analysis Summary Sheets
Year 2021 Weekday Evening Peak Hour Conditions

Lanes, Volumes, Timings
1: Chicago Avenue & Davis Street

09/24/2021

												
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	0	0	0	28	145	30	114	261	0	0	503	122
Future Volume (vph)	0	0	0	28	145	30	114	261	0	0	503	122
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	11	11	11	11	11	11	11	11	11	11	11	11
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		0	0		70
Storage Lanes	0		0	0		0	1		0	0		1
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	0.95	0.95	0.95	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor					0.89							0.68
Frt					0.978							0.850
Flt Protected					0.993		0.950					
Satd. Flow (prot)	0	0	0	0	3014	0	1678	1605	0	0	1621	1531
Flt Permitted					0.993		0.324					
Satd. Flow (perm)	0	0	0	0	2861	0	572	1605	0	0	1621	1037
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		636			240			245			582	
Travel Time (s)		14.5			5.5			5.6			13.2	
Confl. Peds. (#/hr)	141		126	126		141	191		149	149		191
Confl. Bikes (#/hr)						14			21			38
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	0%	0%	0%	0%	0%	0%	4%	3%	0%	0%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)		0			0			0			0	
Mid-Block Traffic (%)		0%			0%			0%			0%	
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	0	0	0	223	0	125	287	0	0	553	134
Turn Type				Perm	NA		Perm	NA			NA	Perm
Protected Phases					8			2			6	
Permitted Phases				8			2					6
Detector Phase				8	8		2	2			6	6
Switch Phase												
Minimum Initial (s)				7.0	7.0		15.0	15.0			15.0	15.0
Minimum Split (s)				25.0	25.0		25.0	25.0			25.0	25.0
Total Split (s)				36.0	36.0		49.0	49.0			49.0	49.0
Total Split (%)				32.7%	32.7%		44.5%	44.5%			44.5%	44.5%
Yellow Time (s)				4.5	4.5		4.5	4.5			4.5	4.5
All-Red Time (s)				1.5	1.5		1.5	1.5			1.5	1.5
Lost Time Adjust (s)					0.0		0.0	0.0			0.0	0.0
Total Lost Time (s)					6.0		6.0	6.0			6.0	6.0
Lead/Lag												
Lead-Lag Optimize?												
Recall Mode				Max	Max		C-Max	C-Max			C-Max	C-Max
Act Effct Green (s)					30.0		63.0	63.0			63.0	63.0
Actuated g/C Ratio					0.27		0.57	0.57			0.57	0.57


Lanes, Volumes, Timings
 1: Chicago Avenue & Davis Street

09/24/2021

Lane Group	Ø10
Lane Configurations	
Traffic Volume (vph)	
Future Volume (vph)	
Ideal Flow (vphpl)	
Lane Width (ft)	
Grade (%)	
Storage Length (ft)	
Storage Lanes	
Taper Length (ft)	
Lane Util. Factor	
Ped Bike Factor	
Frt	
Flt Protected	
Satd. Flow (prot)	
Flt Permitted	
Satd. Flow (perm)	
Right Turn on Red	
Satd. Flow (RTOR)	
Link Speed (mph)	
Link Distance (ft)	
Travel Time (s)	
Confl. Peds. (#/hr)	
Confl. Bikes (#/hr)	
Peak Hour Factor	
Growth Factor	
Heavy Vehicles (%)	
Bus Blockages (#/hr)	
Parking (#/hr)	
Mid-Block Traffic (%)	
Shared Lane Traffic (%)	
Lane Group Flow (vph)	
Turn Type	
Protected Phases	10
Permitted Phases	
Detector Phase	
Switch Phase	
Minimum Initial (s)	4.0
Minimum Split (s)	25.0
Total Split (s)	25.0
Total Split (%)	23%
Yellow Time (s)	6.0
All-Red Time (s)	0.0
Lost Time Adjust (s)	
Total Lost Time (s)	
Lead/Lag	
Lead-Lag Optimize?	
Recall Mode	None
Act Effct Green (s)	
Actuated g/C Ratio	

Lanes, Volumes, Timings
 1: Chicago Avenue & Davis Street

09/24/2021




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
v/c Ratio					0.29		0.38	0.31			0.60	0.23
Control Delay					32.8		20.8	15.6			16.3	11.5
Queue Delay					0.0		0.0	0.0			0.3	0.0
Total Delay					32.8		20.8	15.6			16.6	11.5
LOS					C		C	B			B	B
Approach Delay					32.8			17.2			15.6	
Approach LOS					C			B			B	
Queue Length 50th (ft)					65		40	87			148	28
Queue Length 95th (ft)					100		137	227			#569	m88
Internal Link Dist (ft)		556			160			165			502	
Turn Bay Length (ft)												70
Base Capacity (vph)					780		327	919			928	594
Starvation Cap Reductn					0		0	0			65	0
Spillback Cap Reductn					0		0	0			0	0
Storage Cap Reductn					0		0	0			0	0
Reduced v/c Ratio					0.29		0.38	0.31			0.64	0.23

Intersection Summary

Area Type: Other
 Cycle Length: 110
 Actuated Cycle Length: 110
 Offset: 0 (0%), Referenced to phase 2:NBTL and 6:SBT, Start of Green
 Natural Cycle: 90
 Control Type: Actuated-Coordinated
 Maximum v/c Ratio: 0.60
 Intersection Signal Delay: 19.0 Intersection LOS: B
 Intersection Capacity Utilization 69.8% ICU Level of Service C
 Analysis Period (min) 15
 # 95th percentile volume exceeds capacity, queue may be longer.
 Queue shown is maximum after two cycles.
 m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 1: Chicago Avenue & Davis Street



Lane Group	Ø10
v/c Ratio	
Control Delay	
Queue Delay	
Total Delay	
LOS	
Approach Delay	
Approach LOS	
Queue Length 50th (ft)	
Queue Length 95th (ft)	
Internal Link Dist (ft)	
Turn Bay Length (ft)	
Base Capacity (vph)	
Starvation Cap Reductn	
Spillback Cap Reductn	
Storage Cap Reductn	
Reduced v/c Ratio	
Intersection Summary	

Lanes, Volumes, Timings

2: Chicago Avenue & Church Street

09/24/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕↕						↑	↗		↖	
Traffic Volume (vph)	42	358	178	0	0	0	0	235	43	23	419	0
Future Volume (vph)	42	358	178	0	0	0	0	235	43	23	419	0
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	11	11	11	11	11	11	11	11	11	11	11	11
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		50	0		0
Storage Lanes	0		0	0		0	0		1	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	0.95	0.95	0.95	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor		0.90									1.00	
Frt		0.954							0.850			
Flt Protected		0.996									0.997	
Satd. Flow (prot)	0	2819	0	0	0	0	0	1605	1561	0	1614	0
Flt Permitted		0.996									0.978	
Satd. Flow (perm)	0	2774	0	0	0	0	0	1605	1561	0	1579	0
Right Turn on Red			Yes			Yes			Yes			Yes
Satd. Flow (RTOR)		63							50			
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		542			228			582			542	
Travel Time (s)		12.3			5.2			13.2			12.3	
Confl. Peds. (#/hr)	120		125	125		120	149		149	149		149
Confl. Bikes (#/hr)			19						21			5
Peak Hour Factor	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	7%	2%	3%	0%	0%	0%	0%	3%	0%	4%	2%	0%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)		0						0			0	
Mid-Block Traffic (%)		0%			0%			0%			0%	
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	621	0	0	0	0	0	253	46	0	476	0
Turn Type	Perm	NA						NA	custom	Perm	NA	
Protected Phases		10						2 6	6		2 6	
Permitted Phases	10									2 6		
Detector Phase	10	10						2 6	6	2 6	2 6	
Switch Phase												
Minimum Initial (s)	30.0	30.0							24.0			
Minimum Split (s)	36.0	36.0							30.0			
Total Split (s)	36.0	36.0							30.0			
Total Split (%)	32.7%	32.7%							27.3%			
Yellow Time (s)	4.5	4.5							4.5			
All-Red Time (s)	1.5	1.5							1.5			
Lost Time Adjust (s)		0.0							0.0			
Total Lost Time (s)		6.0							6.0			
Lead/Lag												
Lead-Lag Optimize?												
Recall Mode	Max	Max							None			
Act Effct Green (s)		30.0						72.0	24.0		72.0	
Actuated g/C Ratio		0.27						0.65	0.22		0.65	

Lanes, Volumes, Timings
 2: Chicago Avenue & Church Street

09/24/2021

Lane Group	Ø2
Lane Configurations	
Traffic Volume (vph)	
Future Volume (vph)	
Ideal Flow (vphpl)	
Lane Width (ft)	
Grade (%)	
Storage Length (ft)	
Storage Lanes	
Taper Length (ft)	
Lane Util. Factor	
Ped Bike Factor	
Frt	
Flt Protected	
Satd. Flow (prot)	
Flt Permitted	
Satd. Flow (perm)	
Right Turn on Red	
Satd. Flow (RTOR)	
Link Speed (mph)	
Link Distance (ft)	
Travel Time (s)	
Confl. Peds. (#/hr)	
Confl. Bikes (#/hr)	
Peak Hour Factor	
Growth Factor	
Heavy Vehicles (%)	
Bus Blockages (#/hr)	
Parking (#/hr)	
Mid-Block Traffic (%)	
Shared Lane Traffic (%)	
Lane Group Flow (vph)	
Turn Type	
Protected Phases	2
Permitted Phases	
Detector Phase	
Switch Phase	
Minimum Initial (s)	4.0
Minimum Split (s)	44.0
Total Split (s)	44.0
Total Split (%)	40%
Yellow Time (s)	2.0
All-Red Time (s)	0.0
Lost Time Adjust (s)	
Total Lost Time (s)	
Lead/Lag	
Lead-Lag Optimize?	
Recall Mode	C-Max
Act Effct Green (s)	
Actuated g/C Ratio	

Lanes, Volumes, Timings
 2: Chicago Avenue & Church Street

09/24/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
v/c Ratio		0.77						0.24	0.12			0.46
Control Delay		40.6						4.7	15.5			11.2
Queue Delay		0.0						0.0	0.0			0.1
Total Delay		40.6						4.7	15.5			11.2
LOS		D						A	B			B
Approach Delay		40.6						6.4				11.2
Approach LOS		D						A				B
Queue Length 50th (ft)		192						92	4			151
Queue Length 95th (ft)		262						7	49			223
Internal Link Dist (ft)		462				148		502				462
Turn Bay Length (ft)									50			
Base Capacity (vph)		802						1050	379			1033
Starvation Cap Reductn		0						0	0			0
Spillback Cap Reductn		1						0	0			50
Storage Cap Reductn		0						0	0			0
Reduced v/c Ratio		0.78						0.24	0.12			0.48

Intersection Summary

Area Type:	Other
Cycle Length:	110
Actuated Cycle Length:	110
Offset:	0 (0%), Referenced to phase 2:NBSB, Start of Green
Natural Cycle:	110
Control Type:	Actuated-Coordinated
Maximum v/c Ratio:	0.77
Intersection Signal Delay:	23.3
Intersection LOS:	C
Intersection Capacity Utilization:	81.7%
ICU Level of Service:	D
Analysis Period (min):	15

Splits and Phases: 2: Chicago Avenue & Church Street



Lanes, Volumes, Timings
2: Chicago Avenue & Church Street

09/24/2021

Lane Group	Ø2
v/c Ratio	
Control Delay	
Queue Delay	
Total Delay	
LOS	
Approach Delay	
Approach LOS	
Queue Length 50th (ft)	
Queue Length 95th (ft)	
Internal Link Dist (ft)	
Turn Bay Length (ft)	
Base Capacity (vph)	
Starvation Cap Reductn	
Spillback Cap Reductn	
Storage Cap Reductn	
Reduced v/c Ratio	
Intersection Summary	

HCM 6th AWSC
3: Davis Street & Hinman Avenue

09/24/2021

Intersection	
Intersection Delay, s/veh	8.5
Intersection LOS	A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations					↕↕			↕			↕	
Traffic Vol, veh/h	0	0	0	6	111	28	29	51	0	0	126	63
Future Vol, veh/h	0	0	0	6	111	28	29	51	0	0	126	63
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles, %	0	0	0	0	0	1	0	2	0	0	1	0
Mvmt Flow	0	0	0	7	121	30	32	55	0	0	137	68
Number of Lanes	0	0	0	0	2	0	0	1	0	0	1	0

Approach	WB	NB	SB
Opposing Approach		SB	NB
Opposing Lanes	0	1	1
Conflicting Approach Left	NB		WB
Conflicting Lanes Left	1	0	2
Conflicting Approach Right	SB	WB	
Conflicting Lanes Right	1	2	0
HCM Control Delay	8.4	8.2	8.6
HCM LOS	A	A	A

Lane	NBLn1	WBLn1	WBLn2	SBLn1
Vol Left, %	36%	10%	0%	0%
Vol Thru, %	64%	90%	66%	67%
Vol Right, %	0%	0%	34%	33%
Sign Control	Stop	Stop	Stop	Stop
Traffic Vol by Lane	80	62	84	189
LT Vol	29	6	0	0
Through Vol	51	56	56	126
RT Vol	0	0	28	63
Lane Flow Rate	87	67	91	205
Geometry Grp	2	7	7	2
Degree of Util (X)	0.111	0.096	0.124	0.24
Departure Headway (Hd)	4.581	5.194	4.909	4.209
Convergence, Y/N	Yes	Yes	Yes	Yes
Cap	783	691	731	855
Service Time	2.601	2.92	2.635	2.224
HCM Lane V/C Ratio	0.111	0.097	0.124	0.24
HCM Control Delay	8.2	8.5	8.3	8.6
HCM Lane LOS	A	A	A	A
HCM 95th-tile Q	0.4	0.3	0.4	0.9

HCM 6th AWSC
4: Hinman Avenue & Church Street

09/24/2021

Intersection	
Intersection Delay, s/veh	9.5
Intersection LOS	A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕↔						↔			↕	
Traffic Vol, veh/h	19	312	89	0	0	0	0	53	26	11	100	0
Future Vol, veh/h	19	312	89	0	0	0	0	53	26	11	100	0
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94
Heavy Vehicles, %	0	1	1	0	0	0	0	2	4	0	0	0
Mvmt Flow	20	332	95	0	0	0	0	56	28	12	106	0
Number of Lanes	0	2	0	0	0	0	0	1	0	0	1	0

Approach	EB	NB	SB
Opposing Approach		SB	NB
Opposing Lanes	0	1	1
Conflicting Approach Left	SB	EB	
Conflicting Lanes Left	1	2	0
Conflicting Approach Right	NB		EB
Conflicting Lanes Right	1	0	2
HCM Control Delay	9.8	8.5	9
HCM LOS	A	A	A

Lane	NBLn1	EBLn1	EBLn2	SBLn1
Vol Left, %	0%	11%	0%	10%
Vol Thru, %	67%	89%	64%	90%
Vol Right, %	33%	0%	36%	0%
Sign Control	Stop	Stop	Stop	Stop
Traffic Vol by Lane	79	175	245	111
LT Vol	0	19	0	11
Through Vol	53	156	156	100
RT Vol	26	0	89	0
Lane Flow Rate	84	186	261	118
Geometry Grp	2	7	7	2
Degree of Util (X)	0.114	0.261	0.345	0.164
Departure Headway (Hd)	4.878	5.054	4.761	5.012
Convergence, Y/N	Yes	Yes	Yes	Yes
Cap	734	711	756	716
Service Time	2.915	2.787	2.494	3.046
HCM Lane V/C Ratio	0.114	0.262	0.345	0.165
HCM Control Delay	8.5	9.6	10	9
HCM Lane LOS	A	A	A	A
HCM 95th-tile Q	0.4	1	1.5	0.6

HCM 6th TWSC
6: Davis Street & East Alley

09/24/2021

Intersection												
Int Delay, s/veh	0.4											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations					↕↕			↕			↕	
Traffic Vol, veh/h	0	0	0	0	198	5	2	1	0	0	3	3
Future Vol, veh/h	0	0	0	0	198	5	2	1	0	0	3	3
Conflicting Peds, #/hr	23	0	47	47	0	24	1	0	5	5	0	1
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	1	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	85	85	85	85	85	85	85	85	85	85	85	85
Heavy Vehicles, %	0	0	0	0	0	0	0	0	0	0	0	0
Mvmt Flow	0	0	0	0	233	6	2	1	0	0	4	4

Major/Minor	Major2	Minor1	Minor2
Conflicting Flow All	47	0	0
Stage 1	-	-	-
Stage 2	-	-	-
Critical Hdwy	4.1	-	-
Critical Hdwy Stg 1	-	-	-
Critical Hdwy Stg 2	-	-	-
Follow-up Hdwy	2.2	-	-
Pot Cap-1 Maneuver	1573	-	-
Stage 1	-	-	-
Stage 2	-	-	-
Platoon blocked, %	-	-	-
Mov Cap-1 Maneuver	1517	-	-
Mov Cap-2 Maneuver	-	-	-
Stage 1	-	-	-
Stage 2	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	0	10.3	10.2
HCM LOS		B	B

Minor Lane/Major Mvmt	NBLn1	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	682	1517	-	-	693
HCM Lane V/C Ratio	0.005	-	-	-	0.01
HCM Control Delay (s)	10.3	0	-	-	10.2
HCM Lane LOS	B	A	-	-	B
HCM 95th %tile Q(veh)	0	0	-	-	0

HCM 6th TWSC
7: East Alley & Church Street

09/24/2021

Intersection												
Int Delay, s/veh	0.5											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔↔						↔			↔	
Traffic Vol, veh/h	7	413	4	0	0	0	0	4	2	5	2	0
Future Vol, veh/h	7	413	4	0	0	0	0	4	2	5	2	0
Conflicting Peds, #/hr	26	0	35	35	0	26	5	0	3	3	0	5
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	1080852480	-	-	0	-	-	0	-	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	2	3	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	8	449	4	0	0	0	0	4	2	5	2	0

Major/Minor	Major1			Minor1			Minor2		
Conflicting Flow All	26	0	0	-	528	265	272	530	-
Stage 1	-	-	-	-	502	-	26	26	-
Stage 2	-	-	-	-	26	-	246	504	-
Critical Hdwy	4.14	-	-	-	6.54	6.94	7.54	6.54	-
Critical Hdwy Stg 1	-	-	-	-	5.54	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-	-	-	6.54	5.54	-
Follow-up Hdwy	2.22	-	-	-	4.02	3.32	3.52	4.02	-
Pot Cap-1 Maneuver	1587	-	-	0	454	733	659	453	0
Stage 1	-	-	-	0	540	-	-	-	0
Stage 2	-	-	-	0	-	-	736	539	0
Platoon blocked, %	-	-	-	-	-	-	-	-	-
Mov Cap-1 Maneuver	1555	-	-	-	430	713	635	429	-
Mov Cap-2 Maneuver	-	-	-	-	430	-	635	429	-
Stage 1	-	-	-	-	522	-	-	-	-
Stage 2	-	-	-	-	-	-	723	521	-


Approach	EB	NB	SB
HCM Control Delay, s	0.1	12.4	11.5
HCM LOS		B	B

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	SBLn1
Capacity (veh/h)	496	1555	-	-	558
HCM Lane V/C Ratio	0.013	0.005	-	-	0.014
HCM Control Delay (s)	12.4	7.3	0	-	11.5
HCM Lane LOS	B	A	A	-	B
HCM 95th %tile Q(veh)	0	0	-	-	0

Capacity Analysis Summary Sheets
No-Build Weekday Morning Peak Hour Conditions

Lanes, Volumes, Timings
 1: Chicago Avenue & Davis Street

09/24/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations					↔↔		↗	↖			↖	↗
Traffic Volume (vph)	0	0	0	7	142	18	127	413	0	0	197	98
Future Volume (vph)	0	0	0	7	142	18	127	413	0	0	197	98
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	11	11	11	11	11	11	11	11	11	11	11	11
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		0	0		70
Storage Lanes	0		0	0		0	1		0	0		1
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	0.95	0.95	0.95	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor					0.97		0.86					0.79
Frt					0.984							0.850
Flt Protected					0.998		0.950					
Satd. Flow (prot)	0	0	0	0	3093	0	1662	1589	0	0	1559	1501
Flt Permitted					0.998		0.617					
Satd. Flow (perm)	0	0	0	0	3061	0	933	1589	0	0	1559	1187
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		30			30			30				30
Link Distance (ft)		636			240			245				582
Travel Time (s)		14.5			5.5			5.6				13.2
Confl. Peds. (#/hr)	64		89	89		64	113		97	97		113
Confl. Bikes (#/hr)						18			54			12
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	0%	0%	0%	29%	0%	15%	5%	4%	0%	0%	6%	4%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)		0			0			0			0	
Mid-Block Traffic (%)		0%			0%			0%			0%	
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	0	0	0	177	0	135	439	0	0	210	104
Turn Type				Perm	NA		Perm	NA			NA	Perm
Protected Phases					8			2			6	
Permitted Phases				8			2					6
Detector Phase				8	8		2	2			6	6
Switch Phase												
Minimum Initial (s)				7.0	7.0		15.0	15.0			15.0	15.0
Minimum Split (s)				25.0	25.0		25.0	25.0			25.0	25.0
Total Split (s)				36.0	36.0		49.0	49.0			49.0	49.0
Total Split (%)				32.7%	32.7%		44.5%	44.5%			44.5%	44.5%
Yellow Time (s)				4.5	4.5		4.5	4.5			4.5	4.5
All-Red Time (s)				1.5	1.5		1.5	1.5			1.5	1.5
Lost Time Adjust (s)					0.0		0.0	0.0			0.0	0.0
Total Lost Time (s)					6.0		6.0	6.0			6.0	6.0
Lead/Lag												
Lead-Lag Optimize?												
Recall Mode				Max	Max		C-Max	C-Max			C-Max	C-Max
Act Effct Green (s)					30.0		63.0	63.0			63.0	63.0
Actuated g/C Ratio					0.27		0.57	0.57			0.57	0.57


Lanes, Volumes, Timings
 1: Chicago Avenue & Davis Street

09/24/2021

Lane Group	Ø10
Lane Configurations	
Traffic Volume (vph)	
Future Volume (vph)	
Ideal Flow (vphpl)	
Lane Width (ft)	
Grade (%)	
Storage Length (ft)	
Storage Lanes	
Taper Length (ft)	
Lane Util. Factor	
Ped Bike Factor	
Frt	
Flt Protected	
Satd. Flow (prot)	
Flt Permitted	
Satd. Flow (perm)	
Right Turn on Red	
Satd. Flow (RTOR)	
Link Speed (mph)	
Link Distance (ft)	
Travel Time (s)	
Confl. Peds. (#/hr)	
Confl. Bikes (#/hr)	
Peak Hour Factor	
Growth Factor	
Heavy Vehicles (%)	
Bus Blockages (#/hr)	
Parking (#/hr)	
Mid-Block Traffic (%)	
Shared Lane Traffic (%)	
Lane Group Flow (vph)	
Turn Type	
Protected Phases	10
Permitted Phases	
Detector Phase	
Switch Phase	
Minimum Initial (s)	4.0
Minimum Split (s)	25.0
Total Split (s)	25.0
Total Split (%)	23%
Yellow Time (s)	6.0
All-Red Time (s)	0.0
Lost Time Adjust (s)	
Total Lost Time (s)	
Lead/Lag	
Lead-Lag Optimize?	
Recall Mode	None
Act Effct Green (s)	
Actuated g/C Ratio	

Lanes, Volumes, Timings
 1: Chicago Avenue & Davis Street

09/24/2021




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
v/c Ratio					0.21		0.25	0.48			0.24	0.15
Control Delay					31.7		16.1	18.6			10.3	10.3
Queue Delay					0.0		0.0	0.0			0.0	0.0
Total Delay					31.7		16.1	18.6			10.3	10.3
LOS					C		B	B			B	B
Approach Delay					31.7			18.0			10.3	
Approach LOS					C			B			B	
Queue Length 50th (ft)					51		40	152			36	17
Queue Length 95th (ft)					80		122	379			152	m84
Internal Link Dist (ft)		556			160			165			502	
Turn Bay Length (ft)												70
Base Capacity (vph)					834		534	910			892	679
Starvation Cap Reductn					0		0	0			0	0
Spillback Cap Reductn					0		0	0			0	0
Storage Cap Reductn					0		0	0			0	0
Reduced v/c Ratio					0.21		0.25	0.48			0.24	0.15

Intersection Summary

Area Type: Other
 Cycle Length: 110
 Actuated Cycle Length: 110
 Offset: 0 (0%), Referenced to phase 2:NBTL and 6:SBT, Start of Green
 Natural Cycle: 80
 Control Type: Actuated-Coordinated
 Maximum v/c Ratio: 0.48
 Intersection Signal Delay: 18.0 Intersection LOS: B
 Intersection Capacity Utilization 59.2% ICU Level of Service B
 Analysis Period (min) 15
 m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 1: Chicago Avenue & Davis Street



Lane Group	Ø10
v/c Ratio	
Control Delay	
Queue Delay	
Total Delay	
LOS	
Approach Delay	
Approach LOS	
Queue Length 50th (ft)	
Queue Length 95th (ft)	
Internal Link Dist (ft)	
Turn Bay Length (ft)	
Base Capacity (vph)	
Starvation Cap Reductn	
Spillback Cap Reductn	
Storage Cap Reductn	
Reduced v/c Ratio	
Intersection Summary	

Lanes, Volumes, Timings

2: Chicago Avenue & Church Street

09/24/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕↕						↑	↗		↖	
Traffic Volume (vph)	50	243	128	0	0	0	0	380	33	11	167	0
Future Volume (vph)	50	243	128	0	0	0	0	380	33	11	167	0
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	11	11	11	11	11	11	11	11	11	11	11	11
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		50	0		0
Storage Lanes	0		0	0		0	0		1	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	0.95	0.95	0.95	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor		0.92									1.00	
Frt		0.954							0.850			
Flt Protected		0.994									0.997	
Satd. Flow (prot)	0	2810	0	0	0	0	0	1545	1473	0	1533	0
Flt Permitted		0.994									0.972	
Satd. Flow (perm)	0	2759	0	0	0	0	0	1545	1473	0	1492	0
Right Turn on Red			Yes			Yes			Yes			Yes
Satd. Flow (RTOR)		62							50			
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		542			228			582			542	
Travel Time (s)		12.3			5.2			13.2			12.3	
Confl. Peds. (#/hr)	84		89	89		84	155		97	97		155
Confl. Bikes (#/hr)			13						81			
Peak Hour Factor	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	12%	4%	5%	0%	0%	0%	0%	7%	6%	0%	8%	0%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)		0						0			0	
Mid-Block Traffic (%)		0%			0%			0%			0%	
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	490	0	0	0	0	0	442	38	0	207	0
Turn Type	Perm	NA						NA	custom	Perm	NA	
Protected Phases		10						2 6	6		2 6	
Permitted Phases	10									2 6		
Detector Phase	10	10						2 6	6	2 6	2 6	
Switch Phase												
Minimum Initial (s)	30.0	30.0							24.0			
Minimum Split (s)	36.0	36.0							30.0			
Total Split (s)	36.0	36.0							30.0			
Total Split (%)	32.7%	32.7%							27.3%			
Yellow Time (s)	4.5	4.5							4.5			
All-Red Time (s)	1.5	1.5							1.5			
Lost Time Adjust (s)		0.0							0.0			
Total Lost Time (s)		6.0							6.0			
Lead/Lag												
Lead-Lag Optimize?												
Recall Mode	Max	Max							None			
Act Effct Green (s)		30.0						72.0	24.0		72.0	
Actuated g/C Ratio		0.27						0.65	0.22		0.65	


Lanes, Volumes, Timings
 2: Chicago Avenue & Church Street

09/24/2021

Lane Group	Ø2
Lane Configurations	
Traffic Volume (vph)	
Future Volume (vph)	
Ideal Flow (vphpl)	
Lane Width (ft)	
Grade (%)	
Storage Length (ft)	
Storage Lanes	
Taper Length (ft)	
Lane Util. Factor	
Ped Bike Factor	
Frt	
Flt Protected	
Satd. Flow (prot)	
Flt Permitted	
Satd. Flow (perm)	
Right Turn on Red	
Satd. Flow (RTOR)	
Link Speed (mph)	
Link Distance (ft)	
Travel Time (s)	
Confl. Peds. (#/hr)	
Confl. Bikes (#/hr)	
Peak Hour Factor	
Growth Factor	
Heavy Vehicles (%)	
Bus Blockages (#/hr)	
Parking (#/hr)	
Mid-Block Traffic (%)	
Shared Lane Traffic (%)	
Lane Group Flow (vph)	
Turn Type	
Protected Phases	2
Permitted Phases	
Detector Phase	
Switch Phase	
Minimum Initial (s)	42.0
Minimum Split (s)	44.0
Total Split (s)	44.0
Total Split (%)	40%
Yellow Time (s)	2.0
All-Red Time (s)	0.0
Lost Time Adjust (s)	
Total Lost Time (s)	
Lead/Lag	
Lead-Lag Optimize?	
Recall Mode	C-Max
Act Effct Green (s)	
Actuated g/C Ratio	

Lanes, Volumes, Timings
 2: Chicago Avenue & Church Street

09/24/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
v/c Ratio		0.61						0.44	0.11			0.21
Control Delay		34.2						6.6	12.0			8.3
Queue Delay		0.0						0.0	0.0			0.0
Total Delay		34.2						6.6	12.0			8.3
LOS		C						A	B			A
Approach Delay		34.2						7.0				8.3
Approach LOS		C						A				A
Queue Length 50th (ft)		138						195	6			54
Queue Length 95th (ft)		184						9	m28			81
Internal Link Dist (ft)		462				148		502				462
Turn Bay Length (ft)									50			
Base Capacity (vph)		797						1011	360			976
Starvation Cap Reductn		0						0	0			0
Spillback Cap Reductn		0						0	0			0
Storage Cap Reductn		0						0	0			0
Reduced v/c Ratio		0.61						0.44	0.11			0.21

Intersection Summary

Area Type: Other
 Cycle Length: 110
 Actuated Cycle Length: 110
 Offset: 0 (0%), Referenced to phase 2:NBSB, Start of Green
 Natural Cycle: 110
 Control Type: Actuated-Coordinated
 Maximum v/c Ratio: 0.61
 Intersection Signal Delay: 18.5
 Intersection LOS: B
 Intersection Capacity Utilization 93.3%
 ICU Level of Service F
 Analysis Period (min) 15
 m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 2: Chicago Avenue & Church Street



Lanes, Volumes, Timings
2: Chicago Avenue & Church Street

09/24/2021

Lane Group	Ø2
v/c Ratio	
Control Delay	
Queue Delay	
Total Delay	
LOS	
Approach Delay	
Approach LOS	
Queue Length 50th (ft)	
Queue Length 95th (ft)	
Internal Link Dist (ft)	
Turn Bay Length (ft)	
Base Capacity (vph)	
Starvation Cap Reductn	
Spillback Cap Reductn	
Storage Cap Reductn	
Reduced v/c Ratio	
Intersection Summary	

HCM 6th AWSC
 3: Davis Street & Hinman Avenue

09/24/2021

Intersection	
Intersection Delay, s/veh	8
Intersection LOS	A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations					↕↕			↕			↕	
Traffic Vol, veh/h	0	0	0	9	128	21	19	51	0	0	33	17
Future Vol, veh/h	0	0	0	9	128	21	19	51	0	0	33	17
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Heavy Vehicles, %	0	0	0	11	3	5	0	0	0	0	5	24
Mvmt Flow	0	0	0	10	144	24	21	57	0	0	37	19
Number of Lanes	0	0	0	0	2	0	0	1	0	0	1	0

Approach	WB	NB	SB
Opposing Approach		SB	NB
Opposing Lanes	0	1	1
Conflicting Approach Left	NB		WB
Conflicting Lanes Left	1	0	2
Conflicting Approach Right	SB	WB	
Conflicting Lanes Right	1	2	0
HCM Control Delay	8.2	7.9	7.6
HCM LOS	A	A	A

Lane	NBLn1	WBLn1	WBLn2	SBLn1
Vol Left, %	27%	12%	0%	0%
Vol Thru, %	73%	88%	75%	66%
Vol Right, %	0%	0%	25%	34%
Sign Control	Stop	Stop	Stop	Stop
Traffic Vol by Lane	70	73	85	50
LT Vol	19	9	0	0
Through Vol	51	64	64	33
RT Vol	0	0	21	17
Lane Flow Rate	79	82	96	56
Geometry Grp	2	7	7	2
Degree of Util (X)	0.097	0.114	0.122	0.067
Departure Headway (Hd)	4.448	4.982	4.611	4.301
Convergence, Y/N	Yes	Yes	Yes	Yes
Cap	810	712	768	837
Service Time	2.45	2.767	2.395	2.304
HCM Lane V/C Ratio	0.098	0.115	0.125	0.067
HCM Control Delay	7.9	8.4	8	7.6
HCM Lane LOS	A	A	A	A
HCM 95th-tile Q	0.3	0.4	0.4	0.2

HCM 6th TWSC
6: Davis Street & East Alley

09/24/2021

Intersection												
Int Delay, s/veh	1.2											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations					↕↕			↕			↕	
Traffic Vol, veh/h	0	0	0	4	158	2	5	2	0	0	6	4
Future Vol, veh/h	0	0	0	4	158	2	5	2	0	0	6	4
Conflicting Peds, #/hr	4	0	39	39	0	4	0	0	4	4	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	1	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	75	75	75	75	75	75	75	75	75	75	75	75
Heavy Vehicles, %	0	0	0	25	4	0	40	50	0	0	0	25
Mvmt Flow	0	0	0	5	211	3	7	3	0	0	8	5

Major/Minor	Major2	Minor1	Minor2
Conflicting Flow All	39	0	0
Stage 1	-	-	-
Stage 2	-	-	-
Critical Hdwy	4.6	-	-
Critical Hdwy Stg 1	-	-	-
Critical Hdwy Stg 2	-	-	-
Follow-up Hdwy	2.45	-	-
Pot Cap-1 Maneuver	1417	-	-
Stage 1	-	-	-
Stage 2	-	-	-
Platoon blocked, %	-	-	-
Mov Cap-1 Maneuver	1375	-	-
Mov Cap-2 Maneuver	-	-	-
Stage 1	-	-	-
Stage 2	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	0.2	11	10.3
HCM LOS		B	B

Minor Lane/Major Mvmt	NBLn1	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	614	1375	-	-	694
HCM Lane V/C Ratio	0.015	0.004	-	-	0.019
HCM Control Delay (s)	11	7.6	0	-	10.3
HCM Lane LOS	B	A	A	-	B
HCM 95th %tile Q(veh)	0	0	-	-	0.1

HCM 6th TWSC
7: East Alley & Church Street

09/24/2021

Intersection												
Int Delay, s/veh	0.5											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔↔						↔			↔	
Traffic Vol, veh/h	9	268	10	0	0	0	0	4	0	4	0	0
Future Vol, veh/h	9	268	10	0	0	0	0	4	0	4	0	0
Conflicting Peds, #/hr	36	0	22	22	0	36	19	0	1	1	0	19
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	1080852480	-	-	0	-	-	0	-	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	10	291	11	0	0	0	0	4	0	4	0	0

Major/Minor	Major1			Minor1			Minor2		
Conflicting Flow All	36	0	0	-	375	174	205	380	-
Stage 1	-	-	-	-	339	-	36	36	-
Stage 2	-	-	-	-	36	-	169	344	-
Critical Hdwy	4.14	-	-	-	6.54	6.94	7.54	6.54	-
Critical Hdwy Stg 1	-	-	-	-	5.54	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-	-	-	6.54	5.54	-
Follow-up Hdwy	2.22	-	-	-	4.02	3.32	3.52	4.02	-
Pot Cap-1 Maneuver	1573	-	-	0	555	839	735	551	0
Stage 1	-	-	-	0	638	-	-	-	0
Stage 2	-	-	-	0	-	-	816	635	0
Platoon blocked, %	-	-	-	-	-	-	-	-	-
Mov Cap-1 Maneuver	1530	-	-	-	527	825	706	523	-
Mov Cap-2 Maneuver	-	-	-	-	527	-	706	523	-
Stage 1	-	-	-	-	622	-	-	-	-
Stage 2	-	-	-	-	-	-	804	619	-

Approach	EB	NB	SB
HCM Control Delay, s	0.2	11.9	10.1
HCM LOS		B	B

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	SBLn1
Capacity (veh/h)	527	1530	-	-	706
HCM Lane V/C Ratio	0.008	0.006	-	-	0.006
HCM Control Delay (s)	11.9	7.4	0	-	10.1
HCM Lane LOS	B	A	A	-	B
HCM 95th %tile Q(veh)	0	0	-	-	0

HCM 6th AWSC
4: Hinman Avenue & Church Street

09/24/2021

Intersection	
Intersection Delay, s/veh	8.4
Intersection LOS	A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕↕						↕			↕	
Traffic Vol, veh/h	20	219	33	0	0	0	0	54	18	4	17	0
Future Vol, veh/h	20	219	33	0	0	0	0	54	18	4	17	0
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94
Heavy Vehicles, %	4	4	14	0	0	0	0	0	6	0	5	0
Mvmt Flow	21	233	35	0	0	0	0	57	19	4	18	0
Number of Lanes	0	2	0	0	0	0	0	1	0	0	1	0

Approach	EB	NB	SB
Opposing Approach		SB	NB
Opposing Lanes	0	1	1
Conflicting Approach Left	SB	EB	
Conflicting Lanes Left	1	2	0
Conflicting Approach Right	NB		EB
Conflicting Lanes Right	1	0	2
HCM Control Delay	8.6	7.9	7.8
HCM LOS	A	A	A

Lane	NBLn1	EBLn1	EBLn2	SBLn1
Vol Left, %	0%	15%	0%	19%
Vol Thru, %	75%	85%	77%	81%
Vol Right, %	25%	0%	23%	0%
Sign Control	Stop	Stop	Stop	Stop
Traffic Vol by Lane	72	130	143	21
LT Vol	0	20	0	4
Through Vol	54	110	110	17
RT Vol	18	0	33	0
Lane Flow Rate	77	138	152	22
Geometry Grp	2	7	7	2
Degree of Util (X)	0.095	0.184	0.193	0.029
Departure Headway (Hd)	4.442	4.817	4.578	4.692
Convergence, Y/N	Yes	Yes	Yes	Yes
Cap	811	738	778	767
Service Time	2.443	2.587	2.347	2.697
HCM Lane V/C Ratio	0.095	0.187	0.195	0.029
HCM Control Delay	7.9	8.7	8.5	7.8
HCM Lane LOS	A	A	A	A
HCM 95th-tile Q	0.3	0.7	0.7	0.1

Capacity Analysis Summary Sheets
No-Build Weekday Evening Peak Hour Conditions

Lanes, Volumes, Timings
1: Chicago Avenue & Davis Street

09/24/2021

												
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	0	0	0	28	156	36	117	279	0	0	526	131
Future Volume (vph)	0	0	0	28	156	36	117	279	0	0	526	131
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	11	11	11	11	11	11	11	11	11	11	11	11
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		0	0		70
Storage Lanes	0		0	0		0	1		0	0		1
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	0.95	0.95	0.95	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor					0.87							0.67
Frt					0.975							0.850
Flt Protected					0.994		0.950					
Satd. Flow (prot)	0	0	0	0	2963	0	1678	1605	0	0	1621	1531
Flt Permitted					0.994		0.305					
Satd. Flow (perm)	0	0	0	0	2810	0	539	1605	0	0	1621	1025
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		636			240			245			582	
Travel Time (s)		14.5			5.5			5.6			13.2	
Confl. Peds. (#/hr)	155		139	139		155	210		164	164		210
Confl. Bikes (#/hr)						15			23			42
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	0%	0%	0%	0%	0%	0%	4%	3%	0%	0%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)		0			0			0			0	
Mid-Block Traffic (%)		0%			0%			0%			0%	
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	0	0	0	242	0	129	307	0	0	578	144
Turn Type				Perm	NA		Perm	NA			NA	Perm
Protected Phases					8			2			6	
Permitted Phases				8			2					6
Detector Phase				8	8		2	2			6	6
Switch Phase												
Minimum Initial (s)				7.0	7.0		15.0	15.0			15.0	15.0
Minimum Split (s)				25.0	25.0		25.0	25.0			25.0	25.0
Total Split (s)				36.0	36.0		49.0	49.0			49.0	49.0
Total Split (%)				32.7%	32.7%		44.5%	44.5%			44.5%	44.5%
Yellow Time (s)				4.5	4.5		4.5	4.5			4.5	4.5
All-Red Time (s)				1.5	1.5		1.5	1.5			1.5	1.5
Lost Time Adjust (s)					0.0		0.0	0.0			0.0	0.0
Total Lost Time (s)					6.0		6.0	6.0			6.0	6.0
Lead/Lag												
Lead-Lag Optimize?												
Recall Mode				Max	Max		C-Max	C-Max			C-Max	C-Max
Act Effct Green (s)					30.0		63.0	63.0			63.0	63.0
Actuated g/C Ratio					0.27		0.57	0.57			0.57	0.57


Lanes, Volumes, Timings
 1: Chicago Avenue & Davis Street

09/24/2021

Lane Group	Ø10
Lane Configurations	
Traffic Volume (vph)	
Future Volume (vph)	
Ideal Flow (vphpl)	
Lane Width (ft)	
Grade (%)	
Storage Length (ft)	
Storage Lanes	
Taper Length (ft)	
Lane Util. Factor	
Ped Bike Factor	
Frt	
Flt Protected	
Satd. Flow (prot)	
Flt Permitted	
Satd. Flow (perm)	
Right Turn on Red	
Satd. Flow (RTOR)	
Link Speed (mph)	
Link Distance (ft)	
Travel Time (s)	
Confl. Peds. (#/hr)	
Confl. Bikes (#/hr)	
Peak Hour Factor	
Growth Factor	
Heavy Vehicles (%)	
Bus Blockages (#/hr)	
Parking (#/hr)	
Mid-Block Traffic (%)	
Shared Lane Traffic (%)	
Lane Group Flow (vph)	
Turn Type	
Protected Phases	10
Permitted Phases	
Detector Phase	
Switch Phase	
Minimum Initial (s)	4.0
Minimum Split (s)	25.0
Total Split (s)	25.0
Total Split (%)	23%
Yellow Time (s)	6.0
All-Red Time (s)	0.0
Lost Time Adjust (s)	
Total Lost Time (s)	
Lead/Lag	
Lead-Lag Optimize?	
Recall Mode	None
Act Effct Green (s)	
Actuated g/C Ratio	

Lanes, Volumes, Timings
 1: Chicago Avenue & Davis Street

09/24/2021




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
v/c Ratio					0.32		0.42	0.33			0.62	0.25
Control Delay					33.2		22.3	15.9			16.8	11.6
Queue Delay					0.0		0.0	0.0			0.3	0.0
Total Delay					33.2		22.3	15.9			17.1	11.6
LOS					C		C	B			B	B
Approach Delay					33.2			17.8			16.0	
Approach LOS					C			B			B	
Queue Length 50th (ft)					71		42	95			155	30
Queue Length 95th (ft)					107		#150	245			m#585	m92
Internal Link Dist (ft)		556			160			165			502	
Turn Bay Length (ft)												70
Base Capacity (vph)					766		308	919			928	586
Starvation Cap Reductn					0		0	0			58	0
Spillback Cap Reductn					0		0	0			0	0
Storage Cap Reductn					0		0	0			0	0
Reduced v/c Ratio					0.32		0.42	0.33			0.66	0.25

Intersection Summary

Area Type: Other
 Cycle Length: 110
 Actuated Cycle Length: 110
 Offset: 0 (0%), Referenced to phase 2:NBTL and 6:SBT, Start of Green
 Natural Cycle: 90
 Control Type: Actuated-Coordinated
 Maximum v/c Ratio: 0.62
 Intersection Signal Delay: 19.5
 Intersection Capacity Utilization 71.0%
 Analysis Period (min) 15
 Intersection LOS: B
 ICU Level of Service C
 # 95th percentile volume exceeds capacity, queue may be longer.
 Queue shown is maximum after two cycles.
 m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 1: Chicago Avenue & Davis Street



Lane Group	Ø10
v/c Ratio	
Control Delay	
Queue Delay	
Total Delay	
LOS	
Approach Delay	
Approach LOS	
Queue Length 50th (ft)	
Queue Length 95th (ft)	
Internal Link Dist (ft)	
Turn Bay Length (ft)	
Base Capacity (vph)	
Starvation Cap Reductn	
Spillback Cap Reductn	
Storage Cap Reductn	
Reduced v/c Ratio	
Intersection Summary	

Lanes, Volumes, Timings
2: Chicago Avenue & Church Street

09/24/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕↕						↑	↗		↖	
Traffic Volume (vph)	54	377	185	0	0	0	0	259	44	27	442	0
Future Volume (vph)	54	377	185	0	0	0	0	259	44	27	442	0
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	11	11	11	11	11	11	11	11	11	11	11	11
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		50	0		0
Storage Lanes	0		0	0		0	0		1	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	0.95	0.95	0.95	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor		0.89									1.00	
Frt		0.955							0.850			
Flt Protected		0.996									0.997	
Satd. Flow (prot)	0	2802	0	0	0	0	0	1605	1561	0	1614	0
Flt Permitted		0.996									0.973	
Satd. Flow (perm)	0	2743	0	0	0	0	0	1605	1561	0	1570	0
Right Turn on Red			Yes			Yes			Yes			Yes
Satd. Flow (RTOR)		60							50			
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		542			228			582			542	
Travel Time (s)		12.3			5.2			13.2			12.3	
Confl. Peds. (#/hr)	132		138	138		132	164		164	164		164
Confl. Bikes (#/hr)			21						23			6
Peak Hour Factor	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	7%	2%	3%	0%	0%	0%	0%	3%	0%	4%	2%	0%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)		0						0			0	
Mid-Block Traffic (%)		0%			0%			0%			0%	
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	662	0	0	0	0	0	278	47	0	504	0
Turn Type	Perm	NA						NA	custom	Perm	NA	
Protected Phases		10						2 6	6		2 6	
Permitted Phases	10									2 6		
Detector Phase	10	10						2 6	6	2 6	2 6	
Switch Phase												
Minimum Initial (s)	30.0	30.0							24.0			
Minimum Split (s)	36.0	36.0							30.0			
Total Split (s)	36.0	36.0							30.0			
Total Split (%)	32.7%	32.7%							27.3%			
Yellow Time (s)	4.5	4.5							4.5			
All-Red Time (s)	1.5	1.5							1.5			
Lost Time Adjust (s)		0.0							0.0			
Total Lost Time (s)		6.0							6.0			
Lead/Lag												
Lead-Lag Optimize?												
Recall Mode	Max	Max							None			
Act Effct Green (s)		30.0						72.0	24.0		72.0	
Actuated g/C Ratio		0.27						0.65	0.22		0.65	

Lanes, Volumes, Timings
 2: Chicago Avenue & Church Street

09/24/2021

Lane Group	Ø2
Lane Configurations	
Traffic Volume (vph)	
Future Volume (vph)	
Ideal Flow (vphpl)	
Lane Width (ft)	
Grade (%)	
Storage Length (ft)	
Storage Lanes	
Taper Length (ft)	
Lane Util. Factor	
Ped Bike Factor	
Frt	
Flt Protected	
Satd. Flow (prot)	
Flt Permitted	
Satd. Flow (perm)	
Right Turn on Red	
Satd. Flow (RTOR)	
Link Speed (mph)	
Link Distance (ft)	
Travel Time (s)	
Confl. Peds. (#/hr)	
Confl. Bikes (#/hr)	
Peak Hour Factor	
Growth Factor	
Heavy Vehicles (%)	
Bus Blockages (#/hr)	
Parking (#/hr)	
Mid-Block Traffic (%)	
Shared Lane Traffic (%)	
Lane Group Flow (vph)	
Turn Type	
Protected Phases	2
Permitted Phases	
Detector Phase	
Switch Phase	
Minimum Initial (s)	4.0
Minimum Split (s)	44.0
Total Split (s)	44.0
Total Split (%)	40%
Yellow Time (s)	2.0
All-Red Time (s)	0.0
Lost Time Adjust (s)	
Total Lost Time (s)	
Lead/Lag	
Lead-Lag Optimize?	
Recall Mode	C-Max
Act Effct Green (s)	
Actuated g/C Ratio	

Lanes, Volumes, Timings
 2: Chicago Avenue & Church Street

09/24/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
v/c Ratio		0.84						0.26	0.12		0.49	
Control Delay		45.0						5.0	15.0		11.7	
Queue Delay		0.0						0.0	0.0		0.1	
Total Delay		45.0						5.0	15.0		11.8	
LOS		D						A	B		B	
Approach Delay		45.0						6.4			11.8	
Approach LOS		D						A			B	
Queue Length 50th (ft)		213						102	5		165	
Queue Length 95th (ft)		#306						10	50		243	
Internal Link Dist (ft)		462			148			502			462	
Turn Bay Length (ft)									50			
Base Capacity (vph)		791						1050	379		1027	
Starvation Cap Reductn		0						0	0		0	
Spillback Cap Reductn		1						0	0		56	
Storage Cap Reductn		0						0	0		0	
Reduced v/c Ratio		0.84						0.26	0.12		0.52	

Intersection Summary

Area Type: Other
 Cycle Length: 110
 Actuated Cycle Length: 110
 Offset: 0 (0%), Referenced to phase 2:NBSB, Start of Green
 Natural Cycle: 110
 Control Type: Actuated-Coordinated
 Maximum v/c Ratio: 0.84
 Intersection Signal Delay: 25.4
 Intersection LOS: C
 Intersection Capacity Utilization 83.1%
 ICU Level of Service E
 Analysis Period (min) 15
 # 95th percentile volume exceeds capacity, queue may be longer.
 Queue shown is maximum after two cycles.

Splits and Phases: 2: Chicago Avenue & Church Street



Lanes, Volumes, Timings
2: Chicago Avenue & Church Street

09/24/2021

Lane Group	Ø2
v/c Ratio	
Control Delay	
Queue Delay	
Total Delay	
LOS	
Approach Delay	
Approach LOS	
Queue Length 50th (ft)	
Queue Length 95th (ft)	
Internal Link Dist (ft)	
Turn Bay Length (ft)	
Base Capacity (vph)	
Starvation Cap Reductn	
Spillback Cap Reductn	
Storage Cap Reductn	
Reduced v/c Ratio	
Intersection Summary	

HCM 6th AWSC
 3: Davis Street & Hinman Avenue

09/24/2021

Intersection	
Intersection Delay, s/veh	8.6
Intersection LOS	A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations					↕↕			↕			↕	
Traffic Vol, veh/h	0	0	0	6	126	28	30	52	0	0	128	64
Future Vol, veh/h	0	0	0	6	126	28	30	52	0	0	128	64
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles, %	0	0	0	0	0	1	0	2	0	0	1	0
Mvmt Flow	0	0	0	7	137	30	33	57	0	0	139	70
Number of Lanes	0	0	0	0	2	0	0	1	0	0	1	0

Approach	WB	NB	SB
Opposing Approach		SB	NB
Opposing Lanes	0	1	1
Conflicting Approach Left	NB		WB
Conflicting Lanes Left	1	0	2
Conflicting Approach Right	SB	WB	
Conflicting Lanes Right	1	2	0
HCM Control Delay	8.5	8.3	8.7
HCM LOS	A	A	A

Lane	NBLn1	WBLn1	WBLn2	SBLn1
Vol Left, %	37%	9%	0%	0%
Vol Thru, %	63%	91%	69%	67%
Vol Right, %	0%	0%	31%	33%
Sign Control	Stop	Stop	Stop	Stop
Traffic Vol by Lane	82	69	91	192
LT Vol	30	6	0	0
Through Vol	52	63	63	128
RT Vol	0	0	28	64
Lane Flow Rate	89	75	99	209
Geometry Grp	2	7	7	2
Degree of Util (X)	0.115	0.108	0.136	0.247
Departure Headway (Hd)	4.629	5.205	4.945	4.253
Convergence, Y/N	Yes	Yes	Yes	Yes
Cap	775	689	725	845
Service Time	2.652	2.935	2.674	2.27
HCM Lane V/C Ratio	0.115	0.109	0.137	0.247
HCM Control Delay	8.3	8.6	8.5	8.7
HCM Lane LOS	A	A	A	A
HCM 95th-tile Q	0.4	0.4	0.5	1

HCM 6th AWSC
4: Hinman Avenue & Church Street

09/24/2021

Intersection	
Intersection Delay, s/veh	9.7
Intersection LOS	A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕↕						↕			↕	
Traffic Vol, veh/h	19	335	90	0	0	0	0	54	26	11	102	0
Future Vol, veh/h	19	335	90	0	0	0	0	54	26	11	102	0
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94
Heavy Vehicles, %	0	1	1	0	0	0	0	2	4	0	0	0
Mvmt Flow	20	356	96	0	0	0	0	57	28	12	109	0
Number of Lanes	0	2	0	0	0	0	0	1	0	0	1	0

Approach	EB	NB	SB
Opposing Approach		SB	NB
Opposing Lanes	0	1	1
Conflicting Approach Left	SB	EB	
Conflicting Lanes Left	1	2	0
Conflicting Approach Right	NB		EB
Conflicting Lanes Right	1	0	2
HCM Control Delay	10.1	8.6	9.1
HCM LOS	B	A	A

Lane	NBLn1	EBLn1	EBLn2	SBLn1
Vol Left, %	0%	10%	0%	10%
Vol Thru, %	68%	90%	65%	90%
Vol Right, %	33%	0%	35%	0%
Sign Control	Stop	Stop	Stop	Stop
Traffic Vol by Lane	80	187	258	113
LT Vol	0	19	0	11
Through Vol	54	168	168	102
RT Vol	26	0	90	0
Lane Flow Rate	85	198	274	120
Geometry Grp	2	7	7	2
Degree of Util (X)	0.117	0.279	0.364	0.169
Departure Headway (Hd)	4.933	5.062	4.782	5.062
Convergence, Y/N	Yes	Yes	Yes	Yes
Cap	725	708	751	708
Service Time	2.974	2.799	2.519	3.1
HCM Lane V/C Ratio	0.117	0.28	0.365	0.169
HCM Control Delay	8.6	9.8	10.3	9.1
HCM Lane LOS	A	A	B	A
HCM 95th-tile Q	0.4	1.1	1.7	0.6

HCM 6th TWSC
6: Davis Street & East Alley

09/24/2021

Intersection												
Int Delay, s/veh	0.4											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations					↕↕			↕			↕	
Traffic Vol, veh/h	0	0	0	0	215	5	2	1	0	0	3	3
Future Vol, veh/h	0	0	0	0	215	5	2	1	0	0	3	3
Conflicting Peds, #/hr	25	0	52	52	0	25	1	0	6	6	0	1
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	1	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	85	85	85	85	85	85	85	85	85	85	85	85
Heavy Vehicles, %	0	0	0	0	0	0	0	0	0	0	0	0
Mvmt Flow	0	0	0	0	253	6	2	1	0	0	4	4

Major/Minor	Major2	Minor1	Minor2
Conflicting Flow All	52	0	0
Stage 1	-	-	-
Stage 2	-	-	-
Critical Hdwy	4.1	-	-
Critical Hdwy Stg 1	-	-	-
Critical Hdwy Stg 2	-	-	-
Follow-up Hdwy	2.2	-	-
Pot Cap-1 Maneuver	1567	-	-
Stage 1	-	-	-
Stage 2	-	-	-
Platoon blocked, %	-	-	-
Mov Cap-1 Maneuver	1505	-	-
Mov Cap-2 Maneuver	-	-	-
Stage 1	-	-	-
Stage 2	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	0	10.5	10.4
HCM LOS		B	B

Minor Lane/Major Mvmt	NBLn1	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	661	1505	-	-	673
HCM Lane V/C Ratio	0.005	-	-	-	0.01
HCM Control Delay (s)	10.5	0	-	-	10.4
HCM Lane LOS	B	A	-	-	B
HCM 95th %tile Q(veh)	0	0	-	-	0

HCM 6th TWSC
7: East Alley & Church Street

09/24/2021

Intersection												
Int Delay, s/veh	0.4											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔↔						↔			↔	
Traffic Vol, veh/h	7	437	4	0	0	0	0	4	2	5	2	0
Future Vol, veh/h	7	437	4	0	0	0	0	4	2	5	2	0
Conflicting Peds, #/hr	29	0	39	39	0	29	6	0	3	3	0	6
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	1080852480	-	-	0	-	-	0	-	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	2	3	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	8	475	4	0	0	0	0	4	2	5	2	0

Major/Minor	Major1			Minor1			Minor2		
Conflicting Flow All	29	0	0	-	561	282	288	563	-
Stage 1	-	-	-	-	532	-	29	29	-
Stage 2	-	-	-	-	29	-	259	534	-
Critical Hdwy	4.14	-	-	-	6.54	6.94	7.54	6.54	-
Critical Hdwy Stg 1	-	-	-	-	5.54	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-	-	-	6.54	5.54	-
Follow-up Hdwy	2.22	-	-	-	4.02	3.32	3.52	4.02	-
Pot Cap-1 Maneuver	1582	-	-	0	435	715	642	434	0
Stage 1	-	-	-	0	524	-	-	-	0
Stage 2	-	-	-	0	-	-	723	523	0
Platoon blocked, %	-	-	-	-	-	-	-	-	-
Mov Cap-1 Maneuver	1547	-	-	-	410	694	618	409	-
Mov Cap-2 Maneuver	-	-	-	-	410	-	618	409	-
Stage 1	-	-	-	-	505	-	-	-	-
Stage 2	-	-	-	-	-	-	710	504	-

Approach	EB	NB	SB
HCM Control Delay, s	0.1	12.7	11.8
HCM LOS		B	B

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	SBLn1
Capacity (veh/h)	475	1547	-	-	539
HCM Lane V/C Ratio	0.014	0.005	-	-	0.014
HCM Control Delay (s)	12.7	7.3	0	-	11.8
HCM Lane LOS	B	A	A	-	B
HCM 95th %tile Q(veh)	0	0	-	-	0

Capacity Analysis Summary Sheets
Projected Weekday Morning Peak Hour Conditions

Lanes, Volumes, Timings
1: Chicago Avenue & Davis Street

09/24/2021

												
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	0	0	0	16	154	22	127	417	0	0	197	98
Future Volume (vph)	0	0	0	16	154	22	127	417	0	0	197	98
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	11	11	11	11	11	11	11	11	11	11	11	11
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		0	0		70
Storage Lanes	0		0	0		0	1		0	0		1
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	0.95	0.95	0.95	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor					0.95		0.86					
Frt					0.983							0.850
Flt Protected					0.996		0.950					
Satd. Flow (prot)	0	0	0	0	3040	0	1662	1589	0	0	1559	1501
Flt Permitted					0.996		0.617					
Satd. Flow (perm)	0	0	0	0	2975	0	933	1589	0	0	1559	1187
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		30			30			30				30
Link Distance (ft)		636			240			245				582
Travel Time (s)		14.5			5.5			5.6				13.2
Confl. Peds. (#/hr)	64		89	89		64	113		97	97		113
Confl. Bikes (#/hr)						18			54			12
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	0%	0%	0%	29%	0%	15%	5%	4%	0%	0%	6%	4%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)		0			0			0			0	
Mid-Block Traffic (%)		0%			0%			0%			0%	
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	0	0	0	204	0	135	444	0	0	210	104
Turn Type				Perm	NA		Perm	NA			NA	Perm
Protected Phases					8			2			6	
Permitted Phases				8			2					6
Detector Phase				8	8		2	2			6	6
Switch Phase												
Minimum Initial (s)				7.0	7.0		15.0	15.0			15.0	15.0
Minimum Split (s)				25.0	25.0		25.0	25.0			25.0	25.0
Total Split (s)				36.0	36.0		49.0	49.0			49.0	49.0
Total Split (%)				32.7%	32.7%		44.5%	44.5%			44.5%	44.5%
Yellow Time (s)				4.5	4.5		4.5	4.5			4.5	4.5
All-Red Time (s)				1.5	1.5		1.5	1.5			1.5	1.5
Lost Time Adjust (s)					0.0		0.0	0.0			0.0	0.0
Total Lost Time (s)					6.0		6.0	6.0			6.0	6.0
Lead/Lag												
Lead-Lag Optimize?												
Recall Mode				Max	Max		C-Max	C-Max			C-Max	C-Max
Act Effct Green (s)					30.0		63.0	63.0			63.0	63.0
Actuated g/C Ratio					0.27		0.57	0.57			0.57	0.57


Lanes, Volumes, Timings
 1: Chicago Avenue & Davis Street

09/24/2021

Lane Group	Ø10
Lane Configurations	
Traffic Volume (vph)	
Future Volume (vph)	
Ideal Flow (vphpl)	
Lane Width (ft)	
Grade (%)	
Storage Length (ft)	
Storage Lanes	
Taper Length (ft)	
Lane Util. Factor	
Ped Bike Factor	
Frt	
Flt Protected	
Satd. Flow (prot)	
Flt Permitted	
Satd. Flow (perm)	
Right Turn on Red	
Satd. Flow (RTOR)	
Link Speed (mph)	
Link Distance (ft)	
Travel Time (s)	
Confl. Peds. (#/hr)	
Confl. Bikes (#/hr)	
Peak Hour Factor	
Growth Factor	
Heavy Vehicles (%)	
Bus Blockages (#/hr)	
Parking (#/hr)	
Mid-Block Traffic (%)	
Shared Lane Traffic (%)	
Lane Group Flow (vph)	
Turn Type	
Protected Phases	10
Permitted Phases	
Detector Phase	
Switch Phase	
Minimum Initial (s)	4.0
Minimum Split (s)	25.0
Total Split (s)	25.0
Total Split (%)	23%
Yellow Time (s)	6.0
All-Red Time (s)	0.0
Lost Time Adjust (s)	
Total Lost Time (s)	
Lead/Lag	
Lead-Lag Optimize?	
Recall Mode	None
Act Effct Green (s)	
Actuated g/C Ratio	

Lanes, Volumes, Timings
 1: Chicago Avenue & Davis Street

09/24/2021




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
v/c Ratio					0.25		0.25	0.49			0.24	0.15
Control Delay					32.3		16.1	18.7			10.3	10.2
Queue Delay					0.0		0.0	0.0			0.0	0.0
Total Delay					32.3		16.1	18.7			10.3	10.2
LOS					C		B	B			B	B
Approach Delay					32.3			18.1			10.3	
Approach LOS					C			B			B	
Queue Length 50th (ft)					59		40	154			35	17
Queue Length 95th (ft)					91		122	385			152	m84
Internal Link Dist (ft)		556			160			165			502	
Turn Bay Length (ft)												70
Base Capacity (vph)					811		534	910			892	679
Starvation Cap Reductn					0		0	0			0	0
Spillback Cap Reductn					0		0	0			0	0
Storage Cap Reductn					0		0	0			0	0
Reduced v/c Ratio					0.25		0.25	0.49			0.24	0.15

Intersection Summary

Area Type: Other
 Cycle Length: 110
 Actuated Cycle Length: 110
 Offset: 0 (0%), Referenced to phase 2:NBTL and 6:SBT, Start of Green
 Natural Cycle: 80
 Control Type: Actuated-Coordinated
 Maximum v/c Ratio: 0.49
 Intersection Signal Delay: 18.5 Intersection LOS: B
 Intersection Capacity Utilization 59.2% ICU Level of Service B
 Analysis Period (min) 15
 m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 1: Chicago Avenue & Davis Street



Lane Group	Ø10
v/c Ratio	
Control Delay	
Queue Delay	
Total Delay	
LOS	
Approach Delay	
Approach LOS	
Queue Length 50th (ft)	
Queue Length 95th (ft)	
Internal Link Dist (ft)	
Turn Bay Length (ft)	
Base Capacity (vph)	
Starvation Cap Reductn	
Spillback Cap Reductn	
Storage Cap Reductn	
Reduced v/c Ratio	
Intersection Summary	

Lanes, Volumes, Timings
2: Chicago Avenue & Church Street

09/24/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕↕						↑	↗		↖	
Traffic Volume (vph)	50	248	128	0	0	0	0	384	37	15	167	0
Future Volume (vph)	50	248	128	0	0	0	0	384	37	15	167	0
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	11	11	11	11	11	11	11	11	11	11	11	11
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		50	0		0
Storage Lanes	0		0	0		0	0		1	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	0.95	0.95	0.95	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor		0.92									1.00	
Frt		0.955							0.850			
Flt Protected		0.994									0.996	
Satd. Flow (prot)	0	2815	0	0	0	0	0	1545	1473	0	1534	0
Flt Permitted		0.994									0.960	
Satd. Flow (perm)	0	2764	0	0	0	0	0	1545	1473	0	1475	0
Right Turn on Red			Yes			Yes			Yes			Yes
Satd. Flow (RTOR)		60							50			
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		542			228			582			542	
Travel Time (s)		12.3			5.2			13.2			12.3	
Confl. Peds. (#/hr)	84		89	89		84	155		97	97		155
Confl. Bikes (#/hr)			13						81			
Peak Hour Factor	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	12%	4%	5%	0%	0%	0%	0%	7%	6%	0%	8%	0%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)		0						0			0	
Mid-Block Traffic (%)		0%			0%			0%			0%	
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	495	0	0	0	0	0	447	43	0	211	0
Turn Type	Perm	NA						NA	custom	Perm	NA	
Protected Phases		10						2 6	6		2 6	
Permitted Phases	10									2 6		
Detector Phase	10	10						2 6	6	2 6	2 6	
Switch Phase												
Minimum Initial (s)	30.0	30.0							24.0			
Minimum Split (s)	36.0	36.0							30.0			
Total Split (s)	36.0	36.0							30.0			
Total Split (%)	32.7%	32.7%							27.3%			
Yellow Time (s)	4.5	4.5							4.5			
All-Red Time (s)	1.5	1.5							1.5			
Lost Time Adjust (s)		0.0							0.0			
Total Lost Time (s)		6.0							6.0			
Lead/Lag												
Lead-Lag Optimize?												
Recall Mode	Max	Max							None			
Act Effct Green (s)		30.0						72.0	24.0		72.0	
Actuated g/C Ratio		0.27						0.65	0.22		0.65	

Lanes, Volumes, Timings
 2: Chicago Avenue & Church Street

09/24/2021

Lane Group	Ø2
Lane Configurations	
Traffic Volume (vph)	
Future Volume (vph)	
Ideal Flow (vphpl)	
Lane Width (ft)	
Grade (%)	
Storage Length (ft)	
Storage Lanes	
Taper Length (ft)	
Lane Util. Factor	
Ped Bike Factor	
Frt	
Flt Protected	
Satd. Flow (prot)	
Flt Permitted	
Satd. Flow (perm)	
Right Turn on Red	
Satd. Flow (RTOR)	
Link Speed (mph)	
Link Distance (ft)	
Travel Time (s)	
Confl. Peds. (#/hr)	
Confl. Bikes (#/hr)	
Peak Hour Factor	
Growth Factor	
Heavy Vehicles (%)	
Bus Blockages (#/hr)	
Parking (#/hr)	
Mid-Block Traffic (%)	
Shared Lane Traffic (%)	
Lane Group Flow (vph)	
Turn Type	
Protected Phases	2
Permitted Phases	
Detector Phase	
Switch Phase	
Minimum Initial (s)	42.0
Minimum Split (s)	44.0
Total Split (s)	44.0
Total Split (%)	40%
Yellow Time (s)	2.0
All-Red Time (s)	0.0
Lost Time Adjust (s)	
Total Lost Time (s)	
Lead/Lag	
Lead-Lag Optimize?	
Recall Mode	C-Max
Act Effct Green (s)	
Actuated g/C Ratio	

Lanes, Volumes, Timings
 2: Chicago Avenue & Church Street

09/24/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
v/c Ratio		0.62						0.44	0.12			0.22
Control Delay		34.5						6.6	12.9			8.4
Queue Delay		0.0						0.0	0.0			0.0
Total Delay		34.5						6.6	12.9			8.4
LOS		C						A	B			A
Approach Delay		34.5						7.2				8.4
Approach LOS		C						A				A
Queue Length 50th (ft)		141						196	7			55
Queue Length 95th (ft)		186						10	m32			83
Internal Link Dist (ft)		462				148		502				462
Turn Bay Length (ft)									50			
Base Capacity (vph)		797						1011	360			965
Starvation Cap Reductn		0						0	0			0
Spillback Cap Reductn		0						0	0			0
Storage Cap Reductn		0						0	0			0
Reduced v/c Ratio		0.62						0.44	0.12			0.22

Intersection Summary

Area Type: Other
 Cycle Length: 110
 Actuated Cycle Length: 110
 Offset: 0 (0%), Referenced to phase 2:NBSB, Start of Green
 Natural Cycle: 110
 Control Type: Actuated-Coordinated
 Maximum v/c Ratio: 0.62
 Intersection Signal Delay: 18.7
 Intersection LOS: B
 Intersection Capacity Utilization 93.3%
 ICU Level of Service F
 Analysis Period (min) 15
 m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 2: Chicago Avenue & Church Street



Lanes, Volumes, Timings
2: Chicago Avenue & Church Street

09/24/2021

Lane Group	Ø2
v/c Ratio	
Control Delay	
Queue Delay	
Total Delay	
LOS	
Approach Delay	
Approach LOS	
Queue Length 50th (ft)	
Queue Length 95th (ft)	
Internal Link Dist (ft)	
Turn Bay Length (ft)	
Base Capacity (vph)	
Starvation Cap Reductn	
Spillback Cap Reductn	
Storage Cap Reductn	
Reduced v/c Ratio	
Intersection Summary	

HCM 6th AWSC
 3: Davis Street & Hinman Avenue

09/24/2021

Intersection	
Intersection Delay, s/veh	8
Intersection LOS	A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations					↕↕			↕			↕	
Traffic Vol, veh/h	0	0	0	9	129	21	19	51	0	0	35	17
Future Vol, veh/h	0	0	0	9	129	21	19	51	0	0	35	17
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Heavy Vehicles, %	0	0	0	11	3	5	0	0	0	0	5	24
Mvmt Flow	0	0	0	10	145	24	21	57	0	0	39	19
Number of Lanes	0	0	0	0	2	0	0	1	0	0	1	0

Approach	WB	NB	SB
Opposing Approach		SB	NB
Opposing Lanes	0	1	1
Conflicting Approach Left	NB		WB
Conflicting Lanes Left	1	0	2
Conflicting Approach Right	SB	WB	
Conflicting Lanes Right	1	2	0
HCM Control Delay	8.2	7.9	7.6
HCM LOS	A	A	A

Lane	NBLn1	WBLn1	WBLn2	SBLn1
Vol Left, %	27%	12%	0%	0%
Vol Thru, %	73%	88%	75%	67%
Vol Right, %	0%	0%	25%	33%
Sign Control	Stop	Stop	Stop	Stop
Traffic Vol by Lane	70	74	86	52
LT Vol	19	9	0	0
Through Vol	51	65	65	35
RT Vol	0	0	21	17
Lane Flow Rate	79	83	96	58
Geometry Grp	2	7	7	2
Degree of Util (X)	0.097	0.114	0.123	0.07
Departure Headway (Hd)	4.451	4.986	4.616	4.31
Convergence, Y/N	Yes	Yes	Yes	Yes
Cap	809	711	767	836
Service Time	2.454	2.772	2.402	2.313
HCM Lane V/C Ratio	0.098	0.117	0.125	0.069
HCM Control Delay	7.9	8.4	8.1	7.6
HCM Lane LOS	A	A	A	A
HCM 95th-tile Q	0.3	0.4	0.4	0.2

HCM 6th AWSC
4: Hinman Avenue & Church Street

09/24/2021

Intersection	
Intersection Delay, s/veh	8.4
Intersection LOS	A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕↕						↔			↕	
Traffic Vol, veh/h	25	222	35	0	0	0	0	54	18	4	17	0
Future Vol, veh/h	25	222	35	0	0	0	0	54	18	4	17	0
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94
Heavy Vehicles, %	4	4	14	0	0	0	0	0	6	0	5	0
Mvmt Flow	27	236	37	0	0	0	0	57	19	4	18	0
Number of Lanes	0	2	0	0	0	0	0	1	0	0	1	0

Approach	EB	NB	SB
Opposing Approach		SB	NB
Opposing Lanes	0	1	1
Conflicting Approach Left	SB	EB	
Conflicting Lanes Left	1	2	0
Conflicting Approach Right	NB		EB
Conflicting Lanes Right	1	0	2
HCM Control Delay	8.6	7.9	7.9
HCM LOS	A	A	A

Lane	NBLn1	EBLn1	EBLn2	SBLn1
Vol Left, %	0%	18%	0%	19%
Vol Thru, %	75%	82%	76%	81%
Vol Right, %	25%	0%	24%	0%
Sign Control	Stop	Stop	Stop	Stop
Traffic Vol by Lane	72	136	146	21
LT Vol	0	25	0	4
Through Vol	54	111	111	17
RT Vol	18	0	35	0
Lane Flow Rate	77	145	155	22
Geometry Grp	2	7	7	2
Degree of Util (X)	0.095	0.194	0.197	0.029
Departure Headway (Hd)	4.464	4.832	4.572	4.716
Convergence, Y/N	Yes	Yes	Yes	Yes
Cap	807	736	778	763
Service Time	2.465	2.602	2.341	2.72
HCM Lane V/C Ratio	0.095	0.197	0.199	0.029
HCM Control Delay	7.9	8.8	8.5	7.9
HCM Lane LOS	A	A	A	A
HCM 95th-tile Q	0.3	0.7	0.7	0.1

HCM 6th TWSC
6: Davis Street & East Alley

09/24/2021

Intersection												
Int Delay, s/veh	2.2											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations					↕↕			↕			↕	
Traffic Vol, veh/h	0	0	0	4	158	3	5	2	0	0	6	29
Future Vol, veh/h	0	0	0	4	158	3	5	2	0	0	6	29
Conflicting Peds, #/hr	4	0	39	39	0	4	0	0	4	4	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	1	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	75	75	75	75	75	75	75	75	75	75	75	75
Heavy Vehicles, %	0	0	0	25	4	0	40	50	0	0	0	25
Mvmt Flow	0	0	0	5	211	4	7	3	0	0	8	39

Major/Minor	Major2	Minor1	Minor2		
Conflicting Flow All	39	0	0	159	268
Stage 1	-	-	-	39	39
Stage 2	-	-	-	120	229
Critical Hdwy	4.6	-	-	8.3	7.5
Critical Hdwy Stg 1	-	-	-	-	-
Critical Hdwy Stg 2	-	-	-	7.3	6.5
Follow-up Hdwy	2.45	-	-	3.9	4.5
Pot Cap-1 Maneuver	1417	-	-	696	539
Stage 1	-	-	-	-	0
Stage 2	-	-	-	772	608
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	1375	-	-	636	519
Mov Cap-2 Maneuver	-	-	-	636	519
Stage 1	-	-	-	-	-
Stage 2	-	-	-	726	604

Approach	WB	NB	SB
HCM Control Delay, s	0.2	11.1	9.8
HCM LOS		B	A

Minor Lane/Major Mvmt	NBLn1	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	598	1375	-	-	797
HCM Lane V/C Ratio	0.016	0.004	-	-	0.059
HCM Control Delay (s)	11.1	7.6	0	-	9.8
HCM Lane LOS	B	A	A	-	A
HCM 95th %tile Q(veh)	0	0	-	-	0.2

HCM 6th TWSC
7: East Alley & Church Street

09/24/2021

Intersection												
Int Delay, s/veh	0.8											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔↔						↔			↔	
Traffic Vol, veh/h	9	268	23	0	0	0	0	4	10	4	0	0
Future Vol, veh/h	9	268	23	0	0	0	0	4	10	4	0	0
Conflicting Peds, #/hr	36	0	22	22	0	36	19	0	1	1	0	19
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	1080852480	-	-	0	-	-	0	-	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	10	291	25	0	0	0	0	4	11	4	0	0

Major/Minor	Major1			Minor1			Minor2		
Conflicting Flow All	36	0	0	-	382	181	205	394	-
Stage 1	-	-	-	-	346	-	36	36	-
Stage 2	-	-	-	-	36	-	169	358	-
Critical Hdwy	4.14	-	-	-	6.54	6.94	7.54	6.54	-
Critical Hdwy Stg 1	-	-	-	-	5.54	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-	-	-	6.54	5.54	-
Follow-up Hdwy	2.22	-	-	-	4.02	3.32	3.52	4.02	-
Pot Cap-1 Maneuver	1573	-	-	0	550	831	735	541	0
Stage 1	-	-	-	0	634	-	-	-	0
Stage 2	-	-	-	0	-	-	816	626	0
Platoon blocked, %	-	-	-	-	-	-	-	-	-
Mov Cap-1 Maneuver	1530	-	-	-	522	817	697	513	-
Mov Cap-2 Maneuver	-	-	-	-	522	-	697	513	-
Stage 1	-	-	-	-	618	-	-	-	-
Stage 2	-	-	-	-	-	-	793	610	-

Approach	EB	NB	SB
HCM Control Delay, s	0.2	10.2	10.2
HCM LOS		B	B

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	SBLn1
Capacity (veh/h)	703	1530	-	-	697
HCM Lane V/C Ratio	0.022	0.006	-	-	0.006
HCM Control Delay (s)	10.2	7.4	0	-	10.2
HCM Lane LOS	B	A	A	-	B
HCM 95th %tile Q(veh)	0.1	0	-	-	0

HCM 6th TWSC
16: East Alley

09/24/2021

Intersection						
Int Delay, s/veh	4.9					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	T			T		
Traffic Vol, veh/h	10	25	1	4	10	13
Future Vol, veh/h	10	25	1	4	10	13
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	95	95	95	95	95	95
Heavy Vehicles, %	0	0	0	0	0	0
Mvmt Flow	11	26	1	4	11	14

Major/Minor	Minor2	Major1		Major2	
Conflicting Flow All	24	18	25	0	0
Stage 1	18	-	-	-	-
Stage 2	6	-	-	-	-
Critical Hdwy	6.4	6.2	4.1	-	-
Critical Hdwy Stg 1	5.4	-	-	-	-
Critical Hdwy Stg 2	5.4	-	-	-	-
Follow-up Hdwy	3.5	3.3	2.2	-	-
Pot Cap-1 Maneuver	997	1066	1603	-	-
Stage 1	1010	-	-	-	-
Stage 2	1022	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	996	1066	1603	-	-
Mov Cap-2 Maneuver	996	-	-	-	-
Stage 1	1009	-	-	-	-
Stage 2	1022	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	8.6	1.4	0
HCM LOS	A		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1603	-	1045	-	-
HCM Lane V/C Ratio	0.001	-	0.035	-	-
HCM Control Delay (s)	7.2	0	8.6	-	-
HCM Lane LOS	A	A	A	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-

Capacity Analysis Summary Sheets
Projected Weekday Evening Peak Hour Conditions

Lanes, Volumes, Timings
1: Chicago Avenue & Davis Street

09/24/2021

												
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	0	0	0	34	165	39	117	289	0	0	526	131
Future Volume (vph)	0	0	0	34	165	39	117	289	0	0	526	131
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	11	11	11	11	11	11	11	11	11	11	11	11
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		0	0		70
Storage Lanes	0		0	0		0	1		0	0		1
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	0.95	0.95	0.95	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor					0.87							0.67
Frt					0.975							0.850
Flt Protected					0.993		0.950					
Satd. Flow (prot)	0	0	0	0	2961	0	1678	1605	0	0	1621	1531
Flt Permitted					0.993		0.305					
Satd. Flow (perm)	0	0	0	0	2792	0	539	1605	0	0	1621	1025
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		636			240			245			582	
Travel Time (s)		14.5			5.5			5.6			13.2	
Confl. Peds. (#/hr)	155		139	139		155	210		164	164		210
Confl. Bikes (#/hr)						15			23			42
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	0%	0%	0%	0%	0%	0%	4%	3%	0%	0%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)		0			0			0			0	
Mid-Block Traffic (%)		0%			0%			0%			0%	
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	0	0	0	261	0	129	318	0	0	578	144
Turn Type				Perm	NA		Perm	NA			NA	Perm
Protected Phases					8			2			6	
Permitted Phases				8			2					6
Detector Phase				8	8		2	2			6	6
Switch Phase												
Minimum Initial (s)				7.0	7.0		15.0	15.0			15.0	15.0
Minimum Split (s)				25.0	25.0		25.0	25.0			25.0	25.0
Total Split (s)				36.0	36.0		49.0	49.0			49.0	49.0
Total Split (%)				32.7%	32.7%		44.5%	44.5%			44.5%	44.5%
Yellow Time (s)				4.5	4.5		4.5	4.5			4.5	4.5
All-Red Time (s)				1.5	1.5		1.5	1.5			1.5	1.5
Lost Time Adjust (s)					0.0		0.0	0.0			0.0	0.0
Total Lost Time (s)					6.0		6.0	6.0			6.0	6.0
Lead/Lag												
Lead-Lag Optimize?												
Recall Mode				Max	Max		C-Max	C-Max			C-Max	C-Max
Act Effct Green (s)					30.0		63.0	63.0			63.0	63.0
Actuated g/C Ratio					0.27		0.57	0.57			0.57	0.57


Lanes, Volumes, Timings
 1: Chicago Avenue & Davis Street

09/24/2021

Lane Group	Ø10
Lane Configurations	
Traffic Volume (vph)	
Future Volume (vph)	
Ideal Flow (vphpl)	
Lane Width (ft)	
Grade (%)	
Storage Length (ft)	
Storage Lanes	
Taper Length (ft)	
Lane Util. Factor	
Ped Bike Factor	
Frt	
Flt Protected	
Satd. Flow (prot)	
Flt Permitted	
Satd. Flow (perm)	
Right Turn on Red	
Satd. Flow (RTOR)	
Link Speed (mph)	
Link Distance (ft)	
Travel Time (s)	
Confl. Peds. (#/hr)	
Confl. Bikes (#/hr)	
Peak Hour Factor	
Growth Factor	
Heavy Vehicles (%)	
Bus Blockages (#/hr)	
Parking (#/hr)	
Mid-Block Traffic (%)	
Shared Lane Traffic (%)	
Lane Group Flow (vph)	
Turn Type	
Protected Phases	10
Permitted Phases	
Detector Phase	
Switch Phase	
Minimum Initial (s)	4.0
Minimum Split (s)	25.0
Total Split (s)	25.0
Total Split (%)	23%
Yellow Time (s)	6.0
All-Red Time (s)	0.0
Lost Time Adjust (s)	
Total Lost Time (s)	
Lead/Lag	
Lead-Lag Optimize?	
Recall Mode	None
Act Effct Green (s)	
Actuated g/C Ratio	

Lanes, Volumes, Timings
 1: Chicago Avenue & Davis Street

09/24/2021




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
v/c Ratio					0.34		0.42	0.35			0.62	0.25
Control Delay					33.6		22.3	16.1			16.7	11.6
Queue Delay					0.0		0.0	0.0			0.3	0.0
Total Delay					33.6		22.3	16.1			17.0	11.6
LOS					C		C	B			B	B
Approach Delay					33.6			17.9			15.9	
Approach LOS					C			B			B	
Queue Length 50th (ft)					77		42	99			153	30
Queue Length 95th (ft)					116		#150	254			m#570	m92
Internal Link Dist (ft)		556			160			165			502	
Turn Bay Length (ft)												70
Base Capacity (vph)					761		308	919			928	586
Starvation Cap Reductn					0		0	0			61	0
Spillback Cap Reductn					0		0	0			0	0
Storage Cap Reductn					0		0	0			0	0
Reduced v/c Ratio					0.34		0.42	0.35			0.67	0.25

Intersection Summary

Area Type: Other
 Cycle Length: 110
 Actuated Cycle Length: 110
 Offset: 0 (0%), Referenced to phase 2:NBTL and 6:SBT, Start of Green
 Natural Cycle: 90
 Control Type: Actuated-Coordinated
 Maximum v/c Ratio: 0.62
 Intersection Signal Delay: 19.8
 Intersection LOS: B
 Intersection Capacity Utilization 71.0%
 ICU Level of Service C
 Analysis Period (min) 15
 # 95th percentile volume exceeds capacity, queue may be longer.
 Queue shown is maximum after two cycles.
 m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 1: Chicago Avenue & Davis Street



Lane Group	Ø10
v/c Ratio	
Control Delay	
Queue Delay	
Total Delay	
LOS	
Approach Delay	
Approach LOS	
Queue Length 50th (ft)	
Queue Length 95th (ft)	
Internal Link Dist (ft)	
Turn Bay Length (ft)	
Base Capacity (vph)	
Starvation Cap Reductn	
Spillback Cap Reductn	
Storage Cap Reductn	
Reduced v/c Ratio	
Intersection Summary	

Lanes, Volumes, Timings
2: Chicago Avenue & Church Street

09/24/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕↕						↑	↗		↖	
Traffic Volume (vph)	54	391	185	0	0	0	0	262	54	37	442	0
Future Volume (vph)	54	391	185	0	0	0	0	262	54	37	442	0
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	11	11	11	11	11	11	11	11	11	11	11	11
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		50	0		0
Storage Lanes	0		0	0		0	0		1	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	0.95	0.95	0.95	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor		0.90									1.00	
Frt		0.956							0.850			
Flt Protected		0.996									0.996	
Satd. Flow (prot)	0	2812	0	0	0	0	0	1605	1561	0	1612	0
Flt Permitted		0.996									0.960	
Satd. Flow (perm)	0	2753	0	0	0	0	0	1605	1561	0	1547	0
Right Turn on Red			Yes			Yes			Yes			Yes
Satd. Flow (RTOR)		57							50			
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		542			228			582			542	
Travel Time (s)		12.3			5.2			13.2			12.3	
Confl. Peds. (#/hr)	132		138	138		132	164		164	164		164
Confl. Bikes (#/hr)			21						23			6
Peak Hour Factor	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	7%	2%	3%	0%	0%	0%	0%	3%	0%	4%	2%	0%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)		0						0			0	
Mid-Block Traffic (%)		0%			0%			0%			0%	
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	677	0	0	0	0	0	282	58	0	515	0
Turn Type	Perm	NA						NA	custom	Perm	NA	
Protected Phases		10						2 6	6		2 6	
Permitted Phases	10									2 6		
Detector Phase	10	10						2 6	6	2 6	2 6	
Switch Phase												
Minimum Initial (s)	30.0	30.0							24.0			
Minimum Split (s)	36.0	36.0							30.0			
Total Split (s)	36.0	36.0							30.0			
Total Split (%)	32.7%	32.7%							27.3%			
Yellow Time (s)	4.5	4.5							4.5			
All-Red Time (s)	1.5	1.5							1.5			
Lost Time Adjust (s)		0.0							0.0			
Total Lost Time (s)		6.0							6.0			
Lead/Lag												
Lead-Lag Optimize?												
Recall Mode	Max	Max							None			
Act Effct Green (s)		30.0						72.0	24.0		72.0	
Actuated g/C Ratio		0.27						0.65	0.22		0.65	

Lanes, Volumes, Timings
 2: Chicago Avenue & Church Street

09/24/2021

Lane Group	Ø2
Lane Configurations	
Traffic Volume (vph)	
Future Volume (vph)	
Ideal Flow (vphpl)	
Lane Width (ft)	
Grade (%)	
Storage Length (ft)	
Storage Lanes	
Taper Length (ft)	
Lane Util. Factor	
Ped Bike Factor	
Frt	
Flt Protected	
Satd. Flow (prot)	
Flt Permitted	
Satd. Flow (perm)	
Right Turn on Red	
Satd. Flow (RTOR)	
Link Speed (mph)	
Link Distance (ft)	
Travel Time (s)	
Confl. Peds. (#/hr)	
Confl. Bikes (#/hr)	
Peak Hour Factor	
Growth Factor	
Heavy Vehicles (%)	
Bus Blockages (#/hr)	
Parking (#/hr)	
Mid-Block Traffic (%)	
Shared Lane Traffic (%)	
Lane Group Flow (vph)	
Turn Type	
Protected Phases	2
Permitted Phases	
Detector Phase	
Switch Phase	
Minimum Initial (s)	4.0
Minimum Split (s)	44.0
Total Split (s)	44.0
Total Split (%)	40%
Yellow Time (s)	2.0
All-Red Time (s)	0.0
Lost Time Adjust (s)	
Total Lost Time (s)	
Lead/Lag	
Lead-Lag Optimize?	
Recall Mode	C-Max
Act Effct Green (s)	
Actuated g/C Ratio	

Lanes, Volumes, Timings
 2: Chicago Avenue & Church Street

09/24/2021




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
v/c Ratio		0.85						0.27	0.15			0.51
Control Delay		46.6						5.0	16.8			12.0
Queue Delay		0.0						0.0	0.0			0.1
Total Delay		46.6						5.0	16.8			12.1
LOS		D						A	B			B
Approach Delay		46.6						7.1				12.1
Approach LOS		D						A				B
Queue Length 50th (ft)		220						103	15			172
Queue Length 95th (ft)		#320						12	59			253
Internal Link Dist (ft)		462				148		502				462
Turn Bay Length (ft)									50			
Base Capacity (vph)		792						1050	379			1012
Starvation Cap Reductn		0						0	0			0
Spillback Cap Reductn		0						0	0			52
Storage Cap Reductn		0						0	0			0
Reduced v/c Ratio		0.85						0.27	0.15			0.54

Intersection Summary

Area Type: Other
 Cycle Length: 110
 Actuated Cycle Length: 110
 Offset: 0 (0%), Referenced to phase 2:NBSB, Start of Green
 Natural Cycle: 110
 Control Type: Actuated-Coordinated
 Maximum v/c Ratio: 0.85
 Intersection Signal Delay: 26.2
 Intersection LOS: C
 Intersection Capacity Utilization 83.6%
 ICU Level of Service E
 Analysis Period (min) 15
 # 95th percentile volume exceeds capacity, queue may be longer.
 Queue shown is maximum after two cycles.

Splits and Phases: 2: Chicago Avenue & Church Street



Lanes, Volumes, Timings
2: Chicago Avenue & Church Street

09/24/2021

Lane Group	Ø2
v/c Ratio	
Control Delay	
Queue Delay	
Total Delay	
LOS	
Approach Delay	
Approach LOS	
Queue Length 50th (ft)	
Queue Length 95th (ft)	
Internal Link Dist (ft)	
Turn Bay Length (ft)	
Base Capacity (vph)	
Starvation Cap Reductn	
Spillback Cap Reductn	
Storage Cap Reductn	
Reduced v/c Ratio	
Intersection Summary	

HCM 6th AWSC
3: Davis Street & Hinman Avenue

09/24/2021

Intersection	
Intersection Delay, s/veh	8.5
Intersection LOS	A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations					↕↕			↕			↕	
Traffic Vol, veh/h	0	0	0	6	130	28	31	52	0	0	129	64
Future Vol, veh/h	0	0	0	6	130	28	31	52	0	0	129	64
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles, %	0	0	0	0	0	1	0	2	0	0	1	0
Mvmt Flow	0	0	0	7	141	30	34	57	0	0	140	70
Number of Lanes	0	0	0	0	2	0	0	1	0	0	1	0

Approach	WB	NB	SB
Opposing Approach		SB	NB
Opposing Lanes	0	1	1
Conflicting Approach Left	NB		WB
Conflicting Lanes Left	1	0	2
Conflicting Approach Right	SB	WB	
Conflicting Lanes Right	1	2	0
HCM Control Delay	8.5	8.3	8.7
HCM LOS	A	A	A

Lane	NBLn1	WBLn1	WBLn2	SBLn1
Vol Left, %	37%	8%	0%	0%
Vol Thru, %	63%	92%	70%	67%
Vol Right, %	0%	0%	30%	33%
Sign Control	Stop	Stop	Stop	Stop
Traffic Vol by Lane	83	71	93	193
LT Vol	31	6	0	0
Through Vol	52	65	65	129
RT Vol	0	0	28	64
Lane Flow Rate	90	77	101	210
Geometry Grp	2	7	7	2
Degree of Util (X)	0.116	0.112	0.139	0.249
Departure Headway (Hd)	4.643	5.209	4.955	4.266
Convergence, Y/N	Yes	Yes	Yes	Yes
Cap	772	688	724	843
Service Time	2.668	2.939	2.685	2.285
HCM Lane V/C Ratio	0.117	0.112	0.14	0.249
HCM Control Delay	8.3	8.6	8.5	8.7
HCM Lane LOS	A	A	A	A
HCM 95th-tile Q	0.4	0.4	0.5	1

HCM 6th AWSC
4: Hinman Avenue & Church Street

09/24/2021

Intersection	
Intersection Delay, s/veh	9.8
Intersection LOS	A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔↔						↔			↔	
Traffic Vol, veh/h	23	338	91	0	0	0	0	54	26	11	102	0
Future Vol, veh/h	23	338	91	0	0	0	0	54	26	11	102	0
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.94
Heavy Vehicles, %	0	1	1	0	0	0	0	2	4	0	0	0
Mvmt Flow	24	360	97	0	0	0	0	57	28	12	109	0
Number of Lanes	0	2	0	0	0	0	0	1	0	0	1	0

Approach	EB	NB	SB
Opposing Approach		SB	NB
Opposing Lanes	0	1	1
Conflicting Approach Left	SB	EB	
Conflicting Lanes Left	1	2	0
Conflicting Approach Right	NB		EB
Conflicting Lanes Right	1	0	2
HCM Control Delay	10.1	8.7	9.2
HCM LOS	B	A	A

Lane	NBLn1	EBLn1	EBLn2	SBLn1
Vol Left, %	0%	12%	0%	10%
Vol Thru, %	68%	88%	65%	90%
Vol Right, %	33%	0%	35%	0%
Sign Control	Stop	Stop	Stop	Stop
Traffic Vol by Lane	80	192	260	113
LT Vol	0	23	0	11
Through Vol	54	169	169	102
RT Vol	26	0	91	0
Lane Flow Rate	85	204	277	120
Geometry Grp	2	7	7	2
Degree of Util (X)	0.117	0.288	0.367	0.17
Departure Headway (Hd)	4.949	5.072	4.783	5.079
Convergence, Y/N	Yes	Yes	Yes	Yes
Cap	723	707	750	706
Service Time	2.991	2.81	2.521	3.116
HCM Lane V/C Ratio	0.118	0.289	0.369	0.17
HCM Control Delay	8.7	9.9	10.3	9.2
HCM Lane LOS	A	A	B	A
HCM 95th-tile Q	0.4	1.2	1.7	0.6

HCM 6th TWSC
6: Davis Street & East Alley

09/27/2021

Intersection												
Int Delay, s/veh	1.1											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations					↕↕			↕			↕	
Traffic Vol, veh/h	0	0	0	0	215	10	2	1	0	0	3	21
Future Vol, veh/h	0	0	0	0	215	10	2	1	0	0	3	21
Conflicting Peds, #/hr	25	0	52	52	0	25	1	0	6	6	0	1
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	1	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	85	85	85	85	85	85	85	85	85	85	85	85
Heavy Vehicles, %	0	0	0	0	0	0	0	0	0	0	0	0
Mvmt Flow	0	0	0	0	253	12	2	1	0	0	4	25

Major/Minor	Major2	Minor1	Minor2
Conflicting Flow All	52	0	0
Stage 1	-	-	-
Stage 2	-	-	-
Critical Hdwy	4.1	-	-
Critical Hdwy Stg 1	-	-	-
Critical Hdwy Stg 2	-	-	-
Follow-up Hdwy	2.2	-	-
Pot Cap-1 Maneuver	1567	-	-
Stage 1	-	-	-
Stage 2	-	-	-
Platoon blocked, %	-	-	-
Mov Cap-1 Maneuver	1505	-	-
Mov Cap-2 Maneuver	-	-	-
Stage 1	-	-	-
Stage 2	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	0	10.6	9.7
HCM LOS		B	A

Minor Lane/Major Mvmt	NBLn1	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	648	1505	-	-	795
HCM Lane V/C Ratio	0.005	-	-	-	0.036
HCM Control Delay (s)	10.6	0	-	-	9.7
HCM Lane LOS	B	A	-	-	A
HCM 95th %tile Q(veh)	0	0	-	-	0.1

HCM 6th TWSC
7: East Alley & Church Street

09/27/2021

Intersection												
Int Delay, s/veh	0.6											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔↔						↔			↔	
Traffic Vol, veh/h	7	437	38	0	0	0	0	4	10	5	2	0
Future Vol, veh/h	7	437	38	0	0	0	0	4	10	5	2	0
Conflicting Peds, #/hr	29	0	39	39	0	29	6	0	3	3	0	6
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	1080852480	-	-	0	-	-	0	-	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	2	3	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	8	475	41	0	0	0	0	4	11	5	2	0

Major/Minor	Major1			Minor1			Minor2		
Conflicting Flow All	29	0	0	-	580	300	288	600	-
Stage 1	-	-	-	-	551	-	29	29	-
Stage 2	-	-	-	-	29	-	259	571	-
Critical Hdwy	4.14	-	-	-	6.54	6.94	7.54	6.54	-
Critical Hdwy Stg 1	-	-	-	-	5.54	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-	-	-	6.54	5.54	-
Follow-up Hdwy	2.22	-	-	-	4.02	3.32	3.52	4.02	-
Pot Cap-1 Maneuver	1582	-	-	0	424	696	642	413	0
Stage 1	-	-	-	0	514	-	-	-	0
Stage 2	-	-	-	0	-	-	723	503	0
Platoon blocked, %	-	-	-	-	-	-	-	-	-
Mov Cap-1 Maneuver	1547	-	-	-	399	675	609	389	-
Mov Cap-2 Maneuver	-	-	-	-	399	-	609	389	-
Stage 1	-	-	-	-	495	-	-	-	-
Stage 2	-	-	-	-	-	-	700	484	-

Approach	EB	NB	SB
HCM Control Delay, s	0.1	11.6	12
HCM LOS		B	B

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	SBLn1
Capacity (veh/h)	564	1547	-	-	524
HCM Lane V/C Ratio	0.027	0.005	-	-	0.015
HCM Control Delay (s)	11.6	7.3	0	-	12
HCM Lane LOS	B	A	A	-	B
HCM 95th %tile Q(veh)	0.1	0	-	-	0

HCM 6th TWSC
16: East Alley

09/27/2021

Intersection						
Int Delay, s/veh	3.4					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	T			T		
Traffic Vol, veh/h	8	18	5	6	6	34
Future Vol, veh/h	8	18	5	6	6	34
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	95	95	95	95	95	95
Heavy Vehicles, %	0	0	0	0	0	0
Mvmt Flow	8	19	5	6	6	36

Major/Minor	Minor2	Major1		Major2	
Conflicting Flow All	40	24	42	0	0
Stage 1	24	-	-	-	-
Stage 2	16	-	-	-	-
Critical Hdwy	6.4	6.2	4.1	-	-
Critical Hdwy Stg 1	5.4	-	-	-	-
Critical Hdwy Stg 2	5.4	-	-	-	-
Follow-up Hdwy	3.5	3.3	2.2	-	-
Pot Cap-1 Maneuver	977	1058	1580	-	-
Stage 1	1004	-	-	-	-
Stage 2	1012	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	974	1058	1580	-	-
Mov Cap-2 Maneuver	974	-	-	-	-
Stage 1	1001	-	-	-	-
Stage 2	1012	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	8.6	3.3	0
HCM LOS	A		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1580	-	1031	-	-
HCM Lane V/C Ratio	0.003	-	0.027	-	-
HCM Control Delay (s)	7.3	0	8.6	-	-
HCM Lane LOS	A	A	A	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-

MEMORANDUM TO: Jeffery Michael
Horizon Realty Group

FROM: Michael A. Werthmann, PE, PTOE
Principal

DATE: February 25, 2022

SUBJECT: Addendum to 1621-31 Chicago Avenue Traffic Study
Evanston, Illinois

Kenig, Lindgren, O'Hara, Aboona, Inc. (KLOA, Inc.) has prepared this memorandum as an addendum to the October 19, 2021 traffic study performed for the 1621-31 Chicago Avenue development to be located in Evanston, Illinois. The site is located on the east side of Chicago Avenue between Davis Street and Church Street and is currently occupied by several one-story commercial buildings. As proposed, the development is to contain approximately 180 apartment units, 7,000 square feet of retail space, and 57 parking spaces. Access to the parking garage and the two loading docks will be via the north-south public alley that extends along the east side of the site. The purpose of the addendum was to provide further input as to the location of the access drive and its impact on the operation of the alley and the area roadway system:

- The City of Evanston generally prefers access to new developments to be provided via the alley system, if available, as opposed to the roadway system.
- It is our understanding that the City of Evanston will not permit access to the proposed development via Chicago Avenue due to the two-way bike lane on Chicago Avenue and the higher pedestrian activity along Chicago Avenue.
- The traffic counts have shown that the subject alley carries a low volume of traffic that is similar to the volume of traffic along other commercial alleys in Evanston.
- The traffic study has shown that the alley and its intersections with Davis Street and Church Street have sufficient reserve capacity to accommodate the traffic to be generated by the proposed development.
- Two-way traffic flow along the alley is preferred as it better distributes the traffic along the alley by providing inbound and outbound access to Davis Street and Church Street.
- Two-way traffic flow along the alley is preferred as it will reduce the circulation along the external roadway system and reduce the volume of traffic that must traverse the neighborhood to the east. (Converting the public alley to one-way traffic flow will require a portion of the public alley traffic to travel around the block when entering and/or exiting the public alley due to the one-way operation of Church Street and Davis Street.)



July 5, 2022

ALLEY MANAGEMENT PLAN FOR LEGACY APARTMENTS

Horizon Realty Group recognizes the alley located behind the planned Legacy Apartments is of concern to City staffers and immediately surrounding neighbors. As we all know, the alley is a highly trafficked corridor used to service the commercial properties to the west and the residential properties to the east, along with 501 Davis Street. Over the years, the alley has suffered dilapidation and congestion. This memo serves to memorialize a preliminary level of commitment by Horizon Realty Group to rehabilitate, maintain and utilize the alley in concert with neighbors and the City.

1. CONSTRUCTION PHASE –
 - a. Horizon Realty Group will prepare and submit to the City a comprehensive construction administration plan that includes appropriate protections to the alley.
 - b. Horizon Realty Group will commit to pay for 127 linear feet of repaving of the alley upon completion of construction.
 - c. Horizon Realty Group will further commit to contribute a prorated contribution amongst all property owners of land abutting the alley between Church and Davis Streets towards infrastructure improvements to the alley, not to exceed \$200,000.
2. OPERATIONS PHASE – Once the property becomes operational, Horizon Realty Group will use the alley in a manner and at times to best alleviate any potential congestion in the alley. Specifically, Horizon Realty Group will implement the following measures:
 - a. For residents that are moving in or out of the building, those events will be scheduled through the property manager who will have an established line of communication with First United Methodist Church and other nearby users of the alley, including trash collection. The line of communication will establish peak usage times so that they can be avoided where possible.
 - b. Residents will be required to use the loading docks and be instructed not to leave cars unattended or idling in the alley during a move in/out.
 - c. Commercial deliveries will be coordinated with the residential property manager so as to avoid conflicts or move ins/outs during commercial delivery times.
 - d. We will work with our design consultants to install surveillance and safety devices such as cameras, flashing lights, mirrors, signage and markings to alleviate congestion and deter violative behavior.



July 5, 2022

PRELIMINARY WASTE MANAGEMENT PLAN FOR THE LEGACY APARTMENTS

Horizon Realty Group intends to consult with professionals in the area of design, architecture and waste management as the design process unfolds to devise a specific, thoughtful and bold plan addressing waste management and establishing best practices for The Legacy that surpass others in the industry. Until such time the plan is fully developed, Horizon Realty Group's commitment to waste management includes the following:

1. Establishing a Responsible Party – Waste management at the Legacy will be the responsibility of the onsite property manager in coordination with the head building engineer. The primary responsibility for establishing the requisite pick-up frequency and capacity will be established by the property manager based upon consultation with the head building engineer and based upon best practices for a like-kind property in the area. Horizon Realty Group will use a trusted and reputable waste hauler or contract with a city specified waste hauler if required to do so.
2. Establishing Concrete Goals and Objectives – The goal and objective of the waste hauling plan will be to ensure (i) the alley is kept free of debris at all times, (ii) waste hauling practices do not contribute to any rodent infestation in the alley, (iii) the waste hauling plan works in concert with immediately adjacent neighbors and those that will be reliant upon passage through the alley and (iv) the waste management plan surpasses those of its competitors and becomes the best in class.
3. Determining Expected Waste Hauling Amounts – As the project nears occupancy, Horizon Realty Group will consult with local waste haulers and city officials to determine expected capacity and frequency needs.
4. Impose Environmentally Friendly Initiatives – *At a minimum*, the property will participate in recycling practices typical of a building of this type whereby the recyclables will be source separated in designated containers. Horizon Realty Group intends to gather additional information on other practical initiatives for consideration.
5. Account for Building Design – Horizon Realty Group will pay close attention to waste management practices and consult with waste hauler professionals and city staffers during the design phase of the process in order to incorporate necessary elements such as garbage chutes, trash compactors, waste rooms, cardboard baler machines and composting equipment.
6. Tenant Education & Fines – Horizon Realty Group will take concerted efforts to provide continuing education to our residents about the need to cooperate in our efforts to reduce and recycle waste. Through social media, signage, flyers and other avenues, Horizon Realty Group will execute a targeted plan to elevate the consciousness of our resident population when it comes to playing a



role. Horizon Realty Group will also institute fines for those found to be in violation of building rules relating to waste management.

7. Commercial Tenant Accountability – Horizon Realty Group will include in its leases strict waste management policy language obliging commercial tenants properly dispose of waste and strict adherence to rules and regulations of the property. Horizon Realty Group will welcome and seek the input of city officials in this regard.

THE PERMAN GROUP

PUBLIC AFFAIRS STRATEGY
PUBLIC POLICY COMMUNICATIONS

March 1, 2022

Mr. Jeff Michael
Chief Operating Officer
Horizon Realty Group
1946 West Lawrence Avenue
Chicago, IL 60640

Dear Mr. Michael:

The Perman Group was asked by Horizon Realty Group (HRG) to evaluate the fiscal/economic impact of a proposed residential development called The Legacy to be built at 1621-31 Chicago Avenue in Evanston, IL. The proposed project consists of:

- 180 rental apartments: 26=Studio, 98=1BR, 56=2BR, plus 7,195 sq. ft. of retail space, and a 57-space parking garage.

Our evaluation includes: the absorption rate and projected population by type of unit, the tax revenues that will accrue to the City of Evanston and the other local taxing bodies, the attendant costs to those taxing bodies, the net present value of net revenues to the taxing bodies over 13 years, and our conclusions of the fiscal impact from the proposed project that will benefit the Evanston community.

Besides our internal calculations using well-recognized formulas, we based our conclusions on data provided by Horizon Realty Group and other sources identified in the report.

The City of Evanston, School Districts #65 and #202, and the other taxing bodies, such as the Evanston Public Library, will see an immediate infusion of significant dollars resulting from the City of Evanston's construction permit and other fees which are assessed before the project is fully occupied. In addition, there is a sizeable annual fiscal surplus to the City of Evanston that will continue to accrue.

Sincerely,



Jonathan Perman
Managing Director

1.0 Absorption Rates, Population and School Age Estimates (Table 1)

The absorption rate assumes the following schedule for the residential units. It is based on the developer's projections today for regulatory approval, construction, and a marketing campaign for the rental of the units.

2025	38.5%
2026	93.3%
2027 & After	100%

The project expects to have a full population of 273. This number is reached by using a weighted average of household size based on the type of unit, according to formulas from Rutgers University, Center for Urban Policy Research, Residential Demographic Multipliers, Estimates for the Occupants of New Housing, June 2006.

With regard to school age population, we used the same study with the following estimates:

Studio apartments yield no public school students.

**1BR apartments generate: .02 public K-8 grade school students/unit
.01 public high school students/unit**

**2BR apartments generate: .09 public K-8 grade school students/unit
.05 public high school students/unit**

For reference purposes of this study for The Legacy, we calculated:

26 Studio units for a total of no public grade school or high school students.

**98 1BR units for a total of: 2.6 public K-8 grade school students
 1.3 public high school students**

**56 2BR units for a total of: 10 public K-8 grade school students
 6 public high school students**

Thus, the proposed Legacy development is expected to yield: **12 K-8 students,**
and **7 high school students.**

2.0 Taxable Revenue Projections (Table 2)

2.1 Property Taxes

Based on the last Cook County triennial reassessment (2019), land on the property at 1621-31 Chicago Ave. was valued at \$107,905 and the current buildings at \$370,088 for a total of \$477,993. The taxes paid on the property in 2020 was \$89,677.

Future triennial reassessment years occur in 2022, 2025, and every three years thereafter. Taxes based on the reassessment are due in the following years, respectively.

Property taxes are adjusted in the study in the year after any change in use or reassessment.

The study uses a 3% growth rate in assessment for a compounded 3-year increase between reassessments of 9.27%.

In 2026, property taxes are estimated to be **\$465,769**, based on 38.5% occupancy in 2025. In 2027, property taxes are estimated to be **\$990,178** based on 93.3% occupancy in 2026. Finally, in 2028, property taxes are estimated to be **\$1,058,786**, based on 100% occupancy in 2027 -- nearly 12 times the property taxes paid in 2020.

The residential portion of the property tax estimates are based on 16% of the gross revenues of the project, a figure that comports with HRG's experience in other multi-family rental buildings. We also looked at the property taxes paid by comparable new buildings in Evanston.

The land portion of the property tax estimates are based off of the current assessment of the land with a 3% growth rate in assessment for a compounded 3-year increase between reassessments of 9.27%.

The retail portion of the property taxes is based on current assessment of the existing building, which will be demolished in 2021. Thereafter, property taxes for the new retail use are incorporated into the residential property tax estimates.

In the 2019 tax year (paid in 2020), Evanston School District #65 accounted for 39.6% of a property tax bill and Evanston High School District #202 accounted for 25.2% of a tax bill. The City of Evanston's share of a tax bill is 17.6%. The Evanston Public Library is 2.7% of the tax bill. Together, the City of Evanston and Library are 20.3% of the tax bill. The report uses these same percentages of tax bills throughout the study period.

The additional property taxes generated by the project will increase the tax base for all of the taxing bodies cited above. Whether those taxing bodies choose to increase their levy to capture those incremental taxes or hold their levy constant (and reduce the amounts area residents have to pay) is a policy choice for each taxing body.

**Table 2
Estimated Project Tax Revenue**

Type of Tax	2022	2023	2024	2025	2026	2027	2028
Residential Property Tax	0	0	0	0	430,983	955,392	1,024,000
Land Property Tax	30,908	31,835	31,835	31,835	34,786	34,786	34,786
Retail Property Tax	58,769	60,532	0	0	0	0	0
Total Property Tax	89,677	92,367	31,835	31,835	465,769	990,178	1,058,786
Sales Tax from Retail Sales in the Project	3,528	3,528	0	248,227	248,227	248,227	248,227
Sales Tax from Residents Living in the Project	0	0	0	21,210	50,601	54,540	56,176
State Income Tax	0	0	0	0	21,700	51,770	55,800
Motor Fuel Tax	0	0	0	0	2,469	5,890	6,349
Auto (Wheel) Tax	0	0	0	3,580	8,592	9,206	9,206
Utility Tax	0	0	0	11,357	27,094	29,203	29,203
Telecommunications Tax	0	0	0	3,209	7,657	8,253	8,253
Cable Franchise Fee	0	0	0	2,332	5,563	5,996	5,996
Construction Permit Fees, Inspections, etc..	66,000	1,559,857	17,500	0	0	0	0
Total Tax Revenue to all taxing bodies	\$ 159,205	\$ 1,655,752	\$ 49,335	\$ 321,750	\$ 837,672	\$ 1,403,263	\$ 1,477,996
City of Evanston Property Tax Share	\$ 15,783	\$ 16,257	\$ 5,603	\$ 5,603	\$ 81,975	\$ 174,271	\$ 186,346
Evanston Public Library Property Tax Share	\$ 2,421	\$ 2,494	\$ 860	\$ 860	\$ 12,576	\$ 26,735	\$ 28,587
District #65 Property Tax Share	\$ 35,512	\$ 36,577	\$ 12,607	\$ 12,607	\$ 184,445	\$ 392,110	\$ 419,279
District #202 Property Tax Share	\$ 22,599	\$ 23,276	\$ 8,022	\$ 8,022	\$ 117,374	\$ 249,525	\$ 266,814

Type of Tax	2029	2030	2031	2032	2033	2034	2035
Residential Property Tax	1,118,925	1,152,493	1,187,068	1,222,649	1,259,328	1,297,108	1,335,989
Land Property Tax	38,010	38,010	38,010	41,534	41,534	41,534	45,385
Retail Property Tax	0	0	0	0	0	0	0
Total Property Tax	1,156,935	1,190,503	1,225,078	1,264,183	1,300,862	1,338,642	1,381,374
Sales Tax from Retail Sales in the Project	248,227	248,227	248,227	248,227	248,227	248,227	248,227
Sales Tax from Residents Living in the Project	57,861	59,597	61,385	63,227	65,124	67,077	69,089
State Income Tax	55,800	55,800	55,800	55,800	55,800	55,800	55,800
Motor Fuel Tax	6,349	6,349	6,349	6,349	6,349	6,349	6,349
Auto (Wheel) Tax	9,206	9,206	9,206	9,206	9,206	9,206	9,206
Utility Tax	29,203	29,203	29,203	29,203	29,203	29,203	29,203
Telecommunications Tax	8,253	8,253	8,253	8,253	8,253	8,253	8,253
Cable Franchise Fee	5,996	5,996	5,996	5,996	5,996	5,996	5,996
Construction Permit Fees, Inspections, etc..	0	0	0	0	0	0	0
Total Tax Revenue to all taxing bodies	\$ 1,577,830	\$ 1,613,134	\$ 1,649,497	\$ 1,690,444	\$ 1,729,020	\$ 1,768,753	\$ 1,813,497
City of Evanston Property Tax Share	\$ 203,621	\$ 209,529	\$ 215,614	\$ 222,496	\$ 228,952	\$ 235,601	\$ 243,122
Evanston Public Library Property Tax Share	\$ 31,237	\$ 32,144	\$ 33,077	\$ 34,133	\$ 35,123	\$ 36,143	\$ 37,297
District #65 Property Tax Share	\$ 458,146	\$ 471,439	\$ 485,131	\$ 500,616	\$ 515,141	\$ 530,102	\$ 547,024
District #202 Property Tax Share	\$ 291,548	\$ 300,007	\$ 308,720	\$ 318,574	\$ 327,817	\$ 337,338	\$ 348,106

Table 3
Estimated Household Income

Type of Unit	# of Units	Monthly Rent	Est. Household Income	Total Income
Studio	26	\$ 1,500	\$ 51,429	\$ 1,337,154
1 BR	98	\$ 2,175	\$ 74,571	\$ 7,307,958
2 BR	56	\$ 2,500	\$ 85,714	\$ 4,799,984
Total	180			\$ 13,445,096
Weighted Avg. Household Income				\$ 74,695

Table 4: Estimated Per Household Spending & Sales Tax Revenue

Type of Spending	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035
Household Income	74,695	76,936	79,244	81,621	84,070	86,592	89,190	91,865	94,621	97,460	100,384
20% Convenience Goods	14,939	15,387	15,849	16,324	16,814	17,318	17,838	18,373	18,924	19,492	20,077
10% Comparison Goods	7,470	7,694	7,924	8,162	8,407	8,659	8,919	9,187	9,462	9,746	10,038
70% Local Spent Convenience Goods	10,457	10,771	11,094	11,427	11,770	12,123	12,487	12,861	13,247	13,644	14,054
30% Local Spent Comparison Goods	2,241	2,308	2,377	2,449	2,522	2,598	2,676	2,756	2,839	2,924	3,012
Taxable Share Convenience Goods	235	242	250	257	265	273	281	289	298	307	316
Taxable Share Comparison Goods	50	52	53	55	57	58	60	62	64	66	68
Total Sales Tax Rev. per Household	286	294	303	312	322	331	341	351	362	373	384
Total Sales Tax Generated by Project	20,020	49,098	54,540	56,196	57,882	59,619	61,407	63,249	65,147	67,101	69,114

2.2 Retail Sales Taxes From Businesses in the Project (Table 2)

Annual sales from a restaurant tenant in the building are estimated at \$1,000/sq. ft. The retail sales taxes grow according to the absorption rates cited earlier.

The City of Evanston derives 2.25% in sales taxes combined from its portion of the state sales tax and the home rule sales tax.

So, in 2025 when all 7,195 sq. ft. of retail space is expected to be leased, it will generate \$7,195,000 of retail sales. We assume 80% of sales will be for food taxed at 2.25% (City of Evanston share of sales tax) and 20% of sales will be for liquor taxed at 8.25%

$\$7,195,000 \text{ sales} \times .8 = \$5,756,000 \times 2.25\% = \$129,510.$

$\$7,195,000 \times .2 = \$1,439,000 \times 8.25\% = \$118,717$

Total annual sales tax revenue derived from the restaurant in the project = **\$248,227**

Conservatively, the study has kept retail sales growth level through 2035.

2.3 Sales Taxes from Residents Living in the Project (Table 2)

The average household income in the project is \$74,695 when the building is opened in 2025. This is derived by using 35% of the unit rent, weighted by the number of units for each type of unit size (see Table 3). The growth in household income is estimated at 3% per year.

The study assumes the average household spends 20% of their annual income on convenience goods, of which 70% are purchased locally. The study also assumes the average household spends 10% of their annual income on comparison goods, of which 30% is purchased locally.

So, for example, in 2027, when the project is fully occupied, it is expected that the City of Evanston will receive \$303 per household x 180 households = **\$54,540 (see Table 4)**.

The sales tax revenues identified here are only for direct spending by residents and do not include anticipated visitor spending or further economic benefits that often occur as new residents create demand for new businesses or expansion of existing businesses.

Sales taxes include both the 1% municipal sales tax and the 1.25% Home Rule sales tax.

2.4 State Income Taxes (Table 2)

State income tax estimates are based on the total population absorption rates cited earlier. The City of Evanston is budgeted to receive \$8,800,000 in its share of state income taxes in 2022 (City of Evanston Budget). The study assumes a one-year lag for receiving state income taxes.

The most recent U.S. Census household population estimate for Evanston is 28,352 (2015-19). That amounts to \$310 per household x 180 units = **\$55,800**, the income tax generated for the City of Evanston, in the year (2028), one year after the building is fully occupied.

The evaluation has kept the state income tax revenues level through the study period and bases it on the current Evanston household population and the number of units occupied in The Legacy.

2.5 Motor Fuel Tax (Table 2)

In 2022, the City of Evanston is budgeted to receive \$1,000,000 in motor fuel taxes from the State of Illinois. This amounts to \$45.58 per household.

Since Evanston will not capture additional motor fuel taxes from the project until after it is occupied, we do not show motor fuel tax revenue until 2023. So, for example, in 2028, when the project is fully occupied, it is anticipated the City of Evanston will receive an estimated $\$35.27 \times 180$ household units = **\$6,349**, annually.

The study assumes a one-year lag for receiving state motor fuel taxes. The evaluation has kept the state motor fuel tax revenues level through the study period because of the uncertainties in driving behavior in the future. Also, even though relatively few households in The Legacy will own cars, they still will take taxis and ridesharing vehicles which will purchase motor fuel.

2.6 Auto (Wheel) Taxes (Table 2)

In 2022, the City of Evanston is budgeted to receive \$2,900,000 in wheel taxes. The study assumes immediate collection of wheel taxes and keeps the tax rate consistent through the duration of the study.

In 2027, when the building is fully occupied, the City of Evanston is expected to generate $\$2,900,000/28,352$ households = \$102.29 per household. However, The Legacy is expected to only have half of its units be car owners. So, multiplying $\$102.29 \times 90$ units = **\$9,206**, annually. The evaluation has kept the wheel tax revenues level through the study period because of the uncertainties of the tax rate and car ownership in the future.

2.7 Utility Taxes (Table 2)

In 2022, the City of Evanston is budgeted to receive \$4,920,000 from the combined accounts of Electric Utility Tax, Natural Gas Utility Tax, and Natural Gas Home Rule Tax. In 2027, when the building is fully occupied, the City of Evanston is expected to generate $\$4,600,000/28,352$ households = \$162.24 per household. So, multiplying $\$162.24 \times 180$ units = **\$29,203**, annually.

The study assumes immediate collection of utility taxes. The evaluation has kept the utility tax revenues level through the study period because of the uncertainties in consumer behavior in the future with respect to electricity and natural gas.

2.8 Telecommunications Taxes (Table 2)

In 2022, the City of Evanston is budgeted to receive \$1,300,000 from the Telecommunications Tax. In 2027, when the building is fully occupied, the City of Evanston is expected to generate \$1,300,000/28,352 households = \$45.85 per household. So, multiplying \$45.85 x 180 units = **\$8,253** annually.

The study assumes immediate collection of telecommunications taxes. The evaluation has kept the telecommunications tax revenues level through the study period because of the uncertainties in consumer behavior in the future with respect to telecommunications usage.

2.9 Cable Franchise Fees (Table 2)

In 2022, the City of Evanston is budgeted to receive \$950,000 from the Cable Franchise Fee. In 2027, when the building is fully occupied, the City of Evanston is expected to generate \$950,000/28,352 households = \$33.51 per household. So, multiplying \$33.51 x 180 units = **\$5,996**, annually.

The study assumes immediate collection of cable franchise fees. The evaluation has kept the cable franchise fee revenues level through the study period because of the uncertainties in consumer behavior in the future with respect to cable television usage.

2.10 Construction and Other Permit Fees (Table 2)

Construction Fees, as well as Fees for inspections, occupancy, electric permits, plumbing water/sewer, gas piping, mechanical permits, lift fees, signs and awnings fees, fire plan reviews, zoning and plan review fees, and other municipal fees associated with the construction that are charged to the developer by the City of Evanston are estimated to be a total of **\$1,643,357**.

The breakdown of these fees and when they are estimated to be paid are:

Year 2022

Zoning, Plan Review: \$66,000

Year 2023

Construction Permit (based on value of \$89M): \$1,557,857

Right-of Way: \$2,000

Year 2024

Fire Plan: \$3,000

Signs, Awnings, Canopies: \$1,000

Lifts: \$500

Plumbing, Water, Sewer, Gas Piping: 3,000

Electrical: \$5,000

Certificate of Occupancy: \$5,000

3.0 Public Expenses Projections

3.1 City of Evanston Expenses (Table 5)

The City of Evanston has approximately 700 full-time equivalent employees (FTE). The average cost to the City per employee (wages and benefits) in 2022 is estimated to be \$106,434. This number is derived by taking the General Fund Expenses budgeted for 2022 devoted to salaries and benefits, according to the City Manager's Office budget presentation, and dividing by 700 employees. This average employee cost is then increased 3% per year.

The current ratio of City employees to residents is 1:111.6 or one employee for every 112 residents. While most City expense impact studies would look at marginal costs of a project, this study stays conservative and uses an average cost measure. The calculation estimates the additional municipal employees required to service the new residents brought into Evanston from The Legacy project as follows, using the previous cited absorption rates:

2025	107 residents	1 employee
2026	253 residents	2 employees
2027	273 residents	2.5 employees

Note: these calculations are rounded down to the nearest half employee.

The additional staffing costs are then adjusted downward to fairly distribute the costs of public services between residential and non-residential uses. In 2027, of the \$123,386 estimated average cost (wages and benefits) per employee, the study estimates 43.4% can be attributed to servicing residential uses (CMAP Community Data Snapshot, Evanston, June 2019). Therefore, for each employee added because of the increased population from the project, the expense is expressed as 43.4% of the total employee cost.

Finally, a capital cost ratio of 15% is added to the operating expense for a total cost impact to the City. A three percent growth rate in expenses is used per year.

So, for example, in 2027, when the project is fully occupied, it creates a demand for 2.5 more City employees. In 2027, each employee costs $\$123,386 \times 2.5 \text{ employees} = \$308,465 \times .434 = \$133,874$. Added to this figure is 15% for capital costs ($\$133,874 \times 1.15$) = **\$153,955**, the total cost to the City of the added population.

4.0 School Impact Fiscal Analysis (Table 6)

The proposed Legacy project is in the Evanston elementary School District #65 and Evanston High School District #202, and the study assumes all school children generated from the property will attend those schools – although we do know some families may choose parochial or private schools.

The pro-rata share of property taxes collected for The Legacy will go directly to these two school districts.

Table 5
Estimated City of Evanston Cost and Net Revenue

Year	2022	2023	2024	2025	2026	2027	2028
New Residents Added	0	0	0	107	253	273	273
# of New City Employees Added	0	0	0	1.0	2.0	2.5	2.5
Cost Per Employee	0	0	0	116,303	119,792	123,386	127,087
Added City Employee Operating Cost *.434	0	0	0	50,476	103,980	133,874	137,890
Operating Cost + Capital Cost = Total Cost	0	0	0	58,047	119,576	153,955	158,573
City of Evanston Total Revenue	87,732	1,582,136	23,963	296,378	466,454	614,091	634,143
City of Evanston Net Revenue	87,732	1,582,136	23,963	238,331	346,878	460,136	475,570

	2029	2030	2031	2032	2033	2034	2035
New Residents Added	273	273	273	273	273	273	273
# of New City Employees Added	2.5	2.5	2.5	2.5	2.5	2.5	2.5
Cost Per Employee	130,900	134,827	138,872	143,038	147,329	151,749	156,302
Added City Employee Operating Cost *.434	142,027	146,287	150,676	155,196	159,852	164,648	169,587
Operating Cost + Capital Cost = Total Cost	163,331	168,230	173,277	178,476	183,830	189,345	195,025
City of Evanston Total Revenue	655,753	664,304	673,110	682,890	692,233	701,855	712,542
City of Evanston Net Revenue	492,422	496,074	499,833	504,414	508,403	512,510	517,517

Table 6
Estimated School District Net Revenue

District #65	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035
Property Tax Revenue	31,835	465,769	990,178	1,058,786	1,156,935	1,190,503	1,225,078	1,264,183	1,300,862	1,338,642	1,381,374
School Share @39.6%	12,607	184,445	392,110	419,279	458,146	471,439	485,131	500,616	515,141	530,102	547,024
Additional Student Cost	102,190	252,612	260,196	268,002	276,042	284,323	292,853	301,638	310,688	320,008	329,609
Net Revenue	-89,583	-68,167	131,914	151,277	182,104	187,116	192,278	198,978	204,454	210,094	217,416

District #202	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035
Property Tax Revenue	31,835	465,769	990,178	1,058,786	1,156,935	1,190,503	1,225,078	1,264,183	1,300,862	1,338,642	1,381,374
School Share @ 25.2%	8,022	117,374	249,525	266,814	291,548	300,007	308,720	318,574	327,817	337,338	348,106
Additional Student Cost	79,119	162,984	195,853	201,729	207,780	214,014	220,434	227,047	233,859	240,874	248,101
Net Revenue	-71,097	-45,610	53,672	65,085	83,767	85,993	88,285	91,527	93,958	96,463	100,006

As noted earlier, in the 2021 tax year, Evanston School District #65 accounted for 39.6% of a property tax bill and Evanston High School District #202 accounted for 25.2% of a tax bill. The report uses these same percentages of tax bills throughout the study period. We also assume an annual 3% increase in school costs per pupil.

Using the formulas cited earlier from the Rutgers University, Center for Urban Policy Research, Residential Demographic Multipliers, the proposed Merion Legacy development is expected to yield **12 elementary school age children** and **7 high school students** (see Table 1).

Over the course of the study period, 2025-2035, the Evanston School District #65 will receive **\$1,517,881 in net property tax revenue.**

The Evanston School District #202, between 2025-2035, will receive **\$642,049 in net property tax revenue.**

The average cost per student in 2019 in District #65 was \$18,159; and in District #202 it was \$23,432, according to the Illinois School Report Card.

Therefore, in 2027, when The Legacy is fully occupied, we estimate the cost of 12 elementary school students @ \$21,683 each = \$260,196. We estimate the cost of seven high school students @ \$27,979 each = \$195,853.

Conclusions

The proposed Legacy project offers significant new positive fiscal impact to the City of Evanston and its school districts. Consider first the current property yields only **\$89,677** in property tax revenue. The new development, by contrast, offers more than \$1.6 million in new revenue in 2023, mostly from fees associated with the construction of the project (see Table 2). By 2026, full assessments on the new property have begun and the new tax revenue is expected to be **more than \$837,000**. By 2027, the total tax revenue will have grown to **more than \$1.4 million annually**. As with residential projects of this type, most of this new revenue will be in the form of new property taxes but there will be considerable other kinds of revenue too (see Table 2).

Analyzing the new revenue of each of the major taxing bodies, the study finds the City of Evanston receiving an immediate infusion of new dollars from the construction building permit fees of more than **\$1.5 million**. **Starting in 2025, the City of Evanston and Library are predicted to receive more than \$296,378 of new revenue and that figure will ramp up to over \$655,000 annually by 2029 (see Table 5).**

Whenever a new residential development is constructed, there are attendant costs to the major taxing bodies. For the City of Evanston, those costs are mainly in the form of new hires necessary to accommodate increases in population resulting from the new development. Even though there are new City expenses of about \$58,000 in 2025 rising to about \$163,000 by 2029, the **Net Revenues to the City of Evanston and Library during the study period (2023-2035) are \$8,399,852 (Revenues) - \$1,741,665 (Expenses) = \$6,658,187 (see Table 5).**

Table 7
Estimated Project Tax Revenue

Year	2023	2024	2025	2026	2027	2028	2029	2030
Total Tax & Fee Revenue	\$ 1,655,752	\$ 49,335	\$ 321,750	\$ 837,672	\$ 1,403,263	\$ 1,477,996	\$ 1,577,830	\$ 1,613,134
City of Evanston Costs	-	-	58,047	119,576	153,955	158,573	163,331	168,230
District #65 Costs	0	0	102,190	252,612	260,196	268,002	276,042	284,323
District #202 Costs	0	0	79,119	162,984	195,853	201,729	207,780	214,014
Total Public Costs	-	-	239,356	535,172	610,004	628,304	647,153	666,567
Net Revenue	1,655,752	49,335	82,394	302,500	793,259	849,692	930,677	946,567
Cumulative Net Revenue	1,655,752	1,705,087	1,787,481	2,089,981	2,883,240	3,732,932	4,663,609	5,610,176
Net Present Value of Net Revenue	6,963,023							

Year	2031	2032	2033	2034	2035
Total Tax & Fee Revenue	\$ 1,649,497	\$ 1,690,494	\$ 1,729,020	\$ 1,768,753	\$ 1,813,497
City of Evanston Costs	173,277	178,476	183,830	189,345	195,025
District #65 Costs	292,853	301,638	310,688	320,008	329,609
District #202 Costs	220,434	227,047	233,859	240,874	240,874
Total Public Costs	686,564	707,161	728,377	750,227	765,508
Net Revenue	962,933	983,333	1,000,643	1,018,526	1,047,989
Cumulative Net Revenue	6,573,109	7,556,442	8,557,085	9,575,611	10,623,600

Looking at the expected Net Revenue for the project (see Table 7); the first year (2023) brings \$1,655,752, mainly from building permit and impact fees. By 2029, the annual Net Tax Revenue is over \$930,000, primarily from property taxes.

Even more striking is the proposed project is estimated to generate \$10,623,600 of new Net Revenue in 13 years to the City of Evanston and the two school districts (see Table 7).

On a Net Present Value basis, the project's tax and fee revenue (2023-2035) is worth \$6,963,023, using a discount rate of 6% (see Table 7).

From a benefit/cost perspective, the proposed project is a winner for both the local governmental taxing bodies and for the Evanston economy. With the current marginal economic activity on the property, this project offers a substantial opportunity to create jobs, local income, and tax revenue.


Merion Senior Living Residents, Family and Friends Support The Legacy Evanston

Dear Mayor Biss and Evanston City Council,

As a resident, family member or friend of a Merion resident, I support the development of The Legacy Evanston by Horizon Realty Group at 1621 Chicago Ave. The Legacy would be a welcomed neighbor to The Merion and an asset to the community. New restaurant options and the beautification of Chicago Ave. would benefit us all.

Horizon Realty Group is the proud owner and operator of The Merion. Members of the Michael family are often onsite visiting residents. They take deep pride in the property and its operations. They are committed to helping Evanston thrive. I am confident they would demonstrate the same care and pride in The Legacy.

Join us in supporting The Legacy, which will bring needed energy to Chicago Ave., and built by a family-owned and operated real estate company, committed to Evanston.

Print Name	Signature	Address
DORAES FRANK		1611 Chicago Ave
Horata Jacobs		1611 Chicago Ave
JEANNINE SINGLETON		1611 Chicago Ave
Gregory Singleton		1611 Chicago Ave
Ann Mendel		1611 "
Francis Zonay		"
Kaye Reardon		"

Print Name

LINDA AMES

FRED + BRENDA RUSSELL

NANCY YALOWITZ

RUTH BOUR

Samuel Overton
+ NESSIA FRANK

MARGARET SALGADO

Sue Holtbert

LORREN LINDENKAS

Jane Lindenk

Karen Blauks KAREN

ELEANOR GRAYMSK

Dee Harmon

IRGA SAUVE

Signature

Linda Ames

Fred + Brenda Russell

Nancy Yalowitz

Ruth Bour

Samuel Overton
Restaurant

Margaret Salgado

Sue E. Holtbert
Home Care

Jane Lindenk

KAREN

Eleanor Graymsk

Dee Harmon

Irga Sauve

Address

1611 Chicago Ave.

"

1611 Chicago Ave. Evanhm

1611 Chicago Ave " " " " " " " "

1611 Chicago Ave Apt 66

1611 Chicago Ave 3/6

1611 Chicago Ave Evanhm

1611 Chicago Ave

"

"

"

1611 Chicago Ave

1611 Chicago Ave

1611 Chicago Ave

Merion Senior Living Residents, Family and Friends Support The Legacy Evanston

Dear Mayor Biss and Evanston City Council,

As a resident, family member or friend of a Merion resident, I support the development of The Legacy Evanston by Horizon Realty Group at 1621 Chicago Ave. The Legacy would be a welcomed neighbor to The Merion and an asset to the community. New restaurant options and the beautification of Chicago Ave. would benefit us all.

Horizon Realty Group is the proud owner and operator of The Merion. Members of the Michael family are often onsite visiting residents. They take deep pride in the property and its operations. They are committed to helping Evanston thrive. I am confident they would demonstrate the same care and pride in The Legacy.

Join us in supporting The Legacy, which will bring needed energy to Chicago Ave., and built by a family-owned and operated real estate company, committed to Evanston.

Print Name

Signature

Address

Ann Jacobs
FRITZ, R. MICHEL
IRIS BRODSKY
Anita E. Roti
LILA FRIEDMAN
Joel Spira
Rachel Silverman

Ann Jacobs
FRITZ, MICHEL
IRIS BRODSKY
Anita Roti
Lila Friedman
Joel Spira
Rachel Silverman

1611 Chicago Ave.
1611 Chicago Ave
1611 Chicago Ave.
1611 Chicago Ave.
1611 Chicago Ave Apt. 618
1611 Chicago Ave, Apt 413

1611 Chicago

Print Name

Judy Martin

Evelyn Hatterson

Colly Adams

Signature

Judy Martin

Evelyn Hatterson

Colly Adams

Address

45



Meagan Jones <mmjones@cityofevanston.org>

1621-1631 Chicago Ave Proposed Development - Comment in Opposition

1 message

Jenny Washburn <jwashbu2@gmail.com>
To: mmjones@cityofevanston.org

Wed, Aug 3, 2022 at 10:47 AM

Hi Megan,

Below is my public comment for the Land Use Commission meeting on August 10th. I plan on attending the meeting but want this comment on record, too.

Additionally, I would like to put the petition on record: <https://chng.it/T4ZxXQ4YFW>

Please note over 720 citizens have signed the above petition in opposition to this development.

I am cc'ing our City Council members on this email for transparency, as I think it's important to note that these 720 citizens are Evanston residents and potential voters.

Thank you so much,
Jenny Washburn
1st Ward Resident

For Public Comment:

Dear Land Use Commission and City Council,

I am writing in opposition to the proposed development at [1621-1631 Chicago Avenue](#) by Horizon Realty Group.

Not only is the building **non-compliant** according to the [Zoning Analysis](#) (reviewed March 2022), Horizon Realty Group disregarded a number of the items marked as non-compliant, and, in fact, raised the proposed height of the building from 17 stories to 18 stories. As mentioned, this project's proposed height at 195' is almost twice the zoning allowance of 105' (barring application for 145').

As you know, according to the City of Evanston's Zoning Code of Ordinances, the purpose of these ordinances are set with the intentions of:

- Minimizing or lessening congestion in the public streets
- Preventing the overcrowding of land by regulating and limiting the height and bulk of buildings hereafter erected, as said buildings relate to land area
- Establishing, regulating, and limiting the building or setback lines on or along streets, alleys, and property lines
- Regulating and limiting the intensity of the use of lot areas, and regulating and determining the area of open spaces between and among the surrounding buildings

Horizon Realty Group has proposed a development that mostly ignores the aforementioned ordinances in blatant disregard for the City of Evanston, its residents, and its local businesses, all who may be negatively impacted by this proposed high-rise.

The proposed 18-story building supersedes the height-limit set forth in our zoning laws, promotes congestion in the alleyway behind the First United Methodist Church (which, notably, has been an Evanston institution since the 1800s) and further promotes congestion on Davis Street, potentially putting pedestrians and cyclists in danger of traffic and wind tunnels.

Additionally, as mentioned in The Perman Group's [economic/fiscal assessment](#) of the property, under **2.1 Property Taxes**, Jonathan Perman's team notes that the property's future taxes will have a positive economic and fiscal impact for the City. What is not mentioned is that Horizon Realty Group has appealed their tax assessments for 2016, 2019, 2020, and 2021 (attached).

Based on this trend, I do not believe that The Perman Group, or Horizon Realty Group, can attribute the tax assessment as a benefit to the City when Horizon Realty Group has a clear history of appealing their tax valuations.

Next, I would like to call attention to the over 720 residents who have signed a [Change.org petition](#) entitled "Vote NO on the 1621 Chicago Avenue Planned Development" in opposition to this planned development, which will be submitted to Mayor Biss and City Council, and has already been submitted to Alderman Kelly.

The consideration of a proposal from Horizon Realty Group, also calls into question the values of the City of Evanston.

If City Council and our Boards, Commissions, and Committees feel that it is a viable and defensible act to work with a company that has been accused of discrimination against immigrant senior citizens who were allegedly coerced into rent hikes on long-term agreements at Horizon's Sheridan Plaza location (McGhee, 2016); a company whose COO remarked about Horizon Realty Group: 'we're a sue first, ask questions later kind of an organization' (Donovan, 2009); a company that has mostly disregarded our city's zoning laws in the name of, in my opinion, corporate greed; then, by all means, vote 'yes' for the planned development.

If City Council and our Boards, Commissions, and Committees feel that this city's values are aligned with alleged discrimination (see citations) and, again, in my opinion, litigious greed, then vote 'yes' to this planned development. If City Council feels that putting our citizens and our businesses at potential risk of being taken advantage of by this company, then vote 'yes' to this planned development.

As a reminder, we elected you to represent us, the residents of Evanston. We did not elect you to line the pockets of Horizon Realty Group.

Evanston is watching. Our values are at stake. Do not demean who we are to close a deficit by pushing this proposal through.

Sincerely,

Jennifer Washburn

[807 Davis St.](#), Unit 1803

Evanston, IL 60201

Citations:

McGhee, Josh. "Senior Refugees Complain Of Discrimination At Sheridan Plaza." *DNAinfo*, September 7, 2016, <https://www.dnainfo.com/chicago/20160907/uptown/senior-refugees-complain-of-discrimination-at-sheridan-plaza/>. October 15, 2020.

Donovan, Lisa. "Tweet About Apartment Mold Draws Lawsuit." *Chicago Sun-Times*, July 28, 2009, <https://web.archive.org/web/20090730013535/http://www.suntimes.com/news/24-7/1687436%2CCST-NWS-twitter28web.article>. October 15, 2020.

Source: CODE OF ORDINANCES City of EVANSTON, ILLINOIS (Title 6 - Zoning, Chapter 1)

2 attachments

1627 Appeal History _ Cook County Assessor's Office.pdf

 208K

 **The Legacy 2022 FiscalEcon.pdf**
5141K

From: [Tony Sherwood](#)
To: [Jeff Michael](#)
Subject: Legacy Project
Date: Thursday, July 28, 2022 1:37:36 PM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)

Mr. Michael

I came across your proposed Legacy project through the local Evanston media. I want to express my support for your project. My firm, CyberSearch provides IT Staffing, Recruiting, Consulting and Executive Search for companies all across the Country. I employ 50+ people and I recently scouted office spaces in Evanston with the hopes of relocating my business there. I ultimately chose not to relocate there because my research led me to believe that Evanston was not forward thinking enough in terms of growing its population and attracting work talent. I was reading your proposed project, that would bring 180+ much needed residents to Evanston and produce 18 affordable units, a stated goal of the Evanston City Council - so my wish for you is that the project gets approved. Evanston's population has been stagnant throughout the recent history because of its resistance to density. Because of that I did not want to get stuck in a stagnant business environment. I want to state that I think it would be a very poor decision if your project is turned down.

Best of luck to you

Tony



ANTHONY J. SHERWOOD

Vice President

CYBERSEARCH

d 847-879-1288 | c 847-323-4004

cybsearch.com | [search jobs](#)

follow us   

Grady, Graham C.

From: Peter Evans <peteevans2001@gmail.com>
Sent: Monday, August 1, 2022 6:07 PM
To: Jeff Michael
Subject: Letter of Support

Sent from my iPhone

Begin forwarded message:

From: Peter Evans <peteevans2001@gmail.com>
Date: August 1, 2022 at 5:03:22 PM MDT
To: clarekellyfirst@gmail.com
Subject: Horizon Realty Legacy Evanston

Clare, I hope this email finds you well. It was great chatting with you election day and congratulations again.

I wanted to reach out to express my support for Horizon Realty's Legacy Evanston development on Chicago Avenue.

One of the most important elements of a successful development is a solid developer. The Michaels are some of the best owners I know when it comes to quality, maintenance and efficient operations. As an example, The Marion is exceptional and was an incredible transformation adding vitality to our community.

Evanston needs more housing especially downtown to support the retail and restaurants. Legacy is a very appropriate location for density and will be a very successful development.

We need more tax revenue. Legacy will provide millions of dollars of income to Evanston.

Legacy will create structure jobs and permanent jobs.

We have an exceptional developer that has supported the Evanston community and is looking to further contribute. I hope we give them support that they need to continue their support of Evanston.

Happy to chat. My cell phone is 847-226-0836.

Best regards

Pete

Peter W Evans
2237 Sherman Ave.
Evanston, IL 60201

Sent from my iPhone

First name	Last name	Email	Letter Subject
Shayna	Jensky	shayna.jei	Support The Legacy Evanston
Jack	DeMar	jack@picr	Support The Legacy Evanston
Anthony	Sherwood	tony.sher	Support The Legacy Evanston
Robert	Martin	robertlma	Support The Legacy Evanston
Salomon	Dayan	moumi@z	Support The Legacy Evanston
stephen	kant	sdkant@h	Support The Legacy Evanston
Howard	Michael	hsmichael	Support The Legacy Evanston
Howard	Schechter	hschecht2	Support The Legacy Evanston
Ralph	Katz	ralphk@a	Support The Legacy Evanston
Phillip	Gordon	phillipgrd	Support The Legacy Evanston
Joaph	Siegman	jmsgolf@i	Support The Legacy Evanston
Laura	Rodriguez	laurarodri	Support The Legacy Evanston
Danny	Wiess	dm200@z	Support The Legacy Evanston
Richard	Kronrad	richard@l	Support The Legacy Evanston
Joseph	Valenti	joevalenti	Support The Legacy Evanston
David	Katz	davidk@a	Support The Legacy Evanston
angel	bassuk	bassukchi	Support The Legacy Evanston
Gary	Rothbart	gary@rotl	Support The Legacy Evanston

Lee Kiser leekiser12 Support The Legacy Evanston

Andrew Glatz Andrew@ Support The Legacy Evanston

David Schimel drschimel Support The Legacy Evanston

D Chanan donchana Support The Legacy Evanston

Chicago Ave. This 180-unit apartment building would inject new energy to a block that is in need of revitalization. It would bring 273 new residents to Chicago Ave. This 180-unit apartment building would inject new energy to a block that is in need of revitalization. It would bring 273 new residents to Chicago Ave. This 180-unit apartment building would inject new energy to a block that is in need of revitalization. It would bring 273 new residents to Chicago Ave. This 180-unit apartment building would inject new energy to a block that is in need of revitalization. It would bring 273 new residents to Chicago Ave. This 180-unit apartment building would inject new energy to a block that is in need of revitalization. It would bring 273 new residents to



Michael Griffith <mgriffith@cityofevanston.org>

Do not recommend Chicago Ave Development - Negative Impact on Struggling Downtown

1 message

Kiera Kelly <kiera.kelly1000@gmail.com>

Tue, May 24, 2022 at 12:50 PM

To: Johanna Leonard <jnyden@cityofevanston.org>, Stephanie Mendoza <smendoza@cityofevanston.org>, mgriffith@cityofevanston.org, kashbaugh@cityofevanston.org, Clare Kelly <ckelly@cityofevanston.org>, jnieuwsma@cityofevanston.org, WILLIAM BROWN <bbrown@wwbrown-inc.com>, Meagan Jones <mmjones@cityofevanston.org>, PZalmezak@cityofevanston.org, ASchnur@cityofevanston.org, ECano@cityofevanston.org, LBiggs@cityofevanston.org, IEckersberg@cityofevanston.org, RPapa@cityofevanston.org, MTristan@cityofevanston.org, SMagnum@cityofevanston.org, Bob Froetscher <bob@vistaadvisorsllc.com>

Hello All,

I fully concur with the written comments submitted by Bob Froetscher (attached) in opposition to the Chicago Avenue development regarding the zoning and other aspects of breaking our ever-changing ordinances.

I would add another practical issue that DAPR should care about...that the state of our downtown is very concerning with little activity and fewer Evanston residents or visitors patronizing it. I would argue that the high-rise luxury towers have contributed to this declining state and have had the opposite effect as was intended by City Staff. Instead of helping downtown by adding residents, the enormous high rises have created a sterile and uninviting aesthetic, have replaced independent restaurants and businesses, and eliminated (or degraded) highly sought after al fresco dining areas that puts a town on the map (there is not one restaurant I can think of under a high rise here that is successful.)

Before we blame Downtown's declined state on COVID or Internet shopping, we need to only acknowledge Wilmette's and Winnetka's current bustling restaurant scene Or Chicago's Southport Ave where outdoor cafes, restaurants, shops outdoor cafes are busy and at pre-COVID levels Or even appealing Central Street that is buzzing along. Your decisions on development and these high rises have created a Downtown that does not match what residents or visitors want and has "killed the vibe."

Do not replace one of the last semi-vibrant and pleasant stretches of downtown, known for al fresco dining and Evanston's most well-known restaurants with another block-killing luxury high rise. This would eliminate another reason to come to Downtown Evanston and shape how people and potential independent businesses consider downtown in their minds. (High rises, windy, chain stores, no charm.)

We are oversaturated with luxury units and luxury high rises primarily housing NU students. That increase rents city-wide and spur and gentrification. We don't need to bend the zoning code in a fragile perimeter for something that our city doesn't need and residents and nearby businesses do not want and will continue Downtown's decline.

Please listen and trust weary residents if you want to keep residents and visitors coming Invest and trust in us instead of non Evanstonian developers and outside lobbyists like Joining Forces advocating for the wrong kind of affordable housing. This stretch can be redeveloped but better and in a more productive way. Just say no.

Best,

Kiera Kelly

----- Forwarded message -----

From: **Robert Froetscher** <bobfroetscher@gmail.com>

Date: Mon, May 23, 2022 at 4:59 PM

Subject: DAPR 05.24.22 Meeting - Written Comments

To:

Ms Mendoza, Mr. Griffith, Ms Ashbaugh –

As previously communicated, I am submitting written comments in opposition to the proposed development at 1621-1631 Chicago Avenue, which is to be reviewed by DAPR tomorrow, May 24th at the 2 pm DAPR meeting. Since you have not responded to my prior email, I am assuming that I am delivering this set of written comments in plenty of time for tomorrow's meeting and request that this be shared with any members of the DAPR decision making body whom I have missed.

Unfortunately, I will be unable to attend the DAPR meeting tomorrow live and in person due to the late meeting notice, it being inconveniently scheduled during business hours and the lack of a Zoom option. I will be on an airplane on a previously schedule business trip, headed to the west coast during the DAPR meeting tomorrow.

Please see my written comments in the attached PDF.

I would also like to note the following.

There are many others who will be unable to attend tomorrow's DAPR meeting in person for the similar reasons.

That is extremely unfortunate, given that this particular development has been vigorously opposed by an enormous number of residents in two prior review cycles. There have been dozens and dozens of written and live comments from residents in opposition to this proposed development – or a development very similar to it on the same site by the same developer– in prior review cycles. We are happy to share those prior comments given the time to prepare proper commentary. Additionally, the Evanston City Plan Commission Staff recommended denial of a very similar development on the same site by the same developer at both the 2/26/20 Plan Commission meeting and the 9/30/20 Plan Commission meeting. The Evanston Plan Commission did not support the development at its 2/26/20 meeting and voted against the development at its 9/30/20 meeting. The developer will attempt to characterize this as a different development. It is not materially different. It remains a 195 foot tall, 18 story tall tower, grossly out of keeping with the east side of Chicago Avenue on a block which Evanston's Downtown Plan stipulates buildings of 6-10 stories. It will bring inconvenient, disruptive and dangerous increases in congestion, traffic and activity on Chicago Avenue, on Church Street to its north and in the narrow alley behind the building. For those of you who have ever walked Chicago Ave to the Whole Foods you know it is already the worst wind tunnel effect in Evanston. This development will make it worse.

Given the strong, consistently negative Evanston resident input over multiple years, I would have expected more notice, greater accommodation and convenience for Evanston residents who would like to provide commentary.

I look forward to your review of my comments in the attached letter. I'm happy to provide additional color about not only this proposed development but the developer given the proper time to prepare commentary. There is much to be shared.

Thanks,

Bob Froetscher

[1580 Sherman Ave, Evanston](#)



DAPR 05.24.22 Meeting Written Comments.pdf
1253K



Meagan Jones <mmjones@cityofevanston.org>

Land Use Commission Public Comment

1 message

noreply@formstack.com <noreply@formstack.com>

Thu, Jul 28, 2022 at 2:26 PM

Reply-To: noreply@formstack.com

To: mmjones@cityofevanston.org, kashbaugh@cityofevanston.org, mklotz@cityofevanston.org



Formstack Submission For: **Land Use Commission Public Comment**

Submitted at 07/28/22 3:26 PM

Name: Barbara Blades

Address of Residence: 2111 Maple Avenue

Phone: (847) 869-6354

How would you like to make your public comment?: Written (see below)

Provide Written Comment Here:

There is no need for a high-rise building at 1621 Chicago Avenue. I don't know the occupancy rates of the other high rises, but we've lost many downtown businesses during the pandemic. To replace the remaining successful businesses occupying the North end of that block would be a mistake. The construction would also affect the remaining businesses South of the Merion on the block. The whole W side of the block would also be affected by the disruption of both driving and foot traffic.

Please consider these factors before you cast your vote.

Agenda Item (or comment on item not on the agenda):

Highrise on Chicago Ave. and Church St.

**Position on
Agenda
Item:**

Opposed

Copyright © 2022 Formstack, LLC. All rights reserved. This is a customer service email.
Formstack, [11671 Lantern Road, Suite 300, Fishers, IN 46038](#)



Meagan Jones <mmjones@cityofevanston.org>

1621-31 Chicago Avenue Development Proposal

1 message

matthewfeldman@gmail.com <matthewfeldman@gmail.com>

Tue, Jul 26, 2022 at 8:25 AM

To: ckelly@cityofevanston.org, mmjones@cityofevanston.org

Cc: Feldman Ellen <efeldman53@gmail.com>, Harder Dennis <dharder11@gmail.com>

Ald. Kelly:

We are writing this comment in consideration of the proposal to develop 1621-31 Chicago Avenue.

We own and reside in a condominium at 522 Church Street and our apartment faces south, directly on the site of the proposed development.

We are submitting this comment because we are unable to attend the meeting and the developer has chosen to-date to not submit responses to staff questions in writing for the public to review.

Our primary concern (which is shared by staff) is the height variance requested by the developer. As indicated by staff, "The proposal for 18 stories is noticeably out of scale with proximate development on the east side of Chicago Avenue. Recommend reducing the proposed height to between 8 and 10 stories to match the Downtown Plan's development framework."

We have observed as this developer has consistently ignored consideration of the character of the neighborhood in which this project is proposed to be constructed in each of the several proposals they have submitted. An 18 story building at this location is substantially larger than any other building on the east side of Chicago Avenue. The east side of the street begins a transition from the larger commercial and residential structures on the west side and the lower rise residential apartment buildings and private homes on Hinman Avenue.

We believe that the City should reject this substantial variance from the zoning requirements.

We are also concerned with the state of the alley that runs behind the proposed building and that is, according to this project plan, intended to provide access to both parking and the loading docks.

The alley, which was already in need of repair, was further damaged by the construction of the north building of the Merion (also a project of this developer). The likely damage to the alley as a result of this proposed construction would render it unusable.

Should this or any other proposal by this developer proceed, they should be expected to bring the alley to a state consistent with the traffic created by the increased density resulting from their project.

Sincerely,

Ellen and Matt Feldman
522 Church Street

Sent from Matt Feldman's iPhone



Meagan Jones <mmjones@cityofevanston.org>

Land Use Commission Public Comment

1 message

noreply@formstack.com <noreply@formstack.com>

Fri, Jul 29, 2022 at 9:12 AM

Reply-To: noreply@formstack.com

To: mmjones@cityofevanston.org, kashbaugh@cityofevanston.org, mklotz@cityofevanston.org



Formstack Submission For: **Land Use Commission Public Comment**

Submitted at 07/29/22 10:12 AM

Name: SAM Helgerson

Address of Residence: 1580 Sherman Ave. Apt 1102

Phone: (847) 859-6513

How would you like to make your public comment?: Written (see below)

Provide Written Comment Here:

Concerning the proposed new high-rise building at 1621 Chicago Ave., I want to again express my objections to this development project. I have attended both in person and virtual meetings in the past where this project has been presented. I think it is time for the developers to move on to a more appropriate design for a building and to stop trying to wear everyone down by bringing slightly modified designs back over and over again.

New buildings along Chicago Ave. are limited to a height of around 10 stories for a reason. I believe that this regulation should be followed. Higher buildings have several negative effects on the quality of life in Evanston including creating shadows, contributing to wind tunnel effects and increasing parking and traffic problems. The redoing of Fountain Square has created a great place for people to gather and enjoy our city. Allowing this and then probably future high-rise buildings will only detract from the appeal of this valuable public space.

Agenda Item (or August 10, 2022 Meeting: 1621-1631 Chicago Ave. Case#22PLND-0020

**comment
on item not
on the
agenda):**

**Position on
Agenda
Item:**

Opposed

Copyright © 2022 Formstack, LLC. All rights reserved. This is a customer service email.

Formstack, [11671 Lantern Road, Suite 300, Fishers, IN 46038](#)



Meagan Jones <mmjones@cityofevanston.org>

Land Use Commission Public Comment

noreply@formstack.com <noreply@formstack.com>

Tue, Aug 2, 2022 at 3:51 PM

Reply-To: noreply@formstack.com

To: mmjones@cityofevanston.org, kashbaugh@cityofevanston.org, mklotz@cityofevanston.org



Formstack Submission For: **Land Use Commission Public Comment**

Submitted at 08/02/22 4:51 PM

Name:	Paul Breslin
Address of Residence:	1635 Hinman Avenue, # 1
Phone:	(312) 206-1306
How would you like to make your public comment?:	In-person
Provide Written Comment Here:	
Agenda Item (or comment on item not on the agenda):	HRG proposal for 1621-1631 Chicago Avenue April 10 meeting
Position on Agenda Item:	Opposed

Copyright © 2022 Formstack, LLC. All rights reserved. This is a customer service email.

Formstack, [11671 Lantern Road, Suite 300, Fishers, IN 46038](#)



Meagan Jones <mmjones@cityofevanston.org>

Public Comment for Proposed Horizon Development at 1621 -1631 Chicago Avenue

1 message

Jeremy Vannatta <jvannatta@gmail.com>
To: mmjones@cityofevanston.org

Tue, Aug 2, 2022 at 4:04 PM

For public comment:

Dear Land Use Commission,

I would have loved to have been in person on August 10, but had to be out of town. The lack of an option for a Zoom/Teams/WebEx meeting is frustrating, so I write this letter.

Let me first say that I am pro development and have been in favor of many of the current downtown buildings. However, I am very much opposed to this building. The proposed building at 1621-1631 Chicago Ave is out of keeping with the neighborhood and downtown area. The proposed height of 195' is nearly double what that space is zoned for at 105'. To allow that building at that height would create more shade in the morning on Chicago Ave, more shade in the afternoon and evening on the church and playground directly east on Hinman, and more wind on Chicago Avenue. The building directly north of Church on Chicago was

The number of parking spaces is wholly inadequate and will result in additional traffic on Chicago, Church, Hinman and Davis with people circling the street and waiting for a long time at the right turn from northbound Chicago to eastbound Church. The spillover parking Horizon proposes will also take needed spots out of the Church Street garage. Recently, this garage has served as a place to move cars from snow routes, allowing more efficient snow removal that has been very helpful to citizens and city alike.

Horizon likes to tout they are friends of small businesses. I know tenants of Horizon and they would report that this management company is anything but friendly. I have been told by one tenant that the reason these tenants are not in person or are not writing letters is out of fear of retribution. Horizon likes to say that few businesses will be displaced due to the construction of this new building because they are already at a 50% vacancy at the time they would propose building. This is at least in part due to their unwillingness to renew leases and unwillingness to extend leases. Horizon likes to say that current businesses in this space will be welcome back when the construction is finished, but anyone who knows small businesses knows that they likely cannot survive a move and certainly do not have the capital to wait for 3+ years to move out of their current space and into the new space. This move will put the existing businesses out of business and we already have plenty of that happening in downtown Evanston.

In addition, other things have come to light that this LUC committee should be aware of including some specifics of Horizon's 2020 bankruptcy filing. Quoted from the bankruptcy filing where Horizon is the 'Debtor', "During the two years prior to the filing of the Debtor's petition

- Debtor did not issue any ownership interests or securities
- Debtor held no manager or member meetings and did not keep records of any consent in lieu of such meetings during such period
- Debtor failed to document material transactions
- Debtor failed to keep capital account records for its members
- Debtor failed to prepare contemporaneous profit and loss statements and failed to keep complete records of its accounts payable and receivable
- The Debtor also failed to keep records of services provided to other entities owned and operated by Daniel [Michael, CEO]
- Debtor paid personal expenses of Daniel and Jeffrey [Michael, COO] using funds commingled with the funds of other entities owned and operated by Daniel, and Daniel and Jeffrey each caused the Debtor to divert its assets for each of their personal benefit, to the detriment of the Debtor's creditors
- The Debtor and the related entities owned and operated by Daniel were, therefore, the alter ego of Daniel and Jeffrey during the two years preceding the filing of the Debtor's petition

Last, I have been on three conference calls with Jeffrey Michael, Horizon Realty Group COO, regarding this proposal. Each time he has been disrespectful of City staff, both appointed and elected. He has talked over our city officials and our citizens and has been combative. If this is how he and his company behave towards us when he is seeking the favor of multiple variances, I would like the panel to consider how he will behave once construction is underway or once his

building is up. Further, he has heard opposition on multiple occasions and seems determined to wear us down and push it through. We are not going away as I think you will see (or have seen) this evening.

The mission of the Land Use Commission on your website is "Ensuring the public health, safety, comfort, morals, convenience, general welfare, and the objectives and policies of the Comprehensive General Plan. I believe that this proposal fails on comfort, morals, convenience, and the objectives and policies of the 2000 Comprehensive General Plan.

Please vote no to this building.

Best,
Jeremy Vannatta
5 year 1st Ward Resident
23 year Evanston resident

AUGUST 3, 2022

**REMARKS CONCERNING THE HORIZON REALTY PROPOSAL TO REDEVELOP 1621-31 CHICAGO AVENUE
SUBMITTED TO THE EVANSTON LAND USE COMMISSION BY DENNIS HARDER, 522 CHURCH STREET**

Members of the Evanston Land Use Commission and all interested parties:

I am a resident at 522 Church Street, which is at the north end of the block in which the proposed redevelopment is located. I had 50-year professional career in urban planning and real estate development, and I have followed the proposals for redevelopment of the site for the past several years.

I assume that bringing this matter for discussion before the Land Use Commission is an opportunity for all interested parties to examine and to discuss the relationship of the current proposal to the city's planning and zoning frameworks applicable to the site.

I note that proposals for the site that have entered the City's approval process have each pushed beyond the planning and zoning frameworks established for the block, and not by just nominal amounts. These excesses were initially rationalized by the developer's presentation of various 'community benefits,' the agglomeration of which was among the reasons a previous development proposal was rejected.

The developer's latest proposal is only a slight 'tweak' from his previous proposal. It is easily seen that the latest adjustments DO NOT include bringing the number of units or the building height anywhere down near those levels established in the city's planning and zoning frameworks. One circumstance warrants particular investigation by the Land Use Commission and City staff:

- The developer established 128 dwelling units as base number for the project.
- The base number of units allowed in the planning and zoning frameworks is 54.
- The 128-unit base was then used as the base for two calculations:
 - The number of affordable housing units required for the project under the City's Inclusionary Housing Ordinance (IHO): $10\% \times 128 \text{ base units} = 12.8 \text{ units} = 13 \text{ IHO units}$.
 - The number of 'bonus units' that could be added to the 128 base-unit project: $4 \text{ bonus units for each IHO unit provided} = 4 \times 13 = 52 \text{ IHO bonus units}$.
- The presumption by the developer that the 128-unit base is appropriate must be viewed in relation to the City's planning and zoning framework limit of 54 units:
 - The proposed 128 units is itself 2.4 x greater than 54 planning/zoning framework would allow without strong justification.
 - The City's planning and zoning frameworks anticipate that the justification for allowances beyond established limits would take the form of 'community benefits.'
 - The principle proposed community benefit from the proposed project is five (5) affordable housing units, which 'community benefit' is tied to a project proposal that would generate an enormously tall and bulky building – a result that is aptly described as a 'community dis-benefit.'
- For a project that uses the IHO bonus provisions, the base number of units in the proposal is key to how many units the project could contain in total; therefore, the developer's base proposal of 128 units is self-serving, not community-impact acceptable.

Allowances to permit development of the current proposal, no matter how it is related to the City's IHO, were officially rejected in the past and should not be approved now.



Meagan Jones <mmjones@cityofevanston.org>

Proposed Development at 1621-1631 Chicago Avenue

Matt Feldman <matthewfeldman@gmail.com>
To: mmjones@cityofevanston.org
Cc: Feldman Ellen <efeldman53@gmail.com>

Wed, Aug 3, 2022 at 10:03 AM

Dear Ms. Jones:

We are writing this comment in consideration of the proposal to develop 1621-31 Chicago Avenue.

We own and reside in a condominium at 522 Church Street and our apartment faces south, directly on the site of the proposed development.

We are submitting this comment in the event that we are unable to attend the meeting of the Land Use Commission and given that the developer has chosen to-date to not submit responses to staff questions in writing for the public to review.

Our primary concern (which is shared by staff) is the height variance requested by the developer. As indicated by staff, "The proposal for 18 stories is noticeably out of scale with proximate development on the east side of Chicago Avenue. Recommend reducing the proposed height to between 8 and 10 stories to match the Downtown Plan's development framework."

We have observed as this developer has consistently ignored consideration of the character of the neighborhood in which this project is proposed to be constructed in each of the several proposals they have submitted. An 18 story building at this location is substantially larger than any other building on the east side of Chicago Avenue. The east side of the street begins a transition from the larger commercial and residential structures on the west side and the lower rise residential apartment buildings and private homes on Hinman Avenue.

We believe that the City should reject this substantial variance from the zoning requirements.

We are also concerned with the state of the alley that runs behind the proposed building and that is, according to this project plan, intended to provide access to both parking and the loading docks.

The alley, which was already in need of repair, was further damaged by the construction of the north building of the Merion (also a project of this developer). The likely damage to the alley as a result of this proposed construction would render it unusable.

Should this or any other proposal by this developer proceed, they should be expected to bring the alley to a state consistent with the traffic created by the increased density resulting from their project.

Sincerely,

Ellen and Matt Feldman
522 Church Street

Matt Feldman
Sent from my iPad



Meagan Jones <mmjones@cityofevanston.org>

1621-31 proposal

1 message

Susan Rifas <susanrifas@gmail.com>
To: mmjones@cityofevanston.org
Cc: Clare Kelly <Ckelly@cityofevanston.org>

Wed, Aug 3, 2022 at 9:40 AM

Hello Meagan:

I live at 522 Church Street - next door to where Horizon proposes to build. I have been opposed to this development each and every time they submit their proposal which pretty much has not changed since 2020.

I concur with the reasons my condo Board President, Dennis Harder, submitted. Horizon keeps claiming their development will bring benefits to the area despite the fact that it is out of keeping with any number of ordinances. They made the same claims when seeking and obtaining approval for the addition to the Merion, e.g., that the addition would bring new business to the area. Well ... it took more than 5 years after completing the addition before the new carry-out restaurant opened and the remainder of the storefronts are still vacant.

The alley east of our building is a nightmare already and their proposal will make it even worse. Please do not "permit" Horizon to go any further with their proposal.

Thank you.

Susan Rifas

Sent from my iPad

**Meagan Jones** <mmjones@cityofevanston.org>

Chicago Ave. Tower

1 message

Reginald Gibbons <rgibbons@northwestern.edu>

Thu, Aug 4, 2022 at 1:28 PM

To: "mmjones@cityofevanston.org" <mmjones@cityofevanston.org>

We are writing to protest the potential city approval of the construction of the Chicago Ave. Tower, which will forever diminish the neighborhood in which we live by increasing traffic; increasing difficulties of parking; clogging and interfering with the use of the alley between the back entrances/facilities of buildings on the east side of 1600 block of Chicago Ave. and First United Methodist Church; blocking afternoon sunlight; creating, because of its height, strong winds (just like the building adjacent to the south side of Whole Foods Market and the Chase Bank building on Orrington). Evanston must prevent commercial buildings (especially very tall ones) from damaging neighborhood qualities of residential streets! Thank you. ---Reginald Gibbons and Cornelia Spelman, [1633 Hinman Ave, #1, Evanston 60201](#).



Meagan Jones <mmjones@cityofevanston.org>

To Land Use Commission re proposed development at 1621-1631 Chicago Ave.

Rebecca Goldberg <goldbergr@me.com>
To: mmjones@cityofevanston.org
Cc: Clare Kelly <ckelly@cityofevanston.org>

Thu, Aug 4, 2022 at 1:41 AM

Dear Land Use Commissioners,

I am sending this message to formally state my strong opposition to this development in writing. I live directly on the next street East of this space on Hinman Avenue. I expect the City of Evanston to abide by The City Plan and keep the height at the recommended 6-10 stories for the East side of that block of Chicago Ave. I don't understand why this "developer" continues to even propose such egregious violations, or why our city has allowed them once again to proceed to this point. Aside from the monstrosity of an 18 story looming building, added congestion would be problematic, and it would be willfully unsafe to add so much more traffic in an area already congested and also with such a large population of Senior citizens, such as myself. The Merion, as you know, is next door to this site, and The Mather is only one half block East of this location. In addition, it is already difficult to find parking near my building due to, understandably, drivers seeking lake access, and with already booming Graduate Hotel traffic, I often must find parking a block away from my home. This area simply cannot support such a behemoth.

You would be participating in a scam if you allow such egregious violations of City recommendations , put in place to protect us, to proceed. I hope you will do your job, respond to us, the constituents who will have to live with your decisions, follow the recommendations and work to keep Evanston the lovely city that it is.

Best to you,
Becky Taveirne
1635 Hinman, Apt. 2



Meagan Jones <mmjones@cityofevanston.org>

LUC meeting to consider development at 1621-1631 Chicago Avenue

Candy Heaphy <candyheaphy@gmail.com>
To: Meagan Jones <mmjones@cityofevanston.org>
Cc: ckelly@cityofevanston.org

Thu, Aug 4, 2022 at 9:13 AM

To: Ms Jones and Members of the Land Use Committee and Alder Clare Kelly,

From: Candy Heaphy, [1616 Hinman Ave](#), 6B, Evanston, IL 60201

Since moving to Evanston several years ago, I have attended all Ward One meetings and have followed with interest and dismay the proposed development at 1621-1631 Chicago Avenue.

Although at first it was explained as fitting in with its sister buildings - the Merion- it was glaringly apparent that the idea of the developers was to squeeze in a much taller building that is unlike anything on the east side of that block of Chicago Avenue.

As a retiree, it is important to me to live in a neighborhood that is comfortable, quiet, attractive and walkable. Hinman Ave is all those things but the proposed Horizon Development would radically change that due to the density of the residences, traffic and pedestrian congestion and snarls in the little alley that people like me and members of the Methodist church depend on to get in and out.

If you are not familiar with the alley, please walk down it. Notice how narrow it is, especially at the south end, where trash receptacles often stick out into the space. Every day, delivery trucks park there to do their business. Moving trucks stay for hours, a metal collector stayed for two hours earlier this week, fish deliveries are made at that end, laundry pickup is frequent. I can't imagine how much worse it will be if residents of the proposed building use the alley to enter their parking and trucks of all sizes join the parade of vehicles to the loading docks of the new building.

I urge you to reject this proposal once and for all. Given that that side of the block is designated a TRANSITION area, please honor that and don't be fooled by loopholes that have allowed this proposal to grow to outlandish height, not at all appropriate or welcome here.

Thank you,

Candy Heaphy



Meagan Jones <mmjones@cityofevanston.org>

Fwd: Development plan for 1621-31 Chicago Avenue by Horizon Realty Group

1 message

Lin Clarke <lclarke4000@gmail.com>
To: mmjones@cityofevanston.org

Thu, Aug 4, 2022 at 7:32 AM

Sent from my iPhone

Begin forwarded message:

From: Lin Clarke <lclarke4000@gmail.com>
Date: July 26, 2022 at 12:43:00 AM ADT
To: Clare Kelly <ckelly@cityofevanston.org>, mmjones@cityofevanston.org
Subject: Development plan for 1621-31 Chicago Avenue by Horizon Realty Group

Dear Clare Kelly and Meagan Jones,

The initial development plan presented to the Plan Commission for the 1621-31 Chicago Avenue site by the Horizon Realty Group was rejected on many counts with specific change requirements spelled out. Since then over the intervening years, their successive plans have been an expression of these developers' continued disregard of the Evanston Plan Commission's requests for compliance to our zoning requirements (May 2018, Dec. 2018, Apr. 2020, Sept. 2020 and May 2022) for this downtown transition, east side of Chicago Avenue, to residential neighborhood. As the Plan and Development Committee and the Council members are well aware, this area requires a building to have a maximum of 52 units, a height of 105', a bulk of 6.0, 119 parking spaces and 2 loading docks. The latest plan almost quadruples the number of units, doubles the height and bulk, reduces the parking to 1/2.5 units, and puts two loading docks in an alley that currently is blocked by trucks servicing Horizon's existing buildings all hours of the day. It further has no aesthetic relevance to any of the neighboring buildings of brick and stone with its concrete slabs, metal and glass as currently designed which would concern an architectural review board.

As a law abiding citizen, I find this total, repetitive disregard for Evanston's regulations unacceptable. Why would our community welcome further development from Horizon when they continue to flaunt our laws with yet another egregious plan? I request that you again reject this proposed development for its abject disregard of Evanston's zoning requirements and overreach in all aspects of development by deliberately misusing our affordable housing regulations to obtain extreme variances. It is again an attempt, as they tried to do previously, to bribe the city with temporary affordable units to have their will at the detriment of our downtown and city as a whole. Let our community welcome those developers who wish to unit and work with us in making lives and living spaces better for all Evanston residents – not just for themselves, developers who do not live in our community.

Thank you and the other concerned citizens who are our representatives on our City Council and in our Plan and Development Committee, for continuing to require observation of our zoning requirements of all developers, even as we continue to experience Covid-19 induced financial difficulty for our community. Please share my views with all Council and Committee members, as I am very proud that our community continues working together to solve its

8/4/22, 12:30 PM

CITY OF EVANSTON Mail - Fwd: Development plan for 1621-31 Chicago Avenue by Horizon Realty Group

racial, educational and housing needs at this time. We must expect developers to contribute to those solutions, not exacerbate our problems for their own financial benefit.

Sincerely in good citizenship,

Linda Clarke, 522 Church Street, Evanston



Meagan Jones <mmjones@cityofevanston.org>

Fwd: The latest 1621-31 Chicago Avenue proposal

1 message

Wade Clarke <wclarke4000@gmail.com>
To: mmjones@cityofevanston.org

Thu, Aug 4, 2022 at 7:36 AM

Subject: The latest 1621-31 Chicago Avenue proposal

Dear Ms. Jones,

I urge the council members to vote against the latest proposal for [1621-31 Chicago Avenue](#) and to ask your colleagues on the Council to do the same. The proposal contains all the flaws that the earlier t proposals had. The height, density, and layout for the proposed structure are simply incompatible with the site itself. Also, the current lower zoning height along Chicago Avenue that is meant to afford a gradual transition to the residential neighborhood to the east is completely ignored. The large number of proposed apartments, many of which are rather small, appear to be planned for student housing. However, the site is better suited for a condominium or for business offices with many fewer units.

One of the most absurd aspects of the proposal involves the planned use of the narrow alley running behind the structure between Church St. and Davis Ave. That narrow alley is already so full of dumpsters and trucks serving the restaurants on Chicago Avenue that it very frequently is not passable during the daytime. Also, I understand that the city owns significant, aging sewer lines under the alley. It is unclear how those will be addressed. I suggest that city study this aspect.

The proposal adds 10 years of additional low-income housing units as an incentive to gain approval from the Council. That fact is not sufficient to overcome the many problems referenced above.

Thank you for your consideration.

Wade Clarke

522 Church St, #3C

Evanston

August 3, 2022

TO: Land Use Commission
City of Evanston
c/o Meagan Jones

CC: Clare Kelly
1st Ward Council Member
City of Evanston

Bill Brown
Chairman of the Board of Trustees
First United Methodist Church of Evanston
516 Church Street
Evanston, IL 60201

FROM: Pastor Grace Imathiu
First United Methodist Church of Evanston
516 Church Street
Evanston, IL 60201

SUBJECT: Opposition to the Proposed 1621 – 1631 Chicago Avenue, Evanston Development

Dear Members of the Land Use Commission:

I am the Pastor of the First United Methodist Church of Evanston which has 720 members and is located at 516 Church Street. I am sharing these written comments to be added to the record of the August 10th, 2022 Land Use Commission meeting on the topic of the proposed development at 1621 – 1631 Chicago.

I would much prefer to testify in person at the August 10th meeting of your Commission, but unfortunately, I will be out of the country, and will be unable to attend. I personally, and First United Methodist Church as an institution, remain strongly opposed to this proposed development. As long as the developer continues to propose buildings which are too tall, too dense and too dangerous for this site, we will remain opposed.

Our church is on the same block as and immediately behind where the proposed development at 1621 – 1631 Chicago Avenue would be built. We constantly use the shared alley which abuts our primary church building and parking lot, and is planned to be the alley for the new building's resident parking as well as access for deliveries to both loading docks. In addition, our daycare center, Total Child utilizes this shared alley on a daily basis. This alley is already congested due to deliveries to various restaurants and businesses along Chicago Ave, and is frequently blocked at both ends by delivery trucks. Adding the traffic from an additional high-rise building is completely untenable.

At the request of our congregation, and many others in Evanston, I have repeatedly testified, over several years, in opposition to this developer's proposed development on this specific site. While the many development proposals for 1621 – 1631 Chicago Ave differ to some degree in their details, all of them share common characteristics of being much too tall and too dense for a building on this site. The proposal includes many significant violations of the zoning code and would produce an architecturally inappropriate element in the historic built environment that occurs east of Chicago Avenue to the lake. No buildings of this proposed height were ever considered in the city planning documents

Over the years, I have testified in opposition to this proposed development (or similar proposals) at multiple Community Meetings, DAPR meetings, Plan Commission Meetings and Planning & Development Subcommittee of the City Council meetings. The developer has consistently returned with new proposals which remain offensive to the members of my church for the reasons above.

I would like to ask you as members of the Land Use Commission – “What do I and my members need to do in order to put this issue to rest? Will this cycle of repeated, excessively large, dense, dangerous buildings continue until the developer just wears us out?”

In my absence, I would hope that you provide my comments the weight they deserve as the leader of First United Methodist Church which has been a vibrant, active, contributing member of the Evanston community for over 150 years and has over 700 members. I would also ask that you give due consideration to the in-person comments that will be shared with you at your August 10th meeting by Bill Brown who is the Chairman of the Board of Trustees of the First United Methodist Church.

I would be happy to meet personally with you individually or as a group upon my return to the United States, however I sincerely hope that is unnecessary.

Sincerely,

A handwritten signature in blue ink, appearing to read "R. G. Imathiu".

Pastor Grace Imathiu
First United Methodist Church of Evanston

August 4, 2022

TO: Land Use Commission
c/o Meagan Jones
City of Evanston

CC: Jonathan Nieuwsma
4th Ward Council Member
City of Evanston

Clare Kelly
1st Ward Council Member
City of Evanston

FROM: Bob Froetscher
1580 Sherman Avenue
Apt 902
Evanston, IL 60201

SUBJECT: Opposition to the Proposed Horizon Realty Group Development at 1621 – 1631
Chicago Avenue

Dear Land Use Commission Members:

I am sharing these written comments to be part of the record (along with my PowerPoint presentation testimony) of the Land Use Commission's August 10, 2022 meeting on the topic of the proposed Horizon Realty Group development at 1621 – 1631 Chicago Avenue.

I'm an Evanston resident, who lives downtown at 1580 Sherman Avenue.

I'm one of thousands of Evanston residents who have changed the complexion of Evanston's downtown over the last 20 years, by choosing to live downtown. We have bought real estate downtown, pay millions of dollars in taxes annually and made downtown come alive again. We rely on the city's commitments in its heavily researched 2009 Downtown Plan, zoning ordinances, other regulations and standards and the good common sense of the Evanston City Council and its appointed subcommittees and boards to protect our own and our loved one's safety our homes and investments. We also rely on those plans, zoning ordinances, standards and review bodies to help sustain a living and working environment which will attract and retain residents.

The proposed development at 1621 – 1631 Chicago Avenue by the Horizon Realty Group, or developments very similar to it from the same developer have been reviewed and rejected in two separate prior review cycles over the past three years. Like prior proposals, this one is grossly in violation of the D4 zoning requirements of this site and in violation of the intent of

development on the east side of this block of Chicago Avenue which is specifically designated to be a “transition zone” to the residential environment immediately behind it on Hinman Avenue.

In fact, this proposal is even more objectionable than the immediately prior proposal from this developer, as this proposal is even taller at 195 feet (vs the prior version at 185 feet) and has more stories at 18 (vs the prior version at 17).

Just as important, however, this development has way too many units (at 180 vs the 54 that would normally be permitted on a lot of this size in this zone) and will have way too many residents for this plot on this busy block and street. It will create significant additional pedestrian and traffic safety risks and congestion on Chicago Avenue and Church Street due to the increased traffic from Ubers, Lyfts, taxis, FedEx trucks, UPS trucks, Amazon trucks, GrubHub, DoorDash vehicles and all sorts of other delivery / ridesharing services trying to serve this building. It will also create significant additional congestion and very dangerous conditions in the back alley. This is a very narrow, limited access alley which the developer proposes to use to provide the building’s residents access to their indoor parking and trucks access to the building’s two loading docks. The alley directly abuts the First United Methodist Church and the Church’s additional property which is used by over 700 members. The building’s use of the alley for parking and loading dock access will not only put pedestrians and church members at risk, but creates excessive risks for the parents and children of the Total Child Preschool, which is located in that church right at the corner of Church Street and the alley.

The developer has repeatedly ignored the feedback from prior Community Meetings, prior DAPR committees, prior Plan Commissions, and prior Planning and Development Council sub-Committee meetings as well as broad feedback from the community in the form of letters, testimony and petitions.

This development is a proposed 18 story monstrosity in a row of 8 and 9 story buildings. It is 195 feet in height, greatly exceeding the maximum building height allowance of 105. The Zoning Analysis conducted by the City of Evanston staff indicates this development is non-compliant on five important metrics. City of Evanston Staff, LUC Members, Council Members and others should not be fooled by the use of “bonus units” and “allowances” which are gained by providing “IHO units”, “site development allowances” or by “not counting” floors with resident parking. This building is huge, and grossly out of scale versus its neighbors which are 8 and 9 stories tall – which the developer well knows as this same developer owns the Merion next door which is 8 stories tall. This proposed development will create dangerous, congested conditions and does not in any way meet the criteria for buildings on this specific block of Chicago Avenue – which, according to the “City of Evanston 2009 Downtown Plan” are to be specifically limited to 6-10 stories in height.

Key points to note include:

- The DAPR committee previously unanimously voted to deny approval of a very similar proposed development

- The project unequivocally violates the 2009 Downtown Plan which recommends building heights of 6-10 stories for this specific side (east side) of this specific block of Chicago Ave
- It unequivocally DOES NOT Comply with the Design Guidelines for Planned Developments
- It does not meet the “Standards of Approval” which it must satisfy to move forward
- And it DOES NOT meet the “Standards for Special Use” as it will cause a negative cumulative effect when one takes into account the impact of incremental car, taxi, UBER, Lyft, FedEx, Amazon, GrubHub, Door Dash traffic on the already heavy pedestrian, retail, commercial, church, and bike traffic here as well as the children and parents of the Total Child preschool.
- There will also be a clear negative financial impact on the values of the condominiums at the corner of Church Street and Chicago Avenue and on the value of low-rise condominiums on Hinman Avenue, directly behind the proposed development.

The City of Evanston’s Government has as its mission the following statement – straight from the City’s website:

“Creating the most livable city in America”.

This proposed development would make Evanston less livable in many, many ways.

I am strongly opposed to this proposed development and ask you to reject this proposal and direct the developer to make no more proposals that are not compliant with zoning standards, the standards of approval and the 2009 Downtown Plan.

Thanks,

Bob Froetscher
1580 Sherman Avenue
Evanston, IL

TESTIMONY TO THE EVANSTON LAND USE
COMMISSION

RE: PROPOSED 1621 - 1631 CHICAGO AVENUE DEVELOPMENT – CASE
NUMBER 21ZONA-0065

AUGUST 10, 2022

Bob Froetscher, Evanston Resident

MAJOR CATEGORIES OF REASONS TO DENY APPROVAL OF THE PROPOSED 1621-1631 CHICAGO AVE DEVELOPMENT

- This development or one materially similar by same developer has been rejected multiple times by multiple Evanston review bodies, in multiple review processes, including at lesser height of 17 stories and 185 feet, vs current 18 stories and 195 feet (see slide 5).
- The proposed development violates and / or lacks compliance with virtually all of Evanston's official plans, guidelines, and standards of approval for both Planned Developments and Special Use (see slides 6,11,12,13)
- The proposed development materially violates five of the most critically relevant D4 zoning requirements (see slides 7 and 8)
- There are significant concerns including safety concerns for pedestrians, current residents, United Methodist Church members, Total Child Pres-school, and others due to high number of additional units (180) and residents (300) on a small site which will drive excessive additional congestion and traffic in an already very busy and congested block, street and intersection and due to the building's use of the narrow alley abutting the church for the proposed development's resident parking and access to building's two loading docks.
- The proposed development faces strong opposition from the community including the Board of Trustees of and 720 member congregation of United Methodist Church as well as multiple directly impacted condo associations, condo owners and residents on Church Street and Hinman Avenue plus many other residents in the 1st Ward and elsewhere throughout city (see slide 9). Hundreds have commented and written in opposition at multiple meetings and in front of multiple review bodies.
- Approval would be a terrible precedent given developer has not heeded feedback from the community, nor from Evanston city staff, prior and other review bodies over multiple review cycles. Approving this creates a "slippery slope" that guts the D4 zoning, the "standards of approval" and guts the specific recommendations of the City of Evanston 2009 Plan which stipulates buildings on this specific side of this specific block of downtown Evanston be no more than 6-10 stories in height. Future developers will use such an approval to essentially eliminate the D4 transition zone zoning requirements.

EVANSTON CITY GOVERNMENT VISION STATEMENT

Creating the most livable city in America.

LAND USE COMMISSION MISSION STATEMENT

Ensuring the public health, safety, comfort, morals, convenience, general welfare, and the objectives and policies of the Comprehensive General Plan.

NO PRIOR SUPPORT FROM ANY OF THE KEY EVANSTON CITY REVIEW BODIES ACROSS MULTIPLE PROCESSES

- The Evanston City Plan Commission Staff recommended denial of this development (*or one very similar from same developer) twice:
 - Recommended denial at 2/26/20 Plan Commission meeting
 - Recommended denial at 9/30/20 Plan Commission meeting
- The Evanston City Plan Commission did not support this development* at its 2/26/20 meeting
- The Evanston City Plan Commission voted against this development* at its 9/30/20 meeting
- The Planning & Development Subcommittee of the City Council denied approval of this proposed development* at its 10/26/20 meeting
- The DAPR Committee previously voted to deny approval of this development*

VIOLETION OF AND / OR LACK OF COMPLIANCE WITH VIRTUALLY ALL OF EVANSTON'S OFFICIAL PLANS, GUIDELINES, AND STANDARDS FOR APPROVAL

- Violates the “City of Evanston 2009 Downtown Plan” which specifically recommends building heights of 6-10 stories for this specific block on this specific side of Chicago Avenue (see Appendix)
- Does not comply with the “Design Standards for Planned Developments” due to its size and mass
- Does not meet the “Standards of Approval for Planned Developments” in Section 6-11-1-10 (see slides 11, 12).
- Does not meet the “Standards for Special Use” in Section 6-3-5-10 due to a negative cumulative effect when one takes into account the impact of incremental car, taxi, UBER, Lyft, FedEx, Amazon, GrubHub, DoorDash traffic on already heavy vehicular, pedestrian, bike, Whole Foods and Church traffic (see slide 13).

MAJOR VIOLATIONS OF THIS SITE'S EVANSTON D4 ZONING REQUIREMENTS

- Development grossly violates both clear language and clear intent of the D4 zoning “transition zone” to the abutting residential neighborhoods on Hinman Avenue to east. Not surprisingly, Church Street and Hinman Avenue condo, apartment, homeowner residents find the development offensive.
- Development “tape-measure” height is 195 feet – which greatly exceeds maximum zoned height of 105 feet for this site and this zoning district (excluding parking, SDA “credits”). This overwhelms this site, that block, creates no fit with other buildings on that block, eliminates light, space, air and enables many more dwellings, residents than is safe.
- Development materially exceeds number of permitted dwelling units with 180 on a site where 54 is maximum permitted by this specific lot size and zoning (excluding IHO credits). The impact this violation has on congestion, traffic, safety for pedestrians, shoppers, residents, church members, pre-school is significant. When combined with use of narrow alley that abuts church for in-building parking and access to loading docks, congestion and safety impact is even greater.
- Development provides only 57 parking spaces where 130 are required per zoning

SUMMARY OF MAJOR D4 ZONING VIOLATIONS

SUMMARIZED FROM CITY OF EVANSTON ZONING ANALYSIS REVIEW SHEET DATED 3/29/22

*PERMITTED / REQUIRED BASED ON SITE SIZE, ZONING EXCLUDING IHO, SDA AND PARKING FLOOR CREDITS

<u>ZONING CATEGORY</u>	<u>PERMITTED / REQUIRED*</u>	<u>PROPOSED</u>
DWELLING UNITS	54	180
FLOOR AREA RATIO	5.4	7.8
HEIGHT	105	195
PARKING SPACES	130	57
LOADING DOCS	3	2

LEGITIMATE, CONSISTENT, STRONG OPPOSITION FROM COMMUNITY AND RESIDENTS

- Strong opposition from the 720 members of the First United Methodist Church which abuts development immediately to the east and shares alley
 - Church Pastor Grace Imathiu and Chairman of the Board of Trustees, Bill Brown of the First United Methodist Church have repeatedly presented their opposition and the Church's opposition to proposed development to multiple reviewing commissions and committees.
- Opposition from multiple Hinman Ave condo associations to east and 522 Church Street condominium to the north (both on the same block as the proposed development), additional residents in neighborhood, in 1st Ward and throughout Evanston.
- Hundreds of residents have provided written and live comments in opposition to this proposed development during Community Meetings, DAPR meetings, Plan Commission Meetings, Planning & Development of the Council sub-Committee meetings, etc.
- Petitions with hundreds + of signatures
- Very high levels of resident frustration with developer's repeated efforts to push through a development which grossly violates zoning, standards, the 2009 Downtown Plan

APPENDIX

EXAMPLES OF A FEW OF THE “STANDARDS OF APPROVAL FOR PLANNED DEVELOPMENTS” ON WHICH THE PROPOSED DEVELOPMENT AT 1621 – 1631 CHICAGO AVENUE FAILS

THESE STANDARDS ARE A SUBSET OF STANDARDS INCLUDED IN EVANSTON CITY ZONING CODE 6-11-1-10

...the Plan Commission shall not recommend approval of, nor shall the City Council adopt a planned development in the downtown districts unless they shall determine, based on written findings of fact, that the planned development adheres to the following standards

- Each planned development shall be compatible with surrounding development and not be of such a nature in height, bulk, or scale as to exercise any influence contrary to the purpose and intent of the Zoning Ordinance as set forth in [Section 6-1-2](#), "Purpose and Intent."
- Each planned development shall enhance the identity and character of the downtown, by preserving where possible character-giving buildings, enhancing existing streetscape amenities, maintaining retail continuity in areas where it is prominent, strengthening pedestrian orientation and scale and contributing to the mixed use vitality of the area

(CONTINUED) EXAMPLES OF A FEW OF THE “STANDARDS OF APPROVAL FOR PLANNED DEVELOPMENTS” ON WHICH THE PROPOSED DEVELOPMENT AT 1621 – 1631 CHICAGO AVENUE FAILS

THESE STANDARDS ARE A SUBSET OF STANDARDS INCLUDED IN EVANSTON CITY ZONING CODE 6-11-1-10

...the Plan Commission shall not recommend approval of, nor shall the City Council adopt a planned development in the downtown districts unless they shall determine, based on written findings of fact, that the planned development adheres to the following standards

- Each planned development shall be compatible with and implement the adopted Comprehensive General Plan, as amended, the Plan for Downtown Evanston, any adopted land use or urban design plan specific to the area, this Zoning Ordinance, and any other pertinent City planning and development policies, particularly in terms of:

- LAND USE
- HOUSING
- ENVIRONMENT
- TRAFFIC IMPACT & PARKING
- ESSENTIAL CHARACTER OF THE DOWNTOWN DISTRICT, THE SURROUNDING RESIDENTIAL NEIGHBORHOODS AND THE ABUTTING RESIDENTIAL LOTS
- NEIGHBORHOOD PLANNING
- LAND USE INTENSITY
- PRESERVATION
- URBAN DESIGN
- IMPACT ON SCHOOLS, PUBLIC SERVICES AND FACILITIES

EXAMPLES OF A FEW OF THE “STANDARDS OF APPROVAL FOR SPECIAL USE” ON WHICH THE PROPOSED DEVELOPMENT AT 1621 – 1631 CHICAGO AVENUE FAILS

THESE STANDARDS ARE A SUBSET OF STANDARDS INCLUDED IN EVANSTON CITY ZONING CODE 6-3-5-10

The Zoning Board of Appeals or the Plan Commission, as the case may be, shall only recommend approval, approval with conditions, or disapproval of a special use based upon **written findings of fact with regard to each of the standards set forth below and**, where applicable, any special standards for specific uses set forth in the provisions of a specific zoning district:

- **It is in keeping with purposes and policies of the adopted comprehensive general plan and the zoning ordinance as amended from time to time;**
- **It will not cause a negative cumulative effect, when its effect is considered in conjunction with the cumulative effect of various special uses of all types on the immediate neighborhood and the effect of the proposed type of special use upon the City as a whole;**
- **It does not interfere with or diminish the value of property in the neighborhood;**
- **It does not cause undue traffic congestion;**

CITY OF EVANSTON 2009 DOWNTOWN PLAN

RECOMMENDED HEIGHTS: 1621 – 1631 CHICAGO AVE IS IN EASTERN EDGE

- *Eastern Edge:*
- The Eastern Edge extends mostly along Chicago Avenue to Northwestern University from Lake Street. Chicago Avenue is a main route leading into and through the area. Similar to the west, the Eastern Edge has a predominantly residential character, but also includes small shops, large churches, and abuts the large Raymond Park at Lake Street. The mixed-use character of downtown starts to become evident along Chicago Avenue, which provides transition to the dense residential uses east along Hinman Avenue.
- Mixed-use development with residential and ground floor retail or office space is recommended for this zone in buildings of 66 to 110 feet in height (approximately 6 to 10 stories), similar to its existing context. A reorganization of the functional areas and landscaping of Raymond Park is also recommended to adapt this great open space to the current needs of downtown residents and visitors.

CITY OF EVANSTON 2009 DOWNTOWN PLAN

RECOMMENDED HEIGHTS AND FARS: 1621 – 1631 CHICAGO AVE IS IN EAST EDGE

Table 7A: Zoning for Urban Form

Character Districts	Maximum Height (feet)		Maximum Floor Area Ratio	
	Base	w/Bonuses	Base	w/Bonuses
North Edge	88	165	3.5	6
West Edge	66	110	3	5
East Edge	66	110	3	5
South Edge	66	110	3	5
University Link	66	88	2.75	4
West Link	66	88	2.75	4
West Core	165	198	5	6
East Core	165	198	5	6
Core	165	275	5	10
Central Core	275	385	7.5	12
West Traditional	42	88	3	4.5
South Traditional	38	60	3	4.5
North Traditional	38	60	3	4.5